

**National Electronic Data Interchange
Transaction Set Implementation Guide**

**Benefit Enrollment
and Maintenance**

834

ASC X12N 834 (004010X095)

May 2000

\$45.00 - Bound Document

\$35.00 - Portable Document (PDF) on Diskette

Portable Documents may be downloaded at no charge.

Contact **Washington Publishing Company** for more Information.

1.800.972.4334

www.wpc-edi.com

© 2000 WPC

Copyright for the members of ASC X12N by Washington Publishing Company.

Permission is hereby granted to any organization to copy and distribute this material internally as long as this copyright statement is included, the contents are not changed, and the copies are not sold.

Table of Contents

1	Purpose and Business Overview	7
1.1	Document Purpose	7
1.1.1	Trading partner Agreements	7
1.1.2	HIPAA Role in Implementation Guides	8
1.2	Version and Release	8
1.3	Business Use and Definitions	8
1.4	Batch and Real Time Transactions	9
1.5	Information Flows	10
1.5.1	Information Flow Definitions	10
2	Data Overview	12
2.1	Overall Data Architecture	12
2.2	Location of product Identifiers	12
2.3	Date Terminology	12
2.4	Linking a Dependent to a Subscriber	13
2.5	Termination	13
2.6	Updates Versus Full File Audits	14
2.7	Coverage Levels and Dependents	14
3	Transaction Sets	16
3.1	Presentation Examples	16
	Transaction Set Listing	21
	Segments	
	ST Transaction Set Header	27
	BGN Beginning Segment	28
	REF Transaction Set Policy Number	32
	DTP File Effective Date	34
	N1 Sponsor Name	35
	N1 Payer	37
	N1 TPA/Broker Name	39
	ACT TPA/Broker Account Information	41
	INS Member Level Detail	43
	REF Subscriber Number	51
	REF Member Policy Number	53
	REF Member Identification Number	55
	REF Prior Coverage Months	57
	DTP Member Level Dates	59
	NM1 Member Name	61
	PER Member Communications Numbers	64
	N3 Member Residence Street Address	67
	N4 Member Residence City, State, ZIP Code	68
	DMG Member Demographics	70

ICM Member Income.....	73
AMT Member Policy Amounts.....	75
HLH Member Health Information	76
LUI Member Language	78
NM1 Incorrect Member Name.....	80
DMG Incorrect Member Demographics	83
NM1 Member Mailing Address	85
N3 Member Mail Street Address	87
N4 Member Mail City, State, Zip.....	88
NM1 Member Employer	90
PER Member Employer Communications Numbers.....	92
N3 Member Employer Street Address.....	95
N4 Member Employer City, State, Zip.....	96
NM1 Member School	98
PER Member School Communications Numbers	100
N3 Member School Street Address.....	103
N4 Member School City, State, Zip	104
NM1 Custodial Parent	106
PER Custodial Parent Communications Numbers.....	109
N3 Custodial Parent Street Address	112
N4 Custodial Parent City, State, Zip.....	113
NM1 Responsible Person	115
PER Responsible Person Communications Numbers ..	118
N3 Responsible Person Street Address.....	121
N4 Responsible Person City, State, Zip	122
DSB Disability Information	124
DTP Disability Eligibility Dates	126
HD Health Coverage.....	128
DTP Health Coverage Dates	132
AMT Health Coverage Policy	134
REF Health Coverage Policy Number	135
IDC Identification Card.....	137
LX Provider Information	139
NM1 Provider Name.....	140
N4 Provider City, State, ZIP Code.....	143
PER Provider Communications Numbers.....	145
PLA PCP Change Reason	148
COB Coordination of Benefits	150
REF Additional Coordination of Benefits Identifiers	152
N1 Other Insurance Company Name.....	154
DTP Coordination of Benefits Eligibility Dates	156
SE Transaction Set Trailer.....	158

4 EDI Transmission Examples for Different Business Uses	159
4.1 Business Scenario 1	159
4.2 Business Scenario 2.....	160
4.3 Business Scenario 3.....	160
4.4 Business Scenario 4.....	161
4.5 Business Scenario 5.....	161
4.6 Business Scenario 6.....	162

4.7 Business Scenario 7	162
4.8 Business Scenario 8	163

A ASC X12 NomenclatureA.1

A.1 Interchange and Application Control Structures.....A.1

A.1.1 Interchange Control StructureA.1

A.1.2 Application Control Structure Definitions and Concepts.....A.2

A.1.2.1 Basic StructureA.2

A.1.2.2 Basic Character Set.....A.2

A.1.2.3 Extended Character SetA.2

A.1.2.4 Control CharactersA.3

A.1.2.5 Base Control SetA.3

A.1.2.6 Extended Control SetA.3

A.1.2.7 Delimiters.....A.4

A.1.3 Business Transaction Structure Definitions and Concepts.....A.4

A.1.3.1 Data Element.....A.4

A.1.3.2 Composite Data StructureA.6

A.1.3.3 Data Segment.....A.7

A.1.3.4 Syntax NotesA.7

A.1.3.5 Semantic NotesA.7

A.1.3.6 CommentsA.7

A.1.3.7 Reference Designator.....A.7

A.1.3.8 Condition DesignatorA.8

A.1.3.9 Absence of DataA.9

A.1.3.10 Control Segments.....A.9

A.1.3.11 Transaction Set.....A.10

A.1.3.12 Functional GroupA.12

A.1.4 Envelopes And Control StructuresA.12

A.1.4.1 Interchange Control Structures.....A.12

A.1.4.2 Functional GroupsA.13

A.1.4.3 HL Structures.....A.13

A.1.5 AcknowledgmentsA.14

A.1.5.1 Interchange Acknowledgment, TA1A.14

A.1.5.2 Functional Acknowledgment, 997A.14

B EDI Control DirectoryB.1

B.1 Control SegmentsB.3

ISA Interchange Control HeaderB.3

IEA Interchange Control TrailerB.7

GS Functional Group HeaderB.8

GE Functional Group TrailerB.10

TA1 Interchange AcknowledgmentB.11

B.2 Functional Acknowledgment Transaction Set, 997B.15

ST Transaction Set HeaderB.16

AK1 Functional Group Response HeaderB.18

AK2 Transaction Set Response HeaderB.19

AK3 Data Segment NoteB.20

AK4 Data Element NoteB.22

AK5 Transaction Set Response TrailerB.24

AK9 Functional Group Response Trailer	B.27
SE Transaction Set Trailer.....	B.30

C External Code SourcesC.1

5 Countries, Currencies and Funds	C.1
22 States and Outlying Areas of the U.S.....	C.1
51 ZIP Code	C.2
77 X12 Directories	C.3
94 International Organization for Standardization (Date and Time)	C.3
102 Languages	C.3
121 Health Industry Identification Number	C.4
131 International Classification of Diseases Clinical Mod (ICD-9-CM) Procedure.....	C.4
457 NISO Z39.53 Language Code List.....	C.4
540 Health Care Financing Administration National PlanID	C.5

D Change SummaryD.1

E Data Element Name Index.....E.1

1 Purpose and Business Overview

1.1 Document Purpose

For the health care industry to achieve the potential administrative cost savings with Electronic Data Interchange (EDI), standards have been developed and need to be implemented consistently by all organizations. To facilitate a smooth transition into the EDI environment, uniform implementation is critical.

The purpose of this implementation guide is to provide standardized data requirements and content to users of Version 004010 of ANSI ASC X12.84, Benefit Enrollment and Maintenance (834). The 834 is used to transfer enrollment information from the sponsor of the insurance coverage, benefits, or policy to a payer. The intent of this implementation guide is to meet the health care industry's specific need for the initial enrollment and subsequent maintenance of individuals who are enrolled in insurance products. This implementation guide specifically addresses the enrollment and maintenance of health care products only. One or more separate guides may be developed for life, flexible spending, and retirement products.

1.1.1 Trading Partner Agreements

It is appropriate and prudent for payers to have trading partner agreements that go with the standard Implementation Guides. This is because there are 2 levels of scrutiny that all electronic transactions must go through.

First is standards compliance. These requirements **MUST** be completely described in the Implementation Guides for the standards, and **NOT** modified by specific trading partners.

Second is the specific processing, or adjudication, of the transactions in each trading partner's individual system. Since this will vary from site to site (e.g., payer to payer), additional documentation which gives information regarding the processing, or adjudication, will prove helpful to each site's trading partners (e.g., providers), and will simplify implementation.

It is important that these trading partner agreements **NOT**:

- Modify the definition, condition, or use of a data element or segment in the standard Implementation Guide
- Add any additional data elements or segments to this Implementation Guide
- Utilize any code or data values which are not valid in this Implementation Guide
- Change the meaning or intent of this Implementation Guide

These types of companion documents should exist solely for the purpose of clarification, and should not be required for acceptance of a transaction as valid.

1.1.2 HIPAA Role in Implementation Guides

The Health Insurance Portability and Accountability Act of 1996 (P.L.104-191 - known as HIPAA) includes provisions for Administrative Simplification, which require the Secretary of Department of Health and Human Services to adopt standards to support the electronic exchange of administrative and financial health care transactions primarily between health care providers and plans. HIPAA directs the Secretary to adopt standards for transactions to enable health information to be exchanged electronically and to adopt specifications for implementing each standard.

Detailed Implementation Guides for each standard must be available at the time of the adoption of HIPAA standards so that health plans, providers, clearing-houses, and software vendors can ready their information systems and application software for compliance with the standards. Consistent usage of the standards, including loops, segments, data elements, etc., across all guides is mandatory to support the Secretary's commitment to standardization.

This Implementation Guide has been developed for use as a HIPAA Implementation Guide for Enrollment and Disenrollment in a Health Plan. Should the Secretary adopt the X12N 834 Benefit Enrollment and Maintenance transaction as an industry standard, this Implementation Guide describes the consistent industry usage called for by HIPAA. If adopted under HIPAA, the X12N 834 Benefit Enrollment and Maintenance transaction cannot be implemented except as described in this Implementation Guide.

1.2 Version and Release

This implementation guide is based on the October 1997 ASC X12 standards, referred to as Version 4, Release 1, Sub-release 0 (004010).

1.3 Business Use and Definitions

Sponsor

A sponsor is the party that ultimately pays for the coverage, benefit, or product. A sponsor can be an employer, union, government agency, association, or insurance agency.

Payer/Insurer

The payer is the party that pays claims and/or administers the insurance coverage, benefit, or product. A payer can be an insurance company; Health Maintenance Organization (HMO); Preferred Provider Organization (PPO); a government agency, such as Medicare or Civilian Health and Medical Program of the Uniformed Services (CHAMPUS); or another organization contracted by one of these groups.

Third Party Administrator (TPA)

A sponsor may elect to contract with a Third Party Administrator (TPA) or other vendor to handle collecting insured member data if the sponsor chooses not to perform this function.

Subscriber

The subscriber is an individual eligible for coverage because of his or her association with a sponsor. Examples of subscribers include the following: employees; union members; and individuals covered under government programs, such as Medicare and Medicaid.

Dependent

A dependent is an individual who is eligible for coverage because of his or her association with a subscriber. Typically, a dependent is a member of the subscriber's family.

Insured or Member

An insured individual or member is a subscriber or dependent who has been enrolled for coverage under an insurance plan. Dependents of a Subscriber who have not been individually enrolled for coverage are not included in Insured or Member.

1.4 Batch and Real Time Transactions

Within telecommunications, there are multiple methods used for sending and receiving business transactions. Frequently, different methods involve different timings. Two methods applicable for EDI transactions are batch and real time. This implementation guide only applies to batch health care enrollment. Real time enrollment is not supported at this time.

Batch – When transactions are used in batch mode, they are typically grouped together in large quantities and processed en-masse. In a batch mode, the sender sends multiple transactions to the receiver, either directly or through a switch (clearinghouse), and does not remain connected while the receiver processes




Figure 1. Health Care

the transactions. If there is an associated business response transaction (such as a 271 response to a 270 for eligibility), the receiver creates the response transaction for the sender off-line. The original sender typically reconnects at a later time (the amount of time is determined by the original receiver or switch) and picks up the response transaction. Typically, the results of a transaction that is processed in a batch mode would be completed for the next business day if it has been received by a predetermined cut off time.

Important: When in batch mode, the 997 Functional Acknowledgment transaction must be returned as quickly as possible to acknowledge that the receiver has or has not successfully received the batch transaction. In addition, the TA1 segment must be supported for interchange level errors (see section A.1.5.1 for details).

Real Time – Transactions that are used in a real time mode typically are those that require an immediate response. In a real time mode, the sender sends a request transaction to the receiver, either directly or through a switch (clearing-house), and remains connected while the receiver processes the transaction and returns a response transaction to the original sender. Typically, response times range from a few seconds to around thirty seconds, and should not exceed one minute.

Important: When in real time mode, the receiver must receive a response of either the response transaction, a 997 Functional Acknowledgment, or a TA1 segment (for details on the TA1 segment, see section A.1.5.1).

1.5 Information Flows

Transaction sets included in the information flow diagram are as follows:

- 834: Benefit Enrollment and Maintenance
- 820: Payment Order/Remittance Advice
- 270: Health Care Eligibility/Benefit Inquiry
- 271: Health Care Eligibility/Benefit Information

1.5.1 Information Flow Definitions

Sponsor

The sponsor is the party or entity that ultimately pays for the coverage, benefit, or product. A sponsor can be an employer, union, government agency, association, or insurance agency.

Payer

The payer is the party that pays claims and/or administers the insurance coverage, benefit, or product. A payer can be an insurance company; Health Maintenance Organization (HMO); Preferred Provider Organization (PPO); a government agency, such as Medicare or Civilian Health and Medical Program of the Uniformed Services (CHAMPUS); or another organization contracted by one of these groups.

Plan Administrator

The plan administrator is the entity that administers a benefit plan and determines the amount to be paid on a claim but does not actually make the payment.

Health Care Providers

Health care providers are individuals and organizations that provide health care services. Health care providers can include physicians, hospitals, clinics, pharmacies, and long-term care facilities. The legal definition of health care provider is included in section 262, Administrative Simplification, of the Health Insurance Portability and Accountability Act of 1996.

Vendors/Intermediaries

Vendors and intermediaries are organizations that distribute information about eligibility for specific benefits, but they do not actually administer the plan or make payments.

2 Data Overview

2.1 Overall Data Architecture

NOTE

See Appendix A, ASC X12 Nomenclature, for a review of transaction set structure, including descriptions of segments, data elements, levels, and loops.

2.2 Location of Product Identifiers

The 834 allows three locations for insurance product identifiers, such as policy numbers and group numbers:

- A situational REF segment at the transmission level
- A situational REF segment at the insured individual level
- A situational REF segment at the health insurance product level

NOTE

See Appendix A, ASC X12 Nomenclature, to review the transaction set structure, including descriptions of segments, data elements, levels, and loops.

The work group found that there was no consistent use for the insurance product identifier at the transaction set level. The 834 makes the occurrence situational, the work group selected code "38", Master Policy Number, for this occurrence. The REF02 element should not be sent if a policy number does not apply to the entire transaction.

Most identifiers should be communicated at the insured level. At this level, code 'OF' identifies the insurance policy. With this code, a single occurrence of the REF segment at this level is situational. The policy number should be passed in this occurrence of the REF if the HD segment is not passed or if all applicable coverage in the HD segment is covered under a single policy number. Other codes are included in optional occurrences of the REF segment to support business needs under the specific policy. The developers of this implementation guide were not able to limit the sender to a single code because of the variety of different insurance plans.

At the insurance product level, the sender also has the option of sending the policy number. This could apply if different policy numbers exist for a particular insurance product specified in the HD segments and a policy number is not passed at the insurance level REF segment.

2.3 Date Terminology

Users of past 834 implementation guides encountered considerable confusion about what codes should be used for dates related to the insured in Loop ID-2000 and to the insurance coverage in Loop ID-2400. This confusion resulted because several codes with very similar uses were available. These codes include the following: effective date, eligibility date, enrollment date, plan date, coverage date, and benefit date.

The tendency has been to try to use the same terminology as that used in the application systems. Lengthy discussion was required to reach a resolution be-

cause the application systems' terminology often differed among different systems. To facilitate communications between different systems, the developers of this implementation guide have limited the codes in Loop ID-2300 DTP, with the term "benefit" being used for actual dates of coverage. The developers recommend that these codes be used regardless of the names used in the sender and receiver systems.

Many more codes are listed in the DTP segment in Loop ID-2000. The developers of this implementation guide recommend that the term "eligibility" be used to refer to the dates on which an insured individual may choose to be covered.

2.4 Linking a Dependent to a Subscriber

Subscribers and dependents are sent as separate occurrences of Loop ID-2000. The initial enrollment for the subscriber must be sent before sending the initial enrollment for any of the subscriber's dependents. The enrollment of a dependent may follow the subscriber's enrollment in the same transmission, or it may be sent separately in a later transmission. Maintaining the existing enrollments of a subscriber and dependents can occur in any sequence.

Payers use various means to link dependents to the subscriber. The most common method is to use the subscriber's Social Security Number (SSN). To allow linking between subscribers and dependents without making assumptions about the receiving system, use the code "OF," Subscriber Number, in the REF segment, Loop ID-2000, position 020. The subscriber's unique identifier is sent in this segment in both the subscriber's and the dependent's Loop ID-2000.

The individual's SSN is sent and identified as such in NM108, Loop ID-2000, position 030. This applies to both subscribers and dependents. If the SSN is used for linking, then the subscriber's SSN is sent in both locations on the subscriber's Loop ID-2000.

2.5 Termination

In developing this implementation guide, the work group had extensive discussions on what data should be sent to terminate coverage for a subscriber's family. The two options are to send the minimum necessary data or to send complete data on the family's coverage. Although there would be benefits to the sponsor in maintaining complete information on each subscriber's coverage and dependents, the current practice includes many sponsors with less than complete data. To accommodate the greatest possible number of users, this implementation guide will be based on passing only the minimum necessary data. The following options will allow the receiver to determine the correct action to take for each possible notification of termination.

If the termination date is passed at the INS level for a subscriber; the DTP segment in position 040, loop 2000; then all coverage for that subscriber and for all dependents linked to that subscriber will be terminated, effective on that date.

If the termination date is passed at the INS level for a dependent; the DTP segment in position 040, loop 2000; then all coverage for that dependent will be terminated, effective on that date. The coverage for the subscriber and any other dependents will not be affected.

If the termination date is passed at the HD level for any member; the DTP segment in position 270, loop 2300; then coverage for that specific insurance product for that member will be terminated, effective on that date. Coverage for other insurance products for that member will not be affected nor will coverage for other members linked to the same subscriber.

Termination dates are not to be sent at both the HD and the INS levels for a particular occurrence of loop 2000.

Terminating all covered insurance products for a dependent at the HD level is the equivalent of terminating that dependent at the INS level. Terminating all insurance products for a subscriber at the HD level is different, in that there may be dependents that continue to be covered, i.e. - dependent only plans. A subscriber with all insurance product coverages terminated will be terminated as a member only if there are no dependents linked to that subscriber.

In the case of a transfer from one coverage to another, it is necessary to terminate the old coverage and then add the new coverage. An add to a new coverage must never be assumed to result in the automatic termination of the prior coverage.

2.6 Updates Versus Full File Audits

The 834 transaction can be used to provide either updates to the enrollment database or full file audits.

An update is either an “add”, “terminate” or “change” request. The transaction only contains information about the changed members. This is identified in BGN08 by a code value of '2', Change (Update).

A full file audit lists all current members, whether involved in a change or not. This facilitates keeping the sponsor's and payer's systems in sync. This is not intended to contain a history of all previous enrollments. This type of transaction is identified by a BGN08 code value of '4', Verify.

The most efficient and preferred method for regular maintenance of enrollment files is to use 'Change (Update)' transactions. Periodic audit files can be used to verify synchronization.

When required by sponsor's system limitations, full replacement files can be used to report all enrollees. Because this model is more costly and requires more resources to process, it is not recommended. 'Verify' should not be used for regular, daily, processing. It is recommended that this be used no more frequently than monthly.

2.7 Coverage Levels and Dependents

Differences exist in how Payers handle dependents. Some Payers identify a coverage level (HD05) for the subscriber which defines the coverage for eligible dependents as well. Other Payers need detailed information on each dependent in order to maintain their databases. Still other Payers require both types of information.

The contract between the Payer and the Sponsor must identify the member reporting requirements for the Enrollment transaction.

When the contract requires the Coverage Level code and no dependent information, HD05 is REQUIRED for all initial enrollment or changes to the Coverage Level Code.

When Dependent information is required without the Coverage Level Codes, separate INS loops are REQUIRED for enrollment or change for each dependent. See the Termination section for more information. HD05 is NOT USED for any member.

When the dependent information and Coverage Level Code are REQUIRED, the Coverage Level Code (HD05) must be used for all subscriber initial enrollment or when the Subscriber's Coverage Level Code changes. This change applies to all covered dependents of the subscriber. The Coverage Level Code is NOT USED with dependent enrollment, changes or terminations. Note: If a dependent addition or termination effectively changes the Coverage Level Code of a subscriber, the subscriber must be changed directly if the contract requires use of the Coverage Level Code.

3 Transaction Sets

NOTE

See Appendix A, ASC X12 Nomenclature, for a review of transaction set structure including descriptions of segments, data elements, levels, and loops.

3.1 Presentation Examples

The ASC X12 standards are generic. For example, multiple trading communities use the same Administrative Communications Contact Segment (PER) to specify contact names and phone numbers. Each community decides which elements to use and which code values in those elements apply to its business needs. This implementation guide, like all ASC X12N implementation guides, uses a format that depicts both the generalized standard and the trading community-specific implementation.

The transaction set detail is comprised of two main sections with subsections within the main sections.

Transaction Set Listing

- Implementation

- Standard

Segment Detail

- Implementation

- Standard

- Diagram

- Element Summary

The examples in figures 2 through 7 are drawn from the 835 Health Care Claim Payment/Advice Transaction Set, but all principles apply.

The following pages provide illustrations, in the same order they appear in the guide, to describe the format.

The examples are drawn from the 835 Health Care Claim Payment/Advice Transaction Set, but all principles apply.

IMPLEMENTATION

Indicates that this section is the implementation and not the standard

835 Health Care Claim Payment/Advice

Table 1 - Header

PAGE #	POS. #	SEG. ID	NAME	USAGE	REPEAT	LOOP REPEAT
53	010	ST	835 Header	R	1	
54	020	BPR	Financial Information	R	1	
60	040	TRN	Reassociation Key	R	1	
62	050	CUR	Non-US Dollars Currency	S	1	
65	060	REF	Receiver ID	S	1	
66	060	REF	Version Number	S	1	
68	070	DTM	Production Date	S	1	
PAYER NAME						1
70	080	N1	Payer Name	R	1	
72	100	N3	Payer Address	S	1	
75	110	N4	Payer City, State, ZIP Code	S	1	
76	120	REF	Additional Payer Reference Number	S	1	
78	130	PER	Payer Contact	S	1	
PAYEE NAME						1
79	080	N1	Payee Name	R	1	
81	100	N3	Payee Address	S	1	
82	110	N4	Payee City, State, ZIP Code	S	1	
84	120	REF	Payee Additional Reference Number	S	>1	

Each segment is assigned an industry specific name. Not used segments do not appear

Each loop is assigned an industry specific name

Segment repeats and loop repeats reflect actual usage

R=Required
S=Situational

Position Numbers and Segment IDs retain their X12 values

Individual segments and entire loops are repeated

Figure 2. Transaction Set Key — Implementation

STANDARD

Indicates that this section is identical to the ASC X12 standard

835 Health Care Claim Payment/Advice

Functional Group ID: **HP**

This Draft Standard for Trial Use contains the format and establishes the data contents of the Health Care Claim Payment/Advice Transaction Set (835) within the context of the Electronic Data Interchange (EDI) environment. This transaction set can be used to make a payment, send an Explanation of Benefits (EOB) remittance advice, or make a payment and send an EOB remittance advice only from a health insurer to a health care provider either directly or via a financial institution.

See Appendix A, ASC X12 Nomenclature for a complete description of the standard

Table 1 - Header

POS. #	SEG. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
010	ST	Transaction Set Header	M	1	
020	BPR	Beginning Segment for Payment Order/Remittance Advice	M	1	
030	NTE	Note/Special Instruction	O	>1	
040	TRN	Trace	O	1	

Figure 3. Transaction Set Key — Standard




Figure 4. Segment Key — Implementation




Figure 5. Segment Key — Standard




Figure 6. Segment Key — Diagram

ELEMENT SUMMARY									
USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES					
REQUIRED	SVC01	C003	COMPOSITE MEDICAL PROCEDURE IDENTIFIER	M					
<p>↑ Industry Usages: See the following page for complete descriptions</p> <p>X12 Semantic Note →</p> <p>Industry Note →</p>			<p>To identify a medical procedure by its standardized codes and applicable modifiers</p> <p>SEMANTIC NOTES</p> <p>03 C003-03 modifies the value in C003-02. 04 C003-04 modifies the value in C003-02. 05 C003-05 modifies the value in C003-02. 06 C003-06 modifies the value in C003-02. 07 C003-07 is the description of the procedure identified in C003-02.</p> <p>Use the adjudicated Medical Procedure Code.</p>						
REQUIRED	SVC01 - 1	235	Product/Service ID Qualifier	M ID	2/2				
<p>Selected Code Values →</p> <p>See Appendix C for external code source reference →</p>			<p>Code identifying the type/source of the descriptive number used in Product/Service ID (234)</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>AD</td> <td>American Dental Association Codes</td> </tr> </tbody> </table> <p>CODE SOURCE 135: American Dental Association Codes</p>			CODE	DEFINITION	AD	American Dental Association Codes
CODE	DEFINITION								
AD	American Dental Association Codes								

ELEMENT SUMMARY					
USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES	
REQUIRED	N101	98	Entity Identifier Code	M ID	2/3
<p>Reference Designator →</p>			<p>Code identifying an organizational entity, a physical location, property or an individual</p>		
SITUATIONAL	N102	93	Name	X AN	1/60
<p>Data Element Number →</p>			<p>Free-form name</p> <p>SYNTAX: R0203</p>		
SITUATIONAL	N103	66	Identification Code Qualifier	X ID	1/2
			<p>Code designating the system/method of code structure used for Identification Code (67)</p>		
SITUATIONAL	N104	67	Identification Code	X AN	2/20
<p>X12 Syntax Note →</p> <p>X12 Comment →</p>			<p>SYNTAX: P0304</p> <p>ADVISORY: Under most circumstances, this element is expected to be sent.</p> <p>COMMENT: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.</p>		

Figure 7. Segment Key — Element Summary

Industry Usages:

Required This item must be used to be compliant with this implementation guide.

Not Used This item should not be used when complying with this implementation guide.

Situational The use of this item varies, depending on data content and business context. The defining rule is generally documented in a syntax or usage note attached to the item.* The item should be used whenever the situation defined in the note is true; otherwise, the item should not be used.

*** NOTE**

If no rule appears in the notes, the item should be sent if the data is available to the sender.

Loop Usages:

Loop usage within ASC X12 transactions and their implementation guides can be confusing. Care must be used to read the loop requirements in terms of the context or location within the transaction. The usage designator of a loop's beginning segment indicates the usage of the loop. Segments within a loop cannot be sent without the beginning segment of that loop.

If the first segment is Required, the loop must occur at least once unless it is nested in a loop that is not being used. A note on the Required first segment of a nested loop will indicate dependency on the higher level loop.

If the first segment is Situational, there will be a Segment Note addressing use of the loop. Any required segments in loops beginning with a Situational segment only occur when the loop is used. Similarly, nested loops only occur when the higher level loop is used.

IMPLEMENTATION

834 Benefit Enrollment and Maintenance

Table 1 - Header

PAGE #	POS. #	SEG. ID	NAME	USAGE	REPEAT	LOOP REPEAT
27	010	ST	Transaction Set Header	R	1	
28	020	BGN	Beginning Segment	R	1	
32	030	REF	Transaction Set Policy Number	S	1	
34	040	DTP	File Effective Date	S	>1	
LOOP ID - 1000A SPONSOR NAME						1
35	070	N1	Sponsor Name	R	1	
LOOP ID - 1000B PAYER						1
37	070	N1	Payer	R	1	
LOOP ID - 1000C TPA/BROKER NAME						2
39	070	N1	TPA/Broker Name	S	1	
LOOP ID - 1100C TPA/BROKER ACCOUNT INFORMATION						1
41	120	ACT	TPA/Broker Account Information	S	1	

Table 2 - Detail

PAGE #	POS. #	SEG. ID	NAME	USAGE	REPEAT	LOOP REPEAT
LOOP ID - 2000 MEMBER LEVEL DETAIL						>1
43	010	INS	Member Level Detail	R	1	
51	020	REF	Subscriber Number	R	1	
53	020	REF	Member Policy Number	S	1	
55	020	REF	Member Identification Number	S	5	
57	020	REF	Prior Coverage Months	S	1	
59	025	DTP	Member Level Dates	S	20	
LOOP ID - 2100A MEMBER NAME						1
61	030	NM1	Member Name	R	1	
64	040	PER	Member Communications Numbers	S	1	
67	050	N3	Member Residence Street Address	S	1	
68	060	N4	Member Residence City, State, ZIP Code	S	1	
70	080	DMG	Member Demographics	S	1	
73	110	ICM	Member Income	S	1	
75	120	AMT	Member Policy Amounts	S	4	
76	130	HLH	Member Health Information	S	1	
78	150	LUI	Member Language	S	5	
LOOP ID - 2100B INCORRECT MEMBER NAME						1
80	030	NM1	Incorrect Member Name	S	1	
83	080	DMG	Incorrect Member Demographics	S	1	
LOOP ID - 2100C MEMBER MAILING ADDRESS						1
85	030	NM1	Member Mailing Address	S	1	
87	050	N3	Member Mail Street Address	S	1	

88	060	N4	Member Mail City, State, Zip	S	1	
			LOOP ID - 2100D MEMBER EMPLOYER			3
90	030	NM1	Member Employer	S	1	
92	040	PER	Member Employer Communications Numbers	S	1	
95	050	N3	Member Employer Street Address	S	1	
96	060	N4	Member Employer City, State, Zip	S	1	
			LOOP ID - 2100E MEMBER SCHOOL			3
98	030	NM1	Member School	S	1	
100	040	PER	Member School Communications Numbers	S	1	
103	050	N3	Member School Street Address	S	1	
104	060	N4	Member School City, State, Zip	S	1	
			LOOP ID - 2100F CUSTODIAL PARENT			1
106	030	NM1	Custodial Parent	S	1	
109	040	PER	Custodial Parent Communications Numbers	S	1	
112	050	N3	Custodial Parent Street Address	S	1	
113	060	N4	Custodial Parent City, State, Zip	S	1	
			LOOP ID - 2100G RESPONSIBLE PERSON			1
115	030	NM1	Responsible Person	S	1	
118	040	PER	Responsible Person Communications Numbers	S	1	
121	050	N3	Responsible Person Street Address	S	1	
122	060	N4	Responsible Person City, State, Zip	S	1	
			LOOP ID - 2200 DISABILITY INFORMATION			1
124	200	DSB	Disability Information	S	1	
126	210	DTP	Disability Eligibility Dates	S	2	
			LOOP ID - 2300 HEALTH COVERAGE			99
128	260	HD	Health Coverage	S	1	
132	270	DTP	Health Coverage Dates	R	4	
134	280	AMT	Health Coverage Policy	S	4	
135	290	REF	Health Coverage Policy Number	S	2	
137	300	IDC	Identification Card	S	10	
			LOOP ID - 2310 PROVIDER INFORMATION			30
139	310	LX	Provider Information	S	1	
140	320	NM1	Provider Name	R	1	
143	360	N4	Provider City, State, ZIP Code	S	1	
145	370	PER	Provider Communications Numbers	S	2	
148	395	PLA	PCP Change Reason	S	1	
			LOOP ID - 2320 COORDINATION OF BENEFITS			5
150	400	COB	Coordination of Benefits	S	1	
152	405	REF	Additional Coordination of Benefits Identifiers	S	5	
154	410	N1	Other Insurance Company Name	S	1	
156	450	DTP	Coordination of Benefits Eligibility Dates	S	2	
158	690	SE	Transaction Set Trailer	R	1	

STANDARD

834 Benefit Enrollment and Maintenance

Functional Group ID: **BE**

This Draft Standard for Trial Use contains the format and establishes the data contents of the Benefit Enrollment and Maintenance Transaction Set (834) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to establish communication between the sponsor of the insurance product and the payer. Such transaction(s) may or may not take place through a third party administrator (TPA).

For the purpose of this standard, the sponsor is the party or entity that ultimately pays for the coverage, benefit or product. A sponsor can be an employer, union, government agency, association, or insurance agency.

The payer refers to an entity that pays claims, administers the insurance product or benefit, or both. A payer can be an insurance company, health maintenance organization (HMO), preferred provider organization (PPO), government agency (Medicare, Medicaid, Champus, etc.), or an entity that may be contracted by one of these former groups.

For the purpose of the 834 transaction set, a third party administrator (TPA) can be contracted by a sponsor to handle data gathering from those covered by the sponsor if the sponsor does not elect to perform this function itself.

Table 1 - Header

POS. #	SEG. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
010	ST	Transaction Set Header	M	1	
020	BGN	Beginning Segment	M	1	
030	REF	Reference Identification	O	>1	
040	DTP	Date or Time or Period	O	>1	
050	AMT	Monetary Amount	O	>1	
060	QTY	Quantity	O	>1	
LOOP ID - 1000					>1
070	N1	Name	M	1	
080	N2	Additional Name Information	O	2	
090	N3	Address Information	O	2	
100	N4	Geographic Location	O	1	
110	PER	Administrative Communications Contact	O	3	
LOOP ID - 1100					10
120	ACT	Account Identification	O	1	
130	REF	Reference Identification	O	5	
140	N3	Address Information	O	1	
150	N4	Geographic Location	O	1	
160	PER	Administrative Communications Contact	O	5	
170	DTP	Date or Time or Period	O	1	
180	AMT	Monetary Amount	O	1	

Table 2 - Detail

POS. #	SEG. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
LOOP ID - 2000					>1
010	INS	Insured Benefit	O	1	
020	REF	Reference Identification	M	>1	
025	DTP	Date or Time or Period	O	>1	
LOOP ID - 2100					>1
030	NM1	Individual or Organizational Name	O	1	
040	PER	Administrative Communications Contact	O	1	
050	N3	Address Information	O	1	
060	N4	Geographic Location	O	1	
080	DMG	Demographic Information	O	1	
090	PM	Electronic Funds Transfer Information	O	1	
100	EC	Employment Class	O	>1	
110	ICM	Individual Income	O	1	
120	AMT	Monetary Amount	O	10	
130	HLH	Health Information	O	1	
140	HI	Health Care Information Codes	O	10	
150	LUI	Language Use	O	>1	
LOOP ID - 2200					4
200	DSB	Disability Information	O	1	
210	DTP	Date or Time or Period	O	10	
220	AD1	Adjustment Amount	O	10	
LOOP ID - 2300					99
260	HD	Health Coverage	O	1	
270	DTP	Date or Time or Period	O	10	
280	AMT	Monetary Amount	O	3	
290	REF	Reference Identification	O	5	
300	IDC	Identification Card	O	>1	
LOOP ID - 2310					30
310	LX	Assigned Number	O	1	
320	NM1	Individual or Organizational Name	O	1	
330	N1	Name	O	3	
340	N2	Additional Name Information	O	1	
350	N3	Address Information	O	2	
360	N4	Geographic Location	O	2	
370	PER	Administrative Communications Contact	O	2	
380	PRV	Provider Information	O	1	
390	DTP	Date or Time or Period	O	6	
395	PLA	Place or Location	O	1	
LOOP ID - 2320					5
400	COB	Coordination of Benefits	O	1	
405	REF	Reference Identification	O	>1	
410	N1	Name	O	1	
420	N2	Additional Name Information	O	1	
430	N3	Address Information	O	2	
440	N4	Geographic Location	O	1	
450	DTP	Date or Time or Period	O	2	
LOOP ID - 2400					10
460	LC	Life Coverage	O	1	
470	AMT	Monetary Amount	O	5	
480	DTP	Date or Time or Period	O	2	

485	REF	Reference Identification	0	>1	
LOOP ID - 2410					20
490	BEN	Beneficiary or Owner Information	0	1	
500	NM1	Individual or Organizational Name	0	1	
510	N1	Name	0	1	
520	N2	Additional Name Information	0	1	
530	N3	Address Information	0	1	
540	N4	Geographic Location	0	1	
542	DMG	Demographic Information	0	1	
LOOP ID - 2500					5
550	FSA	Flexible Spending Account	0	1	
560	AMT	Monetary Amount	0	10	
570	DTP	Date or Time or Period	0	10	
575	REF	Reference Identification	0	>1	
LOOP ID - 2600					>1
580	RP	Retirement Product	0	1	
590	DTP	Date or Time or Period	0	>1	
592	REF	Reference Identification	0	>1	
594	INV	Investment Vehicle Selection	0	>1	
596	AMT	Monetary Amount	0	20	
597	QTY	Quantity	0	20	
598	K3	File Information	0	3	
600	REL	Relationship	0	1	
LOOP ID - 2610					>1
610	NM1	Individual or Organizational Name	0	1	
630	N2	Additional Name Information	0	1	
651	DMG	Demographic Information	0	1	
652	BEN	Beneficiary or Owner Information	0	1	
653	REF	Reference Identification	0	>1	
LOOP ID - 2620					>1
654	NX1	Property or Entity Identification	0	1	
655	N3	Address Information	0	1	
656	N4	Geographic Location	0	1	
657	DTP	Date or Time or Period	0	>1	
LOOP ID - 2630					>1
660	FC	Financial Contribution	0	1	
670	DTP	Date or Time or Period	0	>1	
LOOP ID - 2640					>1
678	INV	Investment Vehicle Selection	0	1	
679	DTP	Date or Time or Period	0	>1	
680	QTY	Quantity	0	>1	
681	ENT	Entity	0	>1	
682	REF	Reference Identification	0	>1	
683	AMT	Monetary Amount	0	20	
684	K3	File Information	0	3	
LOOP ID - 2650					>1
685	AIN	Income	0	1	
686	QTY	Quantity	0	>1	
687	DTP	Date or Time or Period	0	>1	
690	SE	Transaction Set Trailer	M	1	

NOTES:

- 1/050** The AMT segment is used to record the total Flexible Spending Account contributions in the transaction set.
- 1/060** The QTY segment is used to record the total number of subscribers and dependents in the transaction set.
- 1/070** At least one iteration of the N1 loop is required to identify the sender or receiver.
- 2/010** A Subscriber is a person who elects the benefits and is affiliated with the employer or the insurer. A Dependent is a person who is affiliated with the subscriber, such as a spouse, child, etc., and is therefore entitled to benefits. Subscriber information must come before dependent information. The INS segment is used to note if information being submitted is subscriber information or dependent information.
- 2/020** The REF segment is required to link the dependent(s) to the subscriber.
- 2/200** The DSB loop may only appear for the Subscriber.
- 2/310** The LX loop contains information about the primary care providers for the subscriber or the dependent, and about the beneficiaries of any employer-sponsored life insurance for the subscriber.
- 2/320** Either NM1 or N1 will be included depending on whether an individual or organization is being specified.
- 2/550** The FSA loop may only appear for the Subscriber.

IMPLEMENTATION

TRANSACTION SET HEADER


Usage: REQUIRED
Repeat: 1
Example: ST*834*0001~

STANDARD

ST Transaction Set Header

Level: Header
Position: 010
Loop: _____
Requirement: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES						
REQUIRED	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set	M ID 3/3						
<p>SEMANTIC: The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).</p> <table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>834</td> <td>Benefit Enrollment and Maintenance</td> </tr> <tr> <td></td> <td>REQUIRED</td> </tr> </tbody> </table>					CODE	DEFINITION	834	Benefit Enrollment and Maintenance		REQUIRED
CODE	DEFINITION									
834	Benefit Enrollment and Maintenance									
	REQUIRED									
REQUIRED	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9						
<p>The transaction set control numbers in ST02 and SE02 must be identical. This unique number also aids in error resolution research. For example, start with the number 0001 and increment from there. This number must be unique within a specific group and interchange, but the number can repeat in other groups and interchanges.</p>										

IMPLEMENTATION

BEGINNING SEGMENT


Usage: REQUIRED
Repeat: 1
Example: BGN*00*11227*19970920*1200*ES***2~

STANDARD

BGN Beginning Segment

Level: Header
Position: 020
Loop: _____
Requirement: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax: 1. C0504
If BGN05 is present, then BGN04 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	BGN01	353	Transaction Set Purpose Code Code identifying purpose of transaction set	M ID 2/2
<p>If the original transaction has already been processed, an incoming transaction using this code may be rejected by the receiver. The rejection will be identified to the sender by telephone or other direct contact.</p>				
			CODE	DEFINITION
			00	Original The "00" indicates the first time the transaction is sent.

			15	Re-Submission Send the “15” when the original transmission was incorrect, has yet to be processed by the receiver, and a new corrected transmission is being sent. This transmission can then be pended by the receiver’s translator for further review.	
			22	Information Copy Send the “22” when the original transmission was lost or not processed, and the sender is passing another transmission that is the same as the original.	
REQUIRED	BGN02	127	Reference Identification	M AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Transaction Set Identifier Code</i> SEMANTIC: BGN02 is the transaction set reference number. Use the transaction set reference number assigned by the sender’s application to uniquely identify this occurrence of the transaction for future reference.	
REQUIRED	BGN03	373	Date	M DT 8/8 Date expressed as CCYYMMDD <i>INDUSTRY: Transaction Set Creation Date</i> SEMANTIC: BGN03 is the transaction set date. Use this date to identify the date that the submitter created the file.	
REQUIRED	BGN04	337	Time	X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) <i>INDUSTRY: Transaction Set Creation Time</i> SYNTAX: C0504 SEMANTIC: BGN04 is the transaction set time. Use the time to identify the time of day that the submitter created the file. This element is used as a time stamp to uniquely identify the transmission.	
SITUATIONAL	BGN05	623	Time Code	O ID 2/2 Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow <i>INDUSTRY: Time Zone Code</i> SYNTAX: C0504 SEMANTIC: BGN05 is the transaction set time qualifier. CODE SOURCE 94: International Organization for Standardization (Date and Time) Use the time code if the sender and receiver are not in the same time zone.	
			CODE	DEFINITION	
			01	Equivalent to ISO P01	

02	Equivalent to ISO P02
03	Equivalent to ISO P03
04	Equivalent to ISO P04
05	Equivalent to ISO P05
06	Equivalent to ISO P06
07	Equivalent to ISO P07
08	Equivalent to ISO P08
09	Equivalent to ISO P09
10	Equivalent to ISO P10
11	Equivalent to ISO P11
12	Equivalent to ISO P12
13	Equivalent to ISO M12
14	Equivalent to ISO M11
15	Equivalent to ISO M10
16	Equivalent to ISO M09
17	Equivalent to ISO M08
18	Equivalent to ISO M07
19	Equivalent to ISO M06
20	Equivalent to ISO M05
21	Equivalent to ISO M04
22	Equivalent to ISO M03
23	Equivalent to ISO M02
24	Equivalent to ISO M01
AD	Alaska Daylight Time
AS	Alaska Standard Time
AT	Alaska Time
CD	Central Daylight Time
CS	Central Standard Time
CT	Central Time
ED	Eastern Daylight Time
ES	Eastern Standard Time
ET	Eastern Time

GM	Greenwich Mean Time
HD	Hawaii-Aleutian Daylight Time
HS	Hawaii-Aleutian Standard Time
HT	Hawaii-Aleutian Time
LT	Local Time
MD	Mountain Daylight Time
MS	Mountain Standard Time
MT	Mountain Time
ND	Newfoundland Daylight Time
NS	Newfoundland Standard Time
NT	Newfoundland Time
PD	Pacific Daylight Time
PS	Pacific Standard Time
PT	Pacific Time
TD	Atlantic Daylight Time
TS	Atlantic Standard Time
TT	Atlantic Time
UT	Universal Time Coordinate

SITUATIONAL BGN06 127 **Reference Identification** O AN 1/30
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

INDUSTRY: Transaction Set Identifier Code

SEMANTIC: BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

If BGN01 equals 15 or 22, then BGN06 should be used to cross reference to the previously sent transaction.

NOT USED BGN07 640 **Transaction Type Code** O ID 2/2

REQUIRED BGN08 306 **Action Code** O ID 1/2

Code indicating type of action

CODE	DEFINITION
2	Change (Update) Used to identify a transaction of additions, terminations and changes to the current enrollment.
4	Verify Used to identify a full enrollment transaction to verify that the sponsor's and payer's systems are synchronized.

NOT USED BGN09 786 **Security Level Code** O ID 2/2

IMPLEMENTATION

TRANSACTION SET POLICY NUMBER

Usage: SITUATIONAL

Repeat: 1

- Notes:
1. This segment can be used if a unique ID Number for a group applies to the entire transaction set.
 2. The definition of the Master Policy Number is determined by the issuer of the policy, the Payer/Plan Administrator. The Master Policy Number may be used to meet various business needs such as indicating the line of business under which the policy is defined.
 3. This segment is REQUIRED when the contract or trading partner agreement identify a Master Policy Number for use with electronic enrollment.

Example: REF*38*123456~

STANDARD

REF Reference Identification

Level: Header

Position: 030

Loop: _____


Requirement: Optional

Max Use: >1

Purpose: To specify identifying information

Syntax: 1. R0203
At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
		CODE	DEFINITION	
		38	Master Policy Number	

REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Master Policy Number</i> SYNTAX: R0203	X	AN	1/30
NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

FILE EFFECTIVE DATE

Usage: SITUATIONAL

Repeat: >1

Notes: 1. To be sent when required by contract terms.

Example: DTP*007*D8*19961001~

STANDARD

DTP Date or Time or Period

Level: Header

Position: 040


Loop: _____

Requirement: Optional

Max Use: >1

Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES										
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time <i>INDUSTRY: Date Time Qualifier</i>	M ID 3/3										
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>007</td> <td>Effective</td> </tr> <tr> <td>303</td> <td>Maintenance Effective</td> </tr> <tr> <td>382</td> <td>Enrollment</td> </tr> <tr> <td>388</td> <td>Payment Commencement</td> </tr> </tbody> </table>	CODE	DEFINITION	007	Effective	303	Maintenance Effective	382	Enrollment	388	Payment Commencement	
CODE	DEFINITION													
007	Effective													
303	Maintenance Effective													
382	Enrollment													
388	Payment Commencement													
REQUIRED	DTP02	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.	M ID 2/3										
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>D8</td> <td>Date Expressed in Format CCYYMMDD</td> </tr> </tbody> </table>	CODE	DEFINITION	D8	Date Expressed in Format CCYYMMDD							
CODE	DEFINITION													
D8	Date Expressed in Format CCYYMMDD													
REQUIRED	DTP03	1251	Date Time Period Expression of a date, a time, or range of dates, times or dates and times	M AN 1/35										

IMPLEMENTATION

SPONSOR NAME


Loop: 1000A — SPONSOR NAME Repeat: 1
 Usage: REQUIRED
 Repeat: 1
 Notes: 1. Use this loop to identify the sponsor. See section 1.3 for the definition of sponsor.

Example: N1*P5**FI*12356799~

STANDARD

N1 Name
 Level: Header
 Position: 070
 Loop: 1000 Repeat: >1
 Requirement: Mandatory
 Max Use: 1
 Purpose: To identify a party by type of organization, name, and code
 Set Notes: 1. At least one iteration of the N1 loop is required to identify the sender or receiver.
 Syntax: 1. **R0203**
 At least one of N102 or N103 is required.
 2. **P0304**
 If either N103 or N104 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
	P5		Plan Sponsor	

SITUATIONAL	N102	93	Name Free-form name <i>INDUSTRY: Plan Sponsor Name</i> SYNTAX: R0203	X	AN	1/60
This element may be used at the sender's discretion.						
REQUIRED	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: R0203, P0304	X	ID	1/2
			CODE	DEFINITION		
			FI	Federal Taxpayer's Identification Number The developers recommend that this code be used until the HIPAA standard identifier is implemented.		
			ZZ	Mutually Defined The value 'ZZ', when used in this data element shall be defined as "HIPAA Employer Identifier" once this identifier has been adopted. Under the Health Insurance Portability and Accountability Act of 1996, the Secretary of the Department of Health and Human Services must adopt a standard employer identifier for use in this transaction.		
REQUIRED	N104	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Sponsor Identifier</i> SYNTAX: P0304 COMMENT: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.	X	AN	2/80
NOT USED	N105	706	Entity Relationship Code	O	ID	2/2
NOT USED	N106	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

PAYER

Loop: 1000B — PAYER Repeat: 1
Usage: REQUIRED
Repeat: 1

Notes: 1. Use this loop to identify the payer. See section 1.3 for the definition of a payer.

Example: N1*IN**FI*12356799~

STANDARD

N1 Name

Level: Header

Position: 070

Loop: 1000 Repeat: >1

Requirement: Mandatory


Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Set Notes: 1. At least one iteration of the N1 loop is required to identify the sender or receiver.

Syntax: 1. **R0203**
At least one of N102 or N103 is required.
2. **P0304**
If either N103 or N104 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
			IN	Insurer

SITUATIONAL	N102	93	Name Free-form name <i>INDUSTRY: Insurer Name</i> SYNTAX: R0203	X	AN	1/60
This element may be used at the sender's discretion.						
REQUIRED	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: R0203, P0304	X	ID	1/2
			<u>CODE</u>	<u>DEFINITION</u>		
			FI	Federal Taxpayer's Identification Number		
			XV	Health Care Financing Administration National PlanID <i>Required if the National PlanID is mandated for use. Otherwise, one of the other listed codes may be used.</i> ADVISED CODE SOURCE 540: Health Care Financing Administration National PlanID		
REQUIRED	N104	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Insurer Identification Code</i> SYNTAX: P0304 COMMENT: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.	X	AN	2/80
NOT USED	N105	706	Entity Relationship Code	O	ID	2/2
NOT USED	N106	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

TPA/BROKER NAME

Loop: 1000C — TPA/BROKER NAME **Repeat:** 2
Usage: SITUATIONAL
Repeat: 1
Notes: 1. This loop should be sent if a TPA/broker is involved.
 2. This loop is REQUIRED when a TPA or a Broker is involved. See section 1.3 for definitions.


Example: N1*TV**FI*123356799~

STANDARD

N1 Name

Level: Header
Position: 070
Loop: 1000 **Repeat:** >1
Requirement: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Set Notes: 1. At least one iteration of the N1 loop is required to identify the sender or receiver.
Syntax: 1. **R0203**
 At least one of N102 or N103 is required.
 2. **P0304**
 If either N103 or N104 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
			BO	Broker or Sales Office
			TV	Third Party Administrator (TPA)

REQUIRED	N102	93	Name Free-form name	X AN 1/60
-----------------	-------------	-----------	-------------------------------	------------------

INDUSTRY: TPA or Broker Name

SYNTAX: R0203

REQUIRED	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67)	X ID 1/2
-----------------	-------------	-----------	--------------------------------------------------------------------------------------------------------------------------------	-----------------

SYNTAX: R0203, P0304

CODE	DEFINITION
94	Code assigned by the organization that is the ultimate destination of the transaction set
FI	Federal Taxpayer's Identification Number
XV	Health Care Financing Administration National PlanID <i>Required if the National PlanID is mandated for use. Otherwise, one of the other listed codes may be used.</i>

CODE SOURCE 540: Health Care Financing Administration National PlanID

REQUIRED	N104	67	Identification Code Code identifying a party or other code	X AN 2/80
-----------------	-------------	-----------	----------------------------------------------------------------------	------------------

INDUSTRY: TPA or Broker Identification Code

SYNTAX: P0304

COMMENT: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

NOT USED	N105	706	Entity Relationship Code	O ID 2/2
-----------------	-------------	------------	---------------------------------	-----------------

NOT USED	N106	98	Entity Identifier Code	O ID 2/3
-----------------	-------------	-----------	-------------------------------	-----------------

IMPLEMENTATION

TPA/BROKER ACCOUNT INFORMATION

Loop: 1100C — TPA/BROKER ACCOUNT INFORMATION Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is **REQUIRED** if the account number of the TPA or Broker is different than the account number for the sponsor.

Example: ACT*1234*****23498765~

STANDARD

ACT Account Identification

Level: Header

Position: 120

Loop: 1100 Repeat: 10


Requirement: Optional

Max Use: 1

Purpose: To specify account information

- Syntax:**
1. **P0304**
If either ACT03 or ACT04 is present, then the other is required.
 2. **C0506**
If ACT05 is present, then ACT06 is required.
 3. **C0705**
If ACT07 is present, then ACT05 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	ACT01	508	Account Number Account number assigned	M AN 1/35
			<i>INDUSTRY: TPA or Broker Account Number</i>	
NOT USED	ACT02	93	Name	O AN 1/60
NOT USED	ACT03	66	Identification Code Qualifier	X ID 1/2

NOT USED	ACT04	67	Identification Code	X	AN	2/80
NOT USED	ACT05	569	Account Number Qualifier	X	ID	1/3
SITUATIONAL	ACT06	508	Account Number Account number assigned	X	AN	1/35

INDUSTRY: TPA or Broker Account Number

SYNTAX: C0506

COMMENT: ACT06 is an account associated with the account in ACT01.

Send if more than 1 TPA or Broker Account Number applies to this transaction.

NOT USED	ACT07	352	Description	O	AN	1/80
NOT USED	ACT08	107	Payment Method Code	O	ID	1/2
NOT USED	ACT09	1216	Benefit Status Code	O	ID	1/1

IMPLEMENTATION

MEMBER LEVEL DETAIL

Loop: 2000 — MEMBER LEVEL DETAIL Repeat: >1

Usage: REQUIRED

Repeat: 1

- Notes:
- Subscriber information must precede dependent information in a transmission, or the subscriber information must have been submitted to the receiver in a previous transmission.
 - No more than 10,000 INS segments can occur in a single 834 transaction. Multiple transactions within a single interchange can be used to transfer information on larger numbers of members.

Example: INS*Y*18*021*28*A*E**FT~

STANDARD

INS Insured Benefit

Level: Detail

Position: 010

Loop: 2000 Repeat: >1

Requirement: Optional


Max Use: 1

Purpose: To provide benefit information on insured entities

- Set Notes:
- A Subscriber is a person who elects the benefits and is affiliated with the employer or the insurer. A Dependent is a person who is affiliated with the subscriber, such as a spouse, child, etc., and is therefore entitled to benefits. Subscriber information must come before dependent information. The INS segment is used to note if information being submitted is subscriber information or dependent information.

Syntax: 1. P1112
If either INS11 or INS12 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES																																				
REQUIRED	INS01	1073	Yes/No Condition or Response Code Code indicating a Yes or No condition or response <i>INDUSTRY: Insured Indicator</i> <i>ALIAS: Subscriber Indicator</i> SEMANTIC: INS01 indicates status of the insured. A "Y" value indicates the insured is a subscriber; an "N" value indicates the insured is a dependent.	M ID 1/1																																				
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>No</td> </tr> <tr> <td>Y</td> <td>Yes</td> </tr> </tbody> </table>	CODE	DEFINITION	N	No	Y	Yes																															
CODE	DEFINITION																																							
N	No																																							
Y	Yes																																							
REQUIRED	INS02	1069	Individual Relationship Code Code indicating the relationship between two individuals or entities This value should be 18 for the subscriber. For dependents, use this value to identify the relationship to the subscriber. For example, a daughter would be value 19.	M ID 2/2																																				
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>Spouse</td> </tr> <tr> <td>03</td> <td>Father or Mother</td> </tr> <tr> <td>04</td> <td>Grandfather or Grandmother</td> </tr> <tr> <td>05</td> <td>Grandson or Granddaughter</td> </tr> <tr> <td>06</td> <td>Uncle or Aunt</td> </tr> <tr> <td>07</td> <td>Nephew or Niece</td> </tr> <tr> <td>08</td> <td>Cousin</td> </tr> <tr> <td>09</td> <td>Adopted Child</td> </tr> <tr> <td>10</td> <td>Foster Child</td> </tr> <tr> <td>11</td> <td>Son-in-law or Daughter-in-law</td> </tr> <tr> <td>12</td> <td>Brother-in-law or Sister-in-law</td> </tr> <tr> <td>13</td> <td>Mother-in-law or Father-in-law</td> </tr> <tr> <td>14</td> <td>Brother or Sister</td> </tr> <tr> <td>15</td> <td>Ward</td> </tr> <tr> <td>17</td> <td>Stepson or Stepdaughter</td> </tr> <tr> <td>18</td> <td>Self</td> </tr> <tr> <td>19</td> <td>Child</td> </tr> </tbody> </table>	CODE	DEFINITION	01	Spouse	03	Father or Mother	04	Grandfather or Grandmother	05	Grandson or Granddaughter	06	Uncle or Aunt	07	Nephew or Niece	08	Cousin	09	Adopted Child	10	Foster Child	11	Son-in-law or Daughter-in-law	12	Brother-in-law or Sister-in-law	13	Mother-in-law or Father-in-law	14	Brother or Sister	15	Ward	17	Stepson or Stepdaughter	18	Self	19	Child	
CODE	DEFINITION																																							
01	Spouse																																							
03	Father or Mother																																							
04	Grandfather or Grandmother																																							
05	Grandson or Granddaughter																																							
06	Uncle or Aunt																																							
07	Nephew or Niece																																							
08	Cousin																																							
09	Adopted Child																																							
10	Foster Child																																							
11	Son-in-law or Daughter-in-law																																							
12	Brother-in-law or Sister-in-law																																							
13	Mother-in-law or Father-in-law																																							
14	Brother or Sister																																							
15	Ward																																							
17	Stepson or Stepdaughter																																							
18	Self																																							
19	Child																																							

23	Sponsored Dependent Dependents between the ages of 19 and 25 not attending school; age qualifications may vary depending on policy.
24	Dependent of a Minor Dependent
25	Ex-spouse
26	Guardian
31	Court Appointed Guardian
32	Mother
33	Father
38	Collateral Dependent Relative related by blood or marriage who resides in the home and is dependent on the insured for a major portion of their support.
48	Stepfather
49	Stepmother
53	Life Partner This is a partner that acts like a spouse without a legal marriage commitment.

REQUIRED

INS03

875

Maintenance Type Code

O ID 3/3

Code identifying the specific type of item maintenance

For further information about full file audits versus change only transactions see section 2.6 (Updates versus Full File Audits) of this guide.

CODE	DEFINITION
001	Change Use this code to indicate a change to an existing subscriber/dependent record.
021	Addition Use this code to add a subscriber or dependent.
024	Cancellation or Termination Use this code for cancellation, termination, or deletion of a subscriber or dependent.
025	Reinstatement Use this code for reinstatement of a cancelled subscriber/dependent record.
030	Audit or Compare Use this code when sending a full roster to verify that the sponsor and payer databases are synchronized. See section 2.6, Updates versus Full File Audits, for additional information

SITUATIONAL **INS04** **1203** **Maintenance Reason Code** **O** **ID** **2/3**

Code identifying the reason for the maintenance change

Recommended: To be sent unless the trading partner agreement between the sponsor and payer allow this data element to not be sent.

CODE	DEFINITION
01	Divorce
02	Birth
03	Death
04	Retirement
05	Adoption
06	Strike
07	Termination of Benefits
08	Termination of Employment
09	Consolidation Omnibus Budget Reconciliation Act (COBRA)
10	Consolidation Omnibus Budget Reconciliation Act (COBRA) Premium Paid
11	Surviving Spouse
14	Voluntary Withdrawal
15	Primary Care Provider (PCP) Change
16	Quit
17	Fired
18	Suspended
20	Active
21	Disability
22	Plan Change This is used when a member changes from one Plan to a different Plan. This is not intended to identify changes to a Plan.
25	Change in Identifying Data Elements Use this code when a change has been made to the primary elements that identify an individual. Such primary elements include the following: first name, last name, Social Security Number, date of birth, and employee identification number.

26	Declined Coverage The subscriber declined a previously active coverage.
27	Pre-Enrollment This code can be used to enroll newborns prior to receiving the newborn's application.
28	Initial Enrollment
29	Benefit Selection This is used when a member changes benefits within a Plan.
31	Legal Separation
32	Marriage
33	Personnel Data Use this code for any data change that is not included in any of the other allowed codes. An example would be change in Coordination of Benefits information.
37	Leave of Absence with Benefits
38	Leave of Absence without Benefits
39	Lay Off with Benefits
40	Lay Off without Benefits
41	Re-enrollment
43	Change of Location Use this code to indicate a change of address.
AI	No Reason Given
XN	Notification Only To be used in complete enrollment transmissions. This is used when INS03 is equal to 030 (Audit/Compare).
XT	Transfer This is used when an employee has an organizational change (i.e. a location change within the organization) with no change in benefits or Plan.

REQUIRED **INS05** **1216** **Benefit Status Code** **O** **ID** **1/1**
The type of coverage under which benefits are paid

CODE	DEFINITION
A	Active
C	Consolidated Omnibus Budget Reconciliation Act (COBRA)
S	Surviving Insured

			T Tax Equity and Fiscal Responsibility Act (TEFRA)			
SITUATIONAL	INS06	1218	Medicare Plan Code	O	ID	1/1
			Code identifying the Medicare Plan			
			This element is REQUIRED if a member is being enrolled or disenrolled in Medicare, is currently enrolled in Medicare or has terminated or changed their Medicare enrollment.			
			<u>CODE</u>	<u>DEFINITION</u>		
			A	Medicare Part A		
			B	Medicare Part B		
			C	Medicare Part A and B		
			D	Medicare Medicare - Part Unknown		
			E	No Medicare		
SITUATIONAL	INS07	1219	Consolidated Omnibus Budget Reconciliation Act (COBRA) Qualifying	O	ID	1/2
			A Qualifying Event is any of the following which results in loss of coverage for a Qualified Beneficiary			
			<i>INDUSTRY: Consolidated Omnibus Budget Reconciliation Act (COBRA) Qualifying Event Code</i>			
			This element is REQUIRED if a member is being enrolled in or is enrolled for a benefit covered by COBRA.			
			<u>CODE</u>	<u>DEFINITION</u>		
			1	Termination of Employment		
			2	Reduction of work hours		
			3	Medicare		
			4	Death		
			5	Divorce		
			6	Separation		
			7	Ineligible Child		
			8	Bankruptcy of a Retired Employee		

SITUATIONAL **INS08** **584** **Employment Status Code** **O** **ID** **2/2**
Code showing the general employment status of an employee/claimant

Required for subscriber.

If this insurance enrollment is through a non employment based program such as Medicare or Medicaid then this data element will contain the status of the subscriber in that program, rather than their employment status. Codes for non employment based programs will be limited to "FT", Full Time, "PT", Part-Time, and "TE", Terminated.

CODE	DEFINITION
AO	Active Military - Overseas
AU	Active Military - USA
FT	Full-time Full time active employee
L1	Leave of Absence
PT	Part-time Part time Active Employee
RT	Retired
TE	Terminated

SITUATIONAL **INS09** **1220** **Student Status Code** **O** **ID** **1/1**
Code indicating the student status of the patient if 19 years of age or older, not handicapped and not the insured

Only use the Student Status Code when describing a non-spouse dependent whose age requires a qualifying condition for enrollment (e.g., being an active student). See the Plan contract for details of the age requirements for student status usage.

CODE	DEFINITION
F	Full-time
N	Not a Student
P	Part-time

SITUATIONAL **INS10** **1073** **Yes/No Condition or Response Code** **O** **ID** **1/1**
Code indicating a Yes or No condition or response

INDUSTRY: Handicap Indicator

SEMANTIC: INS10 is the handicapped status indicator. A "Y" value indicates an individual is handicapped; an "N" value indicates an individual is not handicapped.

This element is REQUIRED if the member is handicapped or to correct previous report of handicapped status.

CODE	DEFINITION
N	No
Y	Yes

SITUATIONAL	INS11	1250	Date Time Period Format Qualifier	X	ID	2/3
			Code indicating the date format, time format, or date and time format			
			SYNTAX: P1112			
			Send when required by X12 syntax.			
			CODE	DEFINITION		
			D8	Date Expressed in Format CCYYMMDD		
SITUATIONAL	INS12	1251	Date Time Period	X	AN	1/35
			Expression of a date, a time, or range of dates, times or dates and times			
			<i>INDUSTRY: Insured Individual Death Date</i>			
			SYNTAX: P1112			
			SEMANTIC: INS12 is the date of death.			
			Use this date for the date of death of the subscriber/dependent.			
			Use this date for the date of death of the subscriber/dependent. This does not replace the use of the termination date within the 2300 loop.			
NOT USED	INS13	1165	Confidentiality Code	O	ID	1/1
NOT USED	INS14	19	City Name	O	AN	2/30
NOT USED	INS15	156	State or Province Code	O	ID	2/2
NOT USED	INS16	26	Country Code	O	ID	2/3
SITUATIONAL	INS17	1470	Number	O	NO	1/9
			A generic number			
			<i>INDUSTRY: Birth Sequence Number</i>			
			SEMANTIC: INS17 is the number assigned to each family member born with the same birth date. This number identifies birth sequence for multiple births allowing proper tracking and response of benefits for each dependent (i.e., twins, triplets, etc.).			
			Required if reporting family members with the same birth date, when needed for proper reporting, tracking or response to benefits.			

IMPLEMENTATION

SUBSCRIBER NUMBER

Loop: 2000 — MEMBER LEVEL DETAIL

Usage: REQUIRED

Repeat: 1

- Notes:
1. If the subscriber's/dependent's Social Security Number is known, it should be passed in the NM108 segment (position 2-030).
 2. This segment must contain a unique SUBSCRIBER identification number (SSN or other). This occurrence is identified by the 0F qualifier (REF01). This identifier is used for linking the subscriber with dependents as required under many policies.
 3. The developers recommend using the identifier developed under the HIPAA legislation, when that becomes available.

Example: REF*0F*920399398~

STANDARD

REF Reference Identification

Level: Detail

Position: 020

Loop: 2000

Requirement: Mandatory


Max Use: >1

Purpose: To specify identifying information

Set Notes: 1. The REF segment is required to link the dependent(s) to the subscriber.

Syntax: 1. **R0203**
At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			0F	Subscriber Number

REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Subscriber Identifier</i> SYNTAX: R0203	X	AN	1/30
NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

MEMBER POLICY NUMBER

Loop: 2000 — MEMBER LEVEL DETAIL

Usage: SITUATIONAL

Repeat: 1

- Notes:
1. This segment should be used if the policy or group number applies to all coverage data (all 2300 loops) that apply for this member.
 2. This segment is required unless the policy number is sent in the REF segment, loop 2300 position 290.

Example: REF*1L*9CC4123~

STANDARD

REF Reference Identification

Level: Detail

Position: 020

Loop: 2000

Requirement: Mandatory


Max Use: >1

Purpose: To specify identifying information

Set Notes: 1. The REF segment is required to link the dependent(s) to the subscriber.

Syntax: 1. **R0203**
At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			1L	Group or Policy Number
REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
			<i>INDUSTRY: Insured Group or Policy Number</i>	
			SYNTAX: R0203	

NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

MEMBER IDENTIFICATION NUMBER

Loop: 2000 — MEMBER LEVEL DETAIL

Usage: SITUATIONAL

Repeat: 5

Notes: 1. This segment is used to pass further identifying information on the member. It should be used if the data is available. See REF01 for data elements that can be passed.

Example: REF*17*920399398~

STANDARD

REF Reference Identification

Level: Detail

Position: 020

Loop: 2000

Requirement: Mandatory


Max Use: >1

Purpose: To specify identifying information

Set Notes: 1. The REF segment is required to link the dependent(s) to the subscriber.

Syntax: 1. R0203
At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			17	<p>Client Reporting Category</p> <p>This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.</p>

23	Client Number To be used to pass a payer specific identifier for a member. Not to be used after the HIPAA standard National Identifier for Individuals is implemented.
3H	Case Number
DX	Department/Agency Number Use when members in a coverage group are set up as different departments or divisions under the terms of the insurance policy.
F6	Health Insurance Claim (HIC) Number Use when reporting Medicare eligibility for a member until the National Identifier is mandated for use.
Q4	Prior Identifier Number Use to pass the Identifier Number under which the member had previous coverage with the payer. This could be the result of a change in employment or coverage that resulted in a new ID number being assigned but left the member covered by the same payer.
ZZ	Mutually Defined Use this code to transmit the title of the members employment position.

REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Subscriber Supplemental Identifier</i> SYNTAX: R0203	X	AN	1/30
NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

PRIOR COVERAGE MONTHS

Loop: 2000 — MEMBER LEVEL DETAIL

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Required when the portability provisions of the Health Insurance Portability and Accountability Act require reporting of the number of months of prior health coverage that meet the certification requirements of the Act.

Example: REF*QQ*0~

STANDARD

REF Reference Identification

Level: Detail

Position: 020

Loop: 2000

Requirement: Mandatory


Max Use: >1

Purpose: To specify identifying information

Set Notes: 1. The REF segment is required to link the dependent(s) to the subscriber.

Syntax: 1. R0203
At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			QQ	Unit Number This code is used in this implementation guide to indicate that the value in REF02 is the response required under the portability provisions of HIPAA.

REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Prior Coverage Month Count</i> SYNTAX: R0203 Indicator identifying the number of prior months insurance coverage that may apply under the portability provisions of the Health Insurance Portability and Accountability Act. This field will contain the number of months of prior health insurance coverage that meets the portability requirements of the HIPAA certification requirements. To be sent on new enrollments when available.	X	AN	1/30
NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

MEMBER LEVEL DATES

Loop: 2000 — MEMBER LEVEL DETAIL

Usage: SITUATIONAL

Repeat: 20

Notes: 1. Applicable dates, as listed in DTP01, are REQUIRED when enrolling a member or when the sponsor is informed of any change to those dates. Only those dates that apply to the particular insurance contract need to be sent.

2. While many of the dates listed for DTP01 are related to termination, the only code that is used to actually terminate a Member is 357 (Eligibility End). Similarly, the only date that identifies the start of coverage for an initial enrollment is 356 (Eligibility Begin).

Example: DTP*356*D8*19960705~

STANDARD

DTP Date or Time or Period

Level: Detail

Position: 025


Loop: 2000

Requirement: Optional

Max Use: >1

Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time <i>INDUSTRY: Date Time Qualifier</i>	M ID 3/3
			CODE	DEFINITION
			286	Retirement
			296	Return to Work
			297	Date Last Worked
			300	Enrollment Signature Date

301	Consolidated Omnibus Budget Reconciliation Act (COBRA) Qualifying Event
303	Maintenance Effective
336	Employment Begin
337	Employment End
338	Medicare Begin
339	Medicare End
340	Consolidated Omnibus Budget Reconciliation Act (COBRA) Begin
341	Consolidated Omnibus Budget Reconciliation Act (COBRA) End
350	Education Begin This is the start date for the student at the current educational institution.
351	Education End This is the expected graduation date the student at the current educational institution.
356	Eligibility Begin This is used to convey the beginning date when a member could elect to enroll or begin benefits in any health care plan through the employer. This is not the actual begin date, which is conveyed in the DTP segment at position 270.
357	Eligibility End This code is used as the end of eligibility date (termination reason).
383	Adjusted Hire
393	Plan Participation Suspension
394	Rehire
473	Medicaid Begin
474	Medicaid End

REQUIRED DTP02 1250 **Date Time Period Format Qualifier** M ID 2/3
Code indicating the date format, time format, or date and time format
SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.

CODE	DEFINITION
------	------------

D8	Date Expressed in Format CCYYMMDD
----	-----------------------------------

REQUIRED DTP03 1251 **Date Time Period** M AN 1/35
Expression of a date, a time, or range of dates, times or dates and times
INDUSTRY: *Status Information Effective Date*

IMPLEMENTATION

MEMBER NAME

Loop: 2100A — MEMBER NAME Repeat: 1

Usage: REQUIRED

Repeat: 1

Notes: 1. This segment is used to identify a member being enrolled or changing benefits or a member correcting identifier information.

Example: NM1*IL*1*SMITH*JOHN*M**SR~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 030

Loop: 2100 Repeat: >1

Requirement: Optional


Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.

2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
			74	Corrected Insured Use this code if this transmission is correcting the identifier information on a member already enrolled. Usage of this code requires the sending of an NM1 with code '70' in loop 2100B.
			IL	Insured or Subscriber Use this code for enrolling a new member or updating a member with no change in identifying information. The identifying information for a member is specified under the insurance contract between the sponsor and payer.
REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M ID 1/1
			CODE	DEFINITION
			1	Person
REQUIRED	NM103	1035	Name Last or Organization Name Individual last name or organizational name <i>INDUSTRY: Subscriber Last Name</i>	O AN 1/35
REQUIRED	NM104	1036	Name First Individual first name <i>INDUSTRY: Subscriber First Name</i>	O AN 1/25
SITUATIONAL	NM105	1037	Name Middle Individual middle name or initial <i>INDUSTRY: Subscriber Middle Name</i> Send if supplied by subscriber.	O AN 1/25
SITUATIONAL	NM106	1038	Name Prefix Prefix to individual name <i>INDUSTRY: Subscriber Name Prefix</i> Send if supplied by subscriber.	O AN 1/10
SITUATIONAL	NM107	1039	Name Suffix Suffix to individual name <i>INDUSTRY: Subscriber Name Suffix</i> Send if supplied by subscriber.	O AN 1/10

SITUATIONAL	NM108	66	Identification Code Qualifier	X	ID	1/2
Code designating the system/method of code structure used for Identification Code (67)						
SYNTAX: P0809						

Send when required by X12 syntax.

CODE	DEFINITION
34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.
ZZ	Mutually Defined Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.

SITUATIONAL	NM109	67	Identification Code	X	AN	2/80
Code identifying a party or other code						
<i>INDUSTRY: Subscriber Identifier</i>						
SYNTAX: P0809						

Until the the HIPAA Individual Identifier is available the SSN is to be sent when available and allowed under confidentiality regulations.

NOT USED	NM110	706	Entity Relationship Code	X	ID	2/2
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

MEMBER COMMUNICATIONS NUMBERS

Loop: 2100A — MEMBER NAME

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This segment is used when contact information is provided to the sponsor about the member. The contact information should be sent to the payer when enrolling subscribers, when enrolling dependents and the dependent's contact number is different than the subscriber's contact, and when changing a member's contact information.
 2. When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number should always include the area code and phone number using the format AAABBBCCC. Where AAA is the area code, BBB is the telephone number prefix, and CCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525). The extension, when applicable, should be included in the communication number immediately after the telephone number.
 3. By definition of the standard, if PER03 is used, PER04 is required.

Example: PER*IP**HP*8015554321~

STANDARD

PER Administrative Communications Contact

Level: Detail

Position: 040

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax:**
1. **P0304**
If either PER03 or PER04 is present, then the other is required.
 2. **P0506**
If either PER05 or PER06 is present, then the other is required.
 3. **P0708**
If either PER07 or PER08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named	M ID 2/2
			<u>CODE</u> <u>DEFINITION</u>	
			IP Insured Party	
NOT USED	PER02	93	Name	O AN 1/60
REQUIRED	PER03	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0304	X ID 2/2
			<u>CODE</u> <u>DEFINITION</u>	
			EM Electronic Mail	
			EX Telephone Extension	
			FX Facsimile	
			HP Home Phone Number	
			TE Telephone	
			WP Work Phone Number	
REQUIRED	PER04	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0304	X AN 1/80
SITUATIONAL	PER05	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0506	X ID 2/2
			Send when required by X12 syntax.	
			<u>CODE</u> <u>DEFINITION</u>	
			EM Electronic Mail	
			EX Telephone Extension	
			FX Facsimile	
			HP Home Phone Number	

			TE	Telephone			
			WP	Work Phone Number			
SITUATIONAL	PER06	364	Communication Number		X	AN	1/80
Complete communications number including country or area code when applicable							
SYNTAX: P0506							
This element should be sent if additional communication numbers are available.							
SITUATIONAL	PER07	365	Communication Number Qualifier		X	ID	2/2
Code identifying the type of communication number							
SYNTAX: P0708							
Send when required by X12 syntax.							
		<u>CODE</u>	<u>DEFINITION</u>				
		EM	Electronic Mail				
		EX	Telephone Extension				
		FX	Facsimile				
		HP	Home Phone Number				
		TE	Telephone				
		WP	Work Phone Number				
SITUATIONAL	PER08	364	Communication Number		X	AN	1/80
Complete communications number including country or area code when applicable							
SYNTAX: P0708							
This element should be sent if additional communication numbers are available.							
NOT USED	PER09	443	Contact Inquiry Reference		O	AN	1/20

IMPLEMENTATION

MEMBER RESIDENCE STREET ADDRESS

Loop: 2100A — MEMBER NAME

Usage: SITUATIONAL

Repeat: 1

Notes: 1. **REQUIRED** when enrolling subscriber, when enrolling a dependent and the dependent's address is different from the subscriber and when changing a member's address.

Example: N3*50 ORCHARD STREET~

STANDARD

N3 Address Information

Level: Detail

Position: 050


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To specify the location of the named party

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N301	166	Address Information Address information	M AN 1/55
			<i>INDUSTRY: Subscriber Address Line</i>	
SITUATIONAL	N302	166	Address Information Address information	O AN 1/55
			<i>INDUSTRY: Subscriber Address Line</i>	
			Required if a second address line exists.	

IMPLEMENTATION

MEMBER RESIDENCE CITY, STATE, ZIP CODE

Loop: 2100A — MEMBER NAME
 Usage: SITUATIONAL
 Repeat: 1
 Notes: 1. **REQUIRED** when enrolling subscriber, when enrolling a dependent and the dependent’s address is different from the subscriber and when changing a member’s address.


Example: N4*ROCK HILL*FL*33131~

STANDARD

N4 Geographic Location

Level: Detail
 Position: 060
 Loop: 2100
 Requirement: Optional
 Max Use: 1
 Purpose: To specify the geographic place of the named party
 Syntax: 1. **C0605**
 If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: Subscriber City Name</i> COMMENT: A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: Subscriber State Code</i> COMMENT: N402 is required only if city name (N401) is in the U.S. or Canada. CODE SOURCE 22: States and Outlying Areas of the U.S.	O ID 2/2

REQUIRED	N403	116	Postal Code	O ID 3/15
-----------------	-------------	------------	--------------------	------------------

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

INDUSTRY: Subscriber Postal Zone or ZIP Code

CODE SOURCE 51: ZIP Code

SITUATIONAL	N404	26	Country Code	O ID 2/3
--------------------	-------------	-----------	---------------------	-----------------

Code identifying the country

CODE SOURCE 5: Countries, Currencies and Funds

Required only if country is not USA.

SITUATIONAL	N405	309	Location Qualifier	X ID 1/2
--------------------	-------------	------------	---------------------------	-----------------

Code identifying type of location

SYNTAX: C0605

Send when required by X12 syntax.

CODE	DEFINITION
60	Area The area code indicates that N406 will contain an out-of-area indicator for this member. The meaning of that indicator is defined in the trading partner agreement.

CY	County/Parish
-----------	----------------------

SITUATIONAL	N406	310	Location Identifier	O AN 1/30
--------------------	-------------	------------	----------------------------	------------------

Code which identifies a specific location

INDUSTRY: Location Identification Code

SYNTAX: C0605

This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.

IMPLEMENTATION

MEMBER DEMOGRAPHICS

Loop: 2100A — MEMBER NAME

Usage: SITUATIONAL

Repeat: 1

Notes: 1. **REQUIRED** when enrolling a new member or when changing a member's demographic information.

2. This segment is **REQUIRED** for dependent changes records until the National Individual Identifier is mandated.

Example: DMG*D8*19450915*F*M~

STANDARD

DMG Demographic Information

Level: Detail

Position: 080

Loop: 2100

Requirement: Optional


Max Use: 1

Purpose: To supply demographic information

Syntax: 1. **P0102**

If either DMG01 or DMG02 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DMG01	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format	X ID 2/3
SYNTAX: P0102				
		CODE	DEFINITION	
		D8	Date Expressed in Format CCYYMMDD	

REQUIRED DMG02 1251 **Date Time Period** X AN 1/35
Expression of a date, a time, or range of dates, times or dates and times

INDUSTRY: Member Birth Date

SYNTAX: P0102

SEMANTIC: DMG02 is the date of birth.

REQUIRED DMG03 1068 **Gender Code** O ID 1/1
Code indicating the sex of the individual

CODE	DEFINITION
F	Female
M	Male
U	Unknown This code is to be used when the gender is unknown or when it can not be report for any other reason. Unknown should only be used when there is no way of obtaining the gender of the member. This may cause problems in some systems and should be avoided.

SITUATIONAL DMG04 1067 **Marital Status Code** O ID 1/1
Code defining the marital status of a person

This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.

CODE	DEFINITION
B	Registered Domestic Partner
D	Divorced
I	Single
M	Married
R	Unreported
S	Separated
U	Unmarried (Single or Divorced or Widowed) This code should be used if the previous status is unknown.
W	Widowed
X	Legally Separated

SITUATIONAL **DMG05** **1109** **Race or Ethnicity Code** **O** **ID** **1/1**

Code indicating the racial or ethnic background of a person; it is normally self-reported; Under certain circumstances this information is collected for United States Government statistical purposes

This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.

CODE	DEFINITION
7	Not Provided
A	Asian or Pacific Islander
B	Black
C	Caucasian
H	Hispanic
I	American Indian or Alaskan Native
N	Black (Non-Hispanic)
O	White (Non-Hispanic)

SITUATIONAL **DMG06** **1066** **Citizenship Status Code** **O** **ID** **1/2**

Code indicating citizenship status

This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.

CODE	DEFINITION
1	U.S. Citizen
2	Non-Resident Alien
3	Resident Alien
4	Illegal Alien
5	Alien
6	U.S. Citizen - Non-Resident
7	U.S. Citizen - Resident

NOT USED **DMG07** **26** **Country Code** **O** **ID** **2/3**

NOT USED **DMG08** **659** **Basis of Verification Code** **O** **ID** **1/2**

NOT USED **DMG09** **380** **Quantity** **O** **R** **1/15**

IMPLEMENTATION

MEMBER INCOME

Loop: 2100A — MEMBER NAME

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer.

Example: ICM*1*425.25*40~

STANDARD

ICM Individual Income

Level: Detail

Position: 110


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To supply information to determine benefit eligibility, deductibles, and retirement and investment contributions

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES																		
REQUIRED	ICM01	594	Frequency Code Code indicating frequency or type of payment SEMANTIC: ICM01 is the frequency at which an individual's wages are paid.	M ID 1/1																		
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Weekly</td> </tr> <tr> <td>2</td> <td>Biweekly</td> </tr> <tr> <td>3</td> <td>Semimonthly</td> </tr> <tr> <td>4</td> <td>Monthly</td> </tr> <tr> <td>6</td> <td>Daily</td> </tr> <tr> <td>7</td> <td>Annual</td> </tr> <tr> <td>8</td> <td>Two Calendar Months</td> </tr> <tr> <td>9</td> <td>Lump-Sum Separation Allowance</td> </tr> </tbody> </table>	CODE	DEFINITION	1	Weekly	2	Biweekly	3	Semimonthly	4	Monthly	6	Daily	7	Annual	8	Two Calendar Months	9	Lump-Sum Separation Allowance	
CODE	DEFINITION																					
1	Weekly																					
2	Biweekly																					
3	Semimonthly																					
4	Monthly																					
6	Daily																					
7	Annual																					
8	Two Calendar Months																					
9	Lump-Sum Separation Allowance																					

			B	Year-to-Date			
			C	Single			
			H	Hourly			
			Q	Quarterly			
			S	Semiannual			
			U	Unknown			
REQUIRED	ICM02	782		Monetary Amount Monetary amount	M	R	1/18
				<i>INDUSTRY: Wage Amount</i>			
				SEMANTIC: ICM02 is the yearly wages amount.			
SITUATIONAL	ICM03	380		Quantity Numeric value of quantity	O	R	1/15
				<i>INDUSTRY: Work Hours Count</i>			
				SEMANTIC: ICM03 is the weekly hours.			
				This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer.			
SITUATIONAL	ICM04	310		Location Identifier Code which identifies a specific location	O	AN	1/30
				<i>INDUSTRY: Location Identification Code</i>			
				SEMANTIC: ICM04 is the employer location qualifier such as a department number.			
				This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer.			
SITUATIONAL	ICM05	1214		Salary Grade The salary grade code assigned by the employer	O	AN	1/5
				<i>INDUSTRY: Salary Grade Code</i>			
				This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer.			
NOT USED	ICM06	100		Currency Code	O	ID	3/3

IMPLEMENTATION

MEMBER POLICY AMOUNTS

Loop: 2100A — MEMBER NAME

Usage: SITUATIONAL

Repeat: 4

Notes: 1. This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer.

Example: AMT*D2*100~

STANDARD

AMT Monetary Amount

Level: Detail

Position: 120


Loop: 2100

Requirement: Optional

Max Use: 10

Purpose: To indicate the total monetary amount

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AMT01	522	Amount Qualifier Code Code to qualify amount	M ID 1/3
			CODE	DEFINITION
			B9	Co-insurance - Actual This will contain any co-insurance selection amount. The option of adjusting this amount to produce the actual co-insurance can be defined in the insurance contract.
			C1	Co-Payment Amount
			D2	Deductible Amount
			P3	Premium Amount
REQUIRED	AMT02	782	Monetary Amount Monetary amount	M R 1/18
			INDUSTRY: Contract Amount	
NOT USED	AMT03	478	Credit/Debit Flag Code	O ID 1/1

IMPLEMENTATION

MEMBER HEALTH INFORMATION

Loop: 2100A — MEMBER NAME

Usage: SITUATIONAL

Repeat: 1

Notes: 1. **REQUIRED** on initial enrollment of a member when appropriate medical information about the member is available. The industry name is “Member Health Information”.

Example: HLH*X*74*210~

STANDARD

HLH Health Information

Level: Detail

Position: 130


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To provide health information

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES										
SITUATIONAL	HLH01	1212	Health-Related Code Code indicating a specific health situation <i>INDUSTRY: Health Related Code</i> REQUIRED when available.	O ID 1/1										
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>N</td> <td>None</td> </tr> <tr> <td>S</td> <td>Substance Abuse</td> </tr> <tr> <td>T</td> <td>Tobacco Use</td> </tr> <tr> <td>U</td> <td>Unknown</td> </tr> </tbody> </table>	CODE	DEFINITION	N	None	S	Substance Abuse	T	Tobacco Use	U	Unknown	
CODE	DEFINITION													
N	None													
S	Substance Abuse													
T	Tobacco Use													
U	Unknown													

			X	Tobacco Use and Substance Abuse		
SITUATIONAL	HLH02	65	Height	O	R	1/8
			Vertical dimension of an object measured when the object is in the upright position			
			<i>INDUSTRY: Member Height</i>			
			REQUIRED when available, expressed in inches.			
SITUATIONAL	HLH03	81	Weight	O	R	1/10
			Numeric value of weight			
			<i>INDUSTRY: Member Weight</i>			
			SEMANTIC: HLH03 is the current weight in pounds.			
			REQUIRED when available.			
NOT USED	HLH04	81	Weight	O	R	1/10
NOT USED	HLH05	352	Description	O	AN	1/80
NOT USED	HLH06	1213	Current Health Condition Code	O	ID	1/1
NOT USED	HLH07	352	Description	O	AN	1/80

IMPLEMENTATION

MEMBER LANGUAGE

- Loop:** 2100A — MEMBER NAME
- Usage:** SITUATIONAL
- Repeat:** 5
- Notes:**
 1. To be used if the sponsor knows that the insured member’s language is other than English.
 2. This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is **NOT USED** when the member identified in the related INS segment is not the subscriber. See section 2.7, “Coverage Levels and Dependents”, for additional information.


Example: LUI*LD*123**8~

STANDARD

LUI Language Use

- Level:** Detail
- Position:** 150
- Loop:** 2100
- Requirement:** Optional
- Max Use:** >1
- Purpose:** To specify language, type of usage, and proficiency or fluency
- Syntax:**
 1. **P0102**
If either LUI01 or LUI02 is present, then the other is required.
 2. **L040203**
If LUI04 is present, then at least one of LUI02 or LUI03 are required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
SITUATIONAL	LUI01	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: P0102	X ID 1/2
Send when required by X12 syntax.				
			LD	NISO Z39.53 Language Codes CODE SOURCE 457: NISO Z39.53 Language Code List
			LE	ISO 639 Language Codes CODE SOURCE 102: Languages
SITUATIONAL	LUI02	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Language Code</i> SYNTAX: P0102, L040203 SEMANTIC: LUI02 is the language code.	X AN 2/80
This data element should be sent if the sponsor is able to code the language identification.				
SITUATIONAL	LUI03	352	Description A free-form description to clarify the related data elements and their content <i>INDUSTRY: Language Description</i> SYNTAX: L040203 ADVISORY: Under most circumstances, this element is not sent. SEMANTIC: LUI03 is the name of the language.	X AN 1/80
This data element should only be used if the sender is unable to code the necessary language identification in LUI01 and LUI02.				
SITUATIONAL	LUI04	1303	Use of Language Indicator Code indicating the use of a language <i>INDUSTRY: Language Use Indicator</i> SYNTAX: L040203	O ID 1/2
Send if supplied by subscriber.				
			5	Language Reading
			7	Language Speaking
			8	Native Language
NOT USED	LUI05	1476	Language Proficiency Indicator	O ID 1/1

IMPLEMENTATION

INCORRECT MEMBER NAME

Loop: 2100B — INCORRECT MEMBER NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment only used if a corrected name is sent in loop 2100A or if the previously supplied demographics are being changed. If only the demographics are being changed, the code in NM101 in Loop 2100A will be IL, and the code in NM101 in this loop will be 70.

Example: NM1*70*1*SMYTH*JON~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 030

Loop: 2100 Repeat: >1


Requirement: Optional

Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Syntax: 1. **P0809**
 If either NM108 or NM109 is present, then the other is required.
 2. **C1110**
 If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			70	Prior Incorrect Insured Use this code if correcting identifying or demographic information on a member enrolled. If only demographic information is being corrected, NM101 in Loop 2100A will be IL and the name information in NM103, NM104, NM105 will be identical in loop 2100A and this loop.
REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M ID 1/1
			1	Person
REQUIRED	NM103	1035	Name Last or Organization Name Individual last name or organizational name <i>INDUSTRY: Prior Incorrect Insured Last Name</i>	O AN 1/35
REQUIRED	NM104	1036	Name First Individual first name <i>INDUSTRY: Prior Incorrect Insured First Name</i>	O AN 1/25
SITUATIONAL	NM105	1037	Name Middle Individual middle name or initial <i>INDUSTRY: Prior Incorrect Insured Middle Name</i> Send if supplied by subscriber.	O AN 1/25
SITUATIONAL	NM106	1038	Name Prefix Prefix to individual name <i>INDUSTRY: Prior Incorrect Insured Name Prefix</i> Send if supplied by subscriber.	O AN 1/10
SITUATIONAL	NM107	1039	Name Suffix Suffix to individual name <i>INDUSTRY: Prior Incorrect Insured Name Suffix</i> Send if supplied by subscriber.	O AN 1/10

SITUATIONAL	NM108	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: P0809	X	ID	1/2						
Send when required by X12 syntax.												
<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.</td> </tr> <tr> <td>ZZ</td> <td>Mutually Defined Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.</td> </tr> </tbody> </table>							CODE	DEFINITION	34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.	ZZ	Mutually Defined Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.
CODE	DEFINITION											
34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.											
ZZ	Mutually Defined Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.											
SITUATIONAL	NM109	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Prior Incorrect Insured Identifier</i> SYNTAX: P0809	X	AN	2/80						
What ever identifier that was previously sent in error should be sent in this segment to allow matching with data on receiver's system.												
NOT USED	NM110	706	Entity Relationship Code	X	ID	2/2						
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3						

IMPLEMENTATION

INCORRECT MEMBER DEMOGRAPHICS

Loop: 2100B — INCORRECT MEMBER NAME

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is **REQUIRED** when there is a change to the previously supplied demographic information.

Example: DMG*D8*19450915*M~

STANDARD

DMG Demographic Information

Level: Detail

Position: 080

Loop: 2100

Requirement: Optional


Max Use: 1

Purpose: To supply demographic information

Syntax: 1. **P0102**

If either DMG01 or DMG02 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DMG01	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format	X ID 2/3
SYNTAX: P0102				
		CODE	DEFINITION	
		D8	Date Expressed in Format CCYYMMDD	

REQUIRED	DMG02	1251	Date Time Period Expression of a date, a time, or range of dates, times or dates and times	X	AN	1/35								
			<i>INDUSTRY: Prior Incorrect Insured Birth Date</i>											
			SYNTAX: P0102											
			SEMANTIC: DMG02 is the date of birth.											
REQUIRED	DMG03	1068	Gender Code Code indicating the sex of the individual	O	ID	1/1								
			<i>INDUSTRY: Prior Incorrect Insured Gender Code</i>											
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Female</td> </tr> <tr> <td>M</td> <td>Male</td> </tr> <tr> <td>U</td> <td>Unknown</td> </tr> </tbody> </table>	CODE	DEFINITION	F	Female	M	Male	U	Unknown			
CODE	DEFINITION													
F	Female													
M	Male													
U	Unknown													
NOT USED	DMG04	1067	Marital Status Code	O	ID	1/1								
NOT USED	DMG05	1109	Race or Ethnicity Code	O	ID	1/1								
NOT USED	DMG06	1066	Citizenship Status Code	O	ID	1/2								
NOT USED	DMG07	26	Country Code	O	ID	2/3								
NOT USED	DMG08	659	Basis of Verification Code	O	ID	1/2								
NOT USED	DMG09	380	Quantity	O	R	1/15								

IMPLEMENTATION

MEMBER MAILING ADDRESS

Loop: 2100C — MEMBER MAILING ADDRESS Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This loop is to be sent if the member has a mailing address different from the residence address sent in loop 2100A.

2. Send when enrolling subscriber, when enrolling a dependent and the dependent's address is different from the subscriber and when changing a member's address.

Example: NM1*31*1~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 030

Loop: 2100 Repeat: >1


Requirement: Optional

Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

- Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.
2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE DEFINITION	
			31 Postal Mailing Address	
REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M ID 1/1
			CODE DEFINITION	
			1 Person	
NOT USED	NM103	1035	Name Last or Organization Name	O AN 1/35
NOT USED	NM104	1036	Name First	O AN 1/25
NOT USED	NM105	1037	Name Middle	O AN 1/25
NOT USED	NM106	1038	Name Prefix	O AN 1/10
NOT USED	NM107	1039	Name Suffix	O AN 1/10
NOT USED	NM108	66	Identification Code Qualifier	X ID 1/2
NOT USED	NM109	67	Identification Code	X AN 2/80
NOT USED	NM110	706	Entity Relationship Code	X ID 2/2
NOT USED	NM111	98	Entity Identifier Code	O ID 2/3

IMPLEMENTATION

MEMBER MAIL STREET ADDRESS

Loop: 2100C — MEMBER MAILING ADDRESS

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Send when needed for address in loop 2100C.

Example: N3*P.O. Box 1234~

STANDARD

N3 Address Information

Level: Detail

Position: 050


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To specify the location of the named party

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N301	166	Address Information Address information	M AN 1/55
			<i>INDUSTRY: Subscriber Address Line</i>	
SITUATIONAL	N302	166	Address Information Address information	O AN 1/55
			<i>INDUSTRY: Subscriber Address Line</i>	
			Required if a second address line exists.	

IMPLEMENTATION

MEMBER MAIL CITY, STATE, ZIP

Loop: 2100C — MEMBER MAILING ADDRESS

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Send when needed for address in loop 2100C.

Example: N4*ROCK HILL*FL*33131~

STANDARD

N4 Geographic Location

Level: Detail

Position: 060

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax: 1. **C0605**
If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: Subscriber City Name</i> COMMENT: A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: Subscriber State Code</i> COMMENT: N402 is required only if city name (N401) is in the U.S. or Canada. CODE SOURCE 22: States and Outlying Areas of the U.S.	O ID 2/2
REQUIRED	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) <i>INDUSTRY: Subscriber Postal Zone or ZIP Code</i> CODE SOURCE 51: ZIP Code	O ID 3/15

SITUATIONAL	N404	26	Country Code Code identifying the country CODE SOURCE 5: Countries, Currencies and Funds Required only if country is not USA.	O	ID	2/3
NOT USED	N405	309	Location Qualifier	X	ID	1/2
NOT USED	N406	310	Location Identifier	O	AN	1/30

IMPLEMENTATION

MEMBER EMPLOYER

Loop: 2100D — MEMBER EMPLOYER Repeat: 3
 Usage: SITUATIONAL
 Repeat: 1
 Notes: 1. This loop is to be sent when the member is employed by someone other than the sponsor and the insurance contract requires the payer be notified of such employment. An example is the employment of a dependent.


Example: NM1*ES*2*MCDONALDS CORP.~

STANDARD

NM1 Individual or Organizational Name

Level: Detail
 Position: 030
 Loop: 2100 Repeat: >1
 Requirement: Optional
 Max Use: 1
 Purpose: To supply the full name of an individual or organizational entity
 Syntax: 1. **P0809**
 If either NM108 or NM109 is present, then the other is required.
 2. **C1110**
 If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
	ES		Employer Name	

REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M	ID	1/1
			CODE		DEFINITION	
			1		Person	
			2		Non-Person Entity	
SITUATIONAL	NM103	1035	Name Last or Organization Name Individual last name or organizational name <i>INDUSTRY: Insured Employer Name</i> The name should be passed until the national identifier for employer is implemented.	O	AN	1/35
SITUATIONAL	NM104	1036	Name First Individual first name <i>INDUSTRY: Insured Employer First Name</i> Required if the entity type qualifier in NM102 is 1 for person and NM103 is passed.	O	AN	1/25
SITUATIONAL	NM105	1037	Name Middle Individual middle name or initial <i>INDUSTRY: Insured Employer Middle Name</i> Send if supplied by subscriber and NM103 is passed.	O	AN	1/25
NOT USED	NM106	1038	Name Prefix	O	AN	1/10
SITUATIONAL	NM107	1039	Name Suffix Suffix to individual name <i>INDUSTRY: Insured Employer Name Suffix</i> Send if supplied by subscriber and NM103 is passed.	O	AN	1/10
SITUATIONAL	NM108	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: P0809 Send when required by X12 syntax.	X	ID	1/2
			CODE		DEFINITION	
			ZZ		Mutually Defined This code will be used in this NM108 for the National Employer Identifier until a standard code is defined.	
SITUATIONAL	NM109	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Insured Employer Identifier</i> SYNTAX: P0809 This identifier should be passed, once it has been implemented.	X	AN	2/80
NOT USED	NM110	706	Entity Relationship Code	X	ID	2/2
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

MEMBER EMPLOYER COMMUNICATIONS NUMBERS

Loop: 2100D — MEMBER EMPLOYER

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This segment is used when the employer is applicable and the employer communication number is provided to the sponsor about the member.
 2. When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number should always include the area code and phone number using the format AAABBBCCCC. Where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525). The extension, when applicable, should be included in the communication number immediately after the telephone number.
 3. By definition of the standard, if PER03 is used, PER04 is required.

Example: PER*SK**EP*8001234567~

STANDARD

PER Administrative Communications Contact

Level: Detail

Position: 040

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax:**
1. **P0304**
If either PER03 or PER04 is present, then the other is required.
 2. **P0506**
If either PER05 or PER06 is present, then the other is required.
 3. **P0708**
If either PER07 or PER08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named	M ID 2/2
			CODE	DEFINITION
			EP	Employer Contact
NOT USED	PER02	93	Name	O AN 1/60
REQUIRED	PER03	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0304	X ID 2/2
			CODE	DEFINITION
			EM	Electronic Mail
			EX	Telephone Extension
			FX	Facsimile
			TE	Telephone
REQUIRED	PER04	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0304	X AN 1/80
SITUATIONAL	PER05	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0506 Send when required by X12 syntax.	X ID 2/2
			CODE	DEFINITION
			EM	Electronic Mail
			EX	Telephone Extension
			FX	Facsimile
			TE	Telephone

SITUATIONAL	PER06	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0506 This element should be sent if additional communication numbers are available.	X	AN	1/80
SITUATIONAL	PER07	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0708 This element should be sent if additional communication numbers are available. Send when required by X12 syntax.	X	ID	2/2
			<u>CODE</u> <u>DEFINITION</u>			
			EM	Electronic Mail		
			EX	Telephone Extension		
			FX	Facsimile		
			TE	Telephone		
SITUATIONAL	PER08	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0708 This element should be sent if additional communication numbers are available.	X	AN	1/80
NOT USED	PER09	443	Contact Inquiry Reference	O	AN	1/20

IMPLEMENTATION

MEMBER EMPLOYER STREET ADDRESS

Loop: 2100D — MEMBER EMPLOYER

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is used when the employer is applicable and the employer address is provided to the sponsor by the subscriber.

Example: N3*50 ORCHARD STREET~

STANDARD

N3 Address Information

Level: Detail

Position: 050


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To specify the location of the named party

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N301	166	Address Information Address information	M AN 1/55
			<i>INDUSTRY: Insured Employer Address Line</i>	
SITUATIONAL	N302	166	Address Information Address information	O AN 1/55
			<i>INDUSTRY: Insured Employer Address Line</i>	
			Required if a second address line exists.	

IMPLEMENTATION

MEMBER EMPLOYER CITY, STATE, ZIP

Loop: 2100D — MEMBER EMPLOYER

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is used when the employer is applicable and the employer address is provided to the sponsor by the subscriber.

Example: N4*ROCK HILL*FL*33131~

STANDARD

N4 Geographic Location

Level: Detail

Position: 060

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax: 1. **C0605**
 If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: Insured Employer City Name</i> COMMENT: A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: Insured Employer State Code</i> COMMENT: N402 is required only if city name (N401) is in the U.S. or Canada. CODE SOURCE 22: States and Outlying Areas of the U.S.	O ID 2/2

REQUIRED	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) <i>INDUSTRY: Insured Employer Postal Zone or ZIP Code</i> CODE SOURCE 51: ZIP Code	O	ID	3/15
SITUATIONAL	N404	26	Country Code Code identifying the country CODE SOURCE 5: Countries, Currencies and Funds Required only if country is not USA.	O	ID	2/3
NOT USED	N405	309	Location Qualifier	X	ID	1/2
NOT USED	N406	310	Location Identifier	O	AN	1/30

IMPLEMENTATION

MEMBER SCHOOL

Loop: 2100E — MEMBER SCHOOL Repeat: 3

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This loop is to be sent when the member is enrolled in school and the payer is required to be notified under the insurance contract between the sponsor and the payer.

Example: NM1*M8*2*University of Utah~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 030

Loop: 2100 Repeat: >1


Requirement: Optional

Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.
2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
			M8	Educational Institution

REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M	ID	1/1
			CODE	DEFINITION		
			2	Non-Person Entity		
REQUIRED	NM103	1035	Name Last or Organization Name Individual last name or organizational name <i>INDUSTRY: School Name</i>	O	AN	1/35
NOT USED	NM104	1036	Name First	O	AN	1/25
NOT USED	NM105	1037	Name Middle	O	AN	1/25
NOT USED	NM106	1038	Name Prefix	O	AN	1/10
NOT USED	NM107	1039	Name Suffix	O	AN	1/10
NOT USED	NM108	66	Identification Code Qualifier	X	ID	1/2
NOT USED	NM109	67	Identification Code	X	AN	2/80
NOT USED	NM110	706	Entity Relationship Code	X	ID	2/2
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

MEMBER SCHOOL COMMUNICATIONS NUMBERS

Loop: 2100E — MEMBER SCHOOL

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This segment is used when the school is applicable and the school number is provided to the sponsor by the subscriber.
 2. When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number should always include the area code and phone number using the format AAABBBCCCC. Where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525). The extension, when applicable, should be included in the communication number immediately after the telephone number.
 3. By definition of the standard, if PER03 is used, PER04 is required.

Example: PER*SK**TE*8001234567~

STANDARD

PER Administrative Communications Contact

Level: Detail

Position: 040

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax:**
1. **P0304**
If either PER03 or PER04 is present, then the other is required.
 2. **P0506**
If either PER05 or PER06 is present, then the other is required.
 3. **P0708**
If either PER07 or PER08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named	M ID 2/2
			<u>CODE</u> <u>DEFINITION</u>	
			SK School Clerk	
NOT USED	PER02	93	Name	O AN 1/60
REQUIRED	PER03	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0304	X ID 2/2
			<u>CODE</u> <u>DEFINITION</u>	
			EM Electronic Mail	
			EX Telephone Extension	
			FX Facsimile	
			TE Telephone	
REQUIRED	PER04	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0304	X AN 1/80
SITUATIONAL	PER05	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0506 Send when required by X12 syntax.	X ID 2/2
			<u>CODE</u> <u>DEFINITION</u>	
			EM Electronic Mail	
			EX Telephone Extension	
			FX Facsimile	
			TE Telephone	

SITUATIONAL	PER06	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0506 This element should be sent if additional communication numbers are available.	X	AN	1/80										
SITUATIONAL	PER07	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0708 Send when required by X12 syntax.	X	ID	2/2										
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>EM</td> <td>Electronic Mail</td> </tr> <tr> <td>EX</td> <td>Telephone Extension</td> </tr> <tr> <td>FX</td> <td>Facsimile</td> </tr> <tr> <td>TE</td> <td>Telephone</td> </tr> </tbody> </table>	CODE	DEFINITION	EM	Electronic Mail	EX	Telephone Extension	FX	Facsimile	TE	Telephone			
CODE	DEFINITION															
EM	Electronic Mail															
EX	Telephone Extension															
FX	Facsimile															
TE	Telephone															
SITUATIONAL	PER08	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0708 This element should be sent if additional communication numbers are available.	X	AN	1/80										
NOT USED	PER09	443	Contact Inquiry Reference	O	AN	1/20										

IMPLEMENTATION

MEMBER SCHOOL STREET ADDRESS

Loop: 2100E — MEMBER SCHOOL

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is to be used when the school is applicable and the school address is provided to the sponsor by the subscriber.

Example: N3*P.O. Box 1234~

STANDARD

N3 Address Information

Level: Detail

Position: 050


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To specify the location of the named party

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N301	166	Address Information Address information	M AN 1/55
			<i>INDUSTRY: School Address Line</i>	
SITUATIONAL	N302	166	Address Information Address information	O AN 1/55
			<i>INDUSTRY: School Address Line</i>	
			Required if a second address line exists.	

IMPLEMENTATION

MEMBER SCHOOL CITY, STATE, ZIP

Loop: 2100E — MEMBER SCHOOL

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is to be used when the school is applicable and the school address is provided to the sponsor by the subscriber.

Example: N4*Salt Lake City*UT*84444~

STANDARD

N4 Geographic Location

Level: Detail

Position: 060

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax: 1. **C0605**
If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: School City Name</i> <i>COMMENT:</i> A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: School State Code</i> <i>COMMENT:</i> N402 is required only if city name (N401) is in the U.S. or Canada. <i>CODE SOURCE 22:</i> States and Outlying Areas of the U.S.	O ID 2/2

REQUIRED	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) <i>INDUSTRY: School Postal Zone or ZIP Code</i> CODE SOURCE 51: ZIP Code	O	ID	3/15
SITUATIONAL	N404	26	Country Code Code identifying the country CODE SOURCE 5: Countries, Currencies and Funds Required only if country is not USA.	O	ID	2/3
NOT USED	N405	309	Location Qualifier	X	ID	1/2
NOT USED	N406	310	Location Identifier	O	AN	1/30

IMPLEMENTATION

CUSTODIAL PARENT

Loop: 2100F — CUSTODIAL PARENT Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This loop is REQUIRED when the custodial parent of a minor dependent is someone other than the subscriber.

2. Any other situation, (examples: Guardianship, Legal Indemnity, Power of Attorney, and/or Separation Agreements) would be handled under the Responsible Party NM1 segment.

Example: NM1*S3*1*JONES*MARY~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 030

Loop: 2100 Repeat: >1


Requirement: Optional

Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

- Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.
2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES						
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3						
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>S3</td> <td>Custodial Parent</td> </tr> </tbody> </table>	CODE	DEFINITION	S3	Custodial Parent			
CODE	DEFINITION									
S3	Custodial Parent									
REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M ID 1/1						
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Person</td> </tr> </tbody> </table>	CODE	DEFINITION	1	Person			
CODE	DEFINITION									
1	Person									
REQUIRED	NM103	1035	Name Last or Organization Name Individual last name or organizational name <i>INDUSTRY: Custodial Parent Last Name</i>	O AN 1/35						
REQUIRED	NM104	1036	Name First Individual first name <i>INDUSTRY: Custodial Parent First Name</i>	O AN 1/25						
SITUATIONAL	NM105	1037	Name Middle Individual middle name or initial <i>INDUSTRY: Custodial Parent Middle Name</i> Send if supplied by subscriber.	O AN 1/25						
SITUATIONAL	NM106	1038	Name Prefix Prefix to individual name <i>INDUSTRY: Custodial Parent Name Prefix</i> Send if supplied by subscriber.	O AN 1/10						
SITUATIONAL	NM107	1039	Name Suffix Suffix to individual name <i>INDUSTRY: Custodial Parent Name Suffix</i> Send if supplied by subscriber.	O AN 1/10						
SITUATIONAL	NM108	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: P0809 Send when required by X12 syntax.	X ID 1/2						
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.</td> </tr> <tr> <td>ZZ</td> <td>Mutually Defined</td> </tr> </tbody> </table>	CODE	DEFINITION	34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.	ZZ	Mutually Defined	
CODE	DEFINITION									
34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.									
ZZ	Mutually Defined									

Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.

SITUATIONAL	NM109	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Custodial Parent Identifier</i> SYNTAX: P0809	X	AN	2/80
Send if supplied by subscriber.						
The Social Security Number should be sent, when available, until the National Identifier for Individual is available.						
NOT USED	NM110	706	Entity Relationship Code	X	ID	2/2
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

CUSTODIAL PARENT COMMUNICATIONS NUMBERS

Loop: 2100F — CUSTODIAL PARENT

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This segment is **REQUIRED** when the custodial parent is applicable and the phone number is provided to the sponsor by the subscriber.
 2. When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number should always include the area code and phone number using the format AAABBBCCCC. Where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525). The extension, when applicable, should be included in the communication number immediately after the telephone number.
 3. By definition of the standard, if PER03 is used, PER04 is required.

Example: PER*PQ**TE*8001234567~

STANDARD

PER Administrative Communications Contact

Level: Detail

Position: 040

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax:**
1. **P0304**
If either PER03 or PER04 is present, then the other is required.
 2. **P0506**
If either PER05 or PER06 is present, then the other is required.
 3. **P0708**
If either PER07 or PER08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES														
REQUIRED	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named	M ID 2/2														
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>PQ</td> <td>Parent or Guardian</td> </tr> </tbody> </table>	CODE	DEFINITION	PQ	Parent or Guardian											
CODE	DEFINITION																	
PQ	Parent or Guardian																	
NOT USED	PER02	93	Name	O AN 1/60														
REQUIRED	PER03	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0304	X ID 2/2														
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>EM</td> <td>Electronic Mail</td> </tr> <tr> <td>EX</td> <td>Telephone Extension</td> </tr> <tr> <td>FX</td> <td>Facsimile</td> </tr> <tr> <td>HP</td> <td>Home Phone Number</td> </tr> <tr> <td>TE</td> <td>Telephone</td> </tr> <tr> <td>WP</td> <td>Work Phone Number</td> </tr> </tbody> </table>	CODE	DEFINITION	EM	Electronic Mail	EX	Telephone Extension	FX	Facsimile	HP	Home Phone Number	TE	Telephone	WP	Work Phone Number	
CODE	DEFINITION																	
EM	Electronic Mail																	
EX	Telephone Extension																	
FX	Facsimile																	
HP	Home Phone Number																	
TE	Telephone																	
WP	Work Phone Number																	
REQUIRED	PER04	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0304	X AN 1/80														
SITUATIONAL	PER05	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0506 Send when required by X12 syntax.	X ID 2/2														
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>EM</td> <td>Electronic Mail</td> </tr> <tr> <td>EX</td> <td>Telephone Extension</td> </tr> <tr> <td>FX</td> <td>Facsimile</td> </tr> <tr> <td>HP</td> <td>Home Phone Number</td> </tr> </tbody> </table>	CODE	DEFINITION	EM	Electronic Mail	EX	Telephone Extension	FX	Facsimile	HP	Home Phone Number					
CODE	DEFINITION																	
EM	Electronic Mail																	
EX	Telephone Extension																	
FX	Facsimile																	
HP	Home Phone Number																	

			TE	Telephone			
			WP	Work Phone Number			
SITUATIONAL	PER06	364		Communication Number	X	AN	1/80
Complete communications number including country or area code when applicable							
SYNTAX: P0506							
This element should be sent if additional communication numbers are available.							
SITUATIONAL	PER07	365		Communication Number Qualifier	X	ID	2/2
Code identifying the type of communication number							
SYNTAX: P0708							
Send when required by X12 syntax.							
			CODE	DEFINITION			
			EM	Electronic Mail			
			EX	Telephone Extension			
			HP	Home Phone Number			
			TE	Telephone			
			WP	Work Phone Number			
SITUATIONAL	PER08	364		Communication Number	X	AN	1/80
Complete communications number including country or area code when applicable							
SYNTAX: P0708							
This element should be sent if additional communication numbers are available.							
NOT USED	PER09	443		Contact Inquiry Reference	O	AN	1/20

IMPLEMENTATION

CUSTODIAL PARENT STREET ADDRESS

Loop: 2100F — CUSTODIAL PARENT

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is **REQUIRED** when the custodial parent of a minor dependent is someone other than the subscriber and the information is provided to the sponsor by the subscriber.

Example: N3*50 ORCHARD STREET~

STANDARD

N3 Address Information

Level: Detail

Position: 050


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To specify the location of the named party

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N301	166	Address Information Address information	M AN 1/55
			<i>INDUSTRY: Custodial Parent Address Line</i>	
SITUATIONAL	N302	166	Address Information Address information	O AN 1/55
			<i>INDUSTRY: Custodial Parent Address Line</i>	
			Required if a second address line exists.	

IMPLEMENTATION

CUSTODIAL PARENT CITY, STATE, ZIP

Loop: 2100F — CUSTODIAL PARENT

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is **REQUIRED** when the custodial parent of a minor dependent is someone other than the subscriber and the information is provided to the sponsor by the subscriber.

Example: N4*ROCK HILL*FL*33131~

STANDARD

N4 Geographic Location

Level: Detail

Position: 060

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax: 1. **C0605**
If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: Custodial Parent City Name</i> <i>COMMENT:</i> A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: Custodial Parent State Code</i> <i>COMMENT:</i> N402 is required only if city name (N401) is in the U.S. or Canada. <i>CODE SOURCE 22:</i> States and Outlying Areas of the U.S.	O ID 2/2

REQUIRED	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) <i>INDUSTRY: Custodial Parent Postal Zone or ZIP Code</i> CODE SOURCE 51: ZIP Code	O	ID	3/15
SITUATIONAL	N404	26	Country Code Code identifying the country CODE SOURCE 5: Countries, Currencies and Funds Required only if country is not USA.	O	ID	2/3
NOT USED	N405	309	Location Qualifier	X	ID	1/2
NOT USED	N406	310	Location Identifier	O	AN	1/30

IMPLEMENTATION

RESPONSIBLE PERSON

Loop: 2100G — RESPONSIBLE PERSON Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Use this loop to identify the person responsible for the member. This responsible person is someone other than the subscriber.

Example: NM1*QD*1*CASE*JOHN~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 030

Loop: 2100 Repeat: >1

Requirement: Optional


Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.

2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3
			CODE	DEFINITION
			E1	Person or Other Entity Legally Responsible for a Child Used to identify a legal indemnity situation.

			EI	Executor of Estate This is used when the subscriber is deceased and the executor/responsible party is other than a surviving spouse.			
			EXS	Ex-spouse This is used to identify a separated spouse under a separation agreement, or that the member is the divorced spouse and self responsible. This is NOT USED to identify the custodial parent for dependent children after a divorce.			
			GD	Guardian			
			J6	Power of Attorney			
			QD	Responsible Party			
REQUIRED	NM102	1065	Entity Type Qualifier	Code qualifying the type of entity	M	ID	1/1
				SEMANTIC: NM102 qualifies NM103.			
				CODE		DEFINITION	
			1	Person			
REQUIRED	NM103	1035	Name Last or Organization Name	Individual last name or organizational name	O	AN	1/35
				<i>INDUSTRY: Responsible Party Last or Organization Name</i>			
REQUIRED	NM104	1036	Name First	Individual first name	O	AN	1/25
				<i>INDUSTRY: Responsible Party First Name</i>			
SITUATIONAL	NM105	1037	Name Middle	Individual middle name or initial	O	AN	1/25
				<i>INDUSTRY: Responsible Party Middle Name</i>			
				Send if supplied by the subscriber.			
SITUATIONAL	NM106	1038	Name Prefix	Prefix to individual name	O	AN	1/10
				<i>INDUSTRY: Responsible Party Name Prefix</i>			
				Send if supplied by the subscriber.			
SITUATIONAL	NM107	1039	Name Suffix	Suffix to individual name	O	AN	1/10
				<i>INDUSTRY: Responsible Party Suffix Name</i>			
				Send if supplied by the subscriber.			

SITUATIONAL	NM108	66	Identification Code Qualifier	X	ID	1/2
Code designating the system/method of code structure used for Identification Code (67)						

SYNTAX: P0809

Send when required by X12 syntax.

CODE	DEFINITION
34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.
ZZ	Mutually Defined Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.

SITUATIONAL	NM109	67	Identification Code	X	AN	2/80
Code identifying a party or other code						

INDUSTRY: Responsible Party Identifier

SYNTAX: P0809

The Social Security Number should be sent, when available, until the National Identifier for Individual is available.

NOT USED	NM110	706	Entity Relationship Code	X	ID	2/2
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

RESPONSIBLE PERSON COMMUNICATIONS NUMBERS

Loop: 2100G — RESPONSIBLE PERSON

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This segment is **REQUIRED** when the responsible person is applicable and the responsible person is provided to the sponsor by the subscriber.
 2. When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number should always include the area code and phone number using the format AAABBCCCC. Where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525). The extension, when applicable, should be included in the communication number immediately after the telephone number.
 3. By definition of the standard, if PER03 is used, PER04 is required.

Example: PER*RP**HP*8015554321~

STANDARD

PER Administrative Communications Contact

Level: Detail

Position: 040

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax:**
1. **P0304**
If either PER03 or PER04 is present, then the other is required.
 2. **P0506**
If either PER05 or PER06 is present, then the other is required.
 3. **P0708**
If either PER07 or PER08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named	M ID 2/2
			CODE	DEFINITION
			RP	Responsible Person
NOT USED	PER02	93	Name	O AN 1/60
REQUIRED	PER03	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0304	X ID 2/2
			CODE	DEFINITION
			EM	Electronic Mail
			EX	Telephone Extension
			FX	Facsimile
			HP	Home Phone Number
			TE	Telephone
			WP	Work Phone Number
REQUIRED	PER04	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0304	X AN 1/80
SITUATIONAL	PER05	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0506	X ID 2/2
			Send when required by X12 syntax.	
			CODE	DEFINITION
			EM	Electronic Mail
			EX	Telephone Extension
			FX	Facsimile
			HP	Home Phone Number

			TE	Telephone			
			WP	Work Phone Number			
SITUATIONAL	PER06	364	Communication Number		X	AN	1/80
Complete communications number including country or area code when applicable							
SYNTAX: P0506							
This element should be sent if additional communication numbers are available.							
SITUATIONAL	PER07	365	Communication Number Qualifier		X	ID	2/2
Code identifying the type of communication number							
SYNTAX: P0708							
Send when required by X12 syntax.							
		<u>CODE</u>	<u>DEFINITION</u>				
		EM	Electronic Mail				
		EX	Telephone Extension				
		FX	Facsimile				
		HP	Home Phone Number				
		TE	Telephone				
		WP	Work Phone Number				
SITUATIONAL	PER08	364	Communication Number		X	AN	1/80
Complete communications number including country or area code when applicable							
SYNTAX: P0708							
This element should be sent if additional communication numbers are available.							
NOT USED	PER09	443	Contact Inquiry Reference		O	AN	1/20

IMPLEMENTATION

RESPONSIBLE PERSON STREET ADDRESS

Loop: 2100G — RESPONSIBLE PERSON

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is **REQUIRED** when the responsible person is applicable and the responsible person address is provided to the sponsor by the subscriber.

Example: N3*50 ORCHARD STREET~

STANDARD

N3 Address Information

Level: Detail

Position: 050


Loop: 2100

Requirement: Optional

Max Use: 1

Purpose: To specify the location of the named party

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N301	166	Address Information Address information	M AN 1/55
			<i>INDUSTRY: Responsible Party Address Line</i>	
SITUATIONAL	N302	166	Address Information Address information	O AN 1/55
			<i>INDUSTRY: Responsible Party Address Line</i>	
			Required if a second address line exists.	

IMPLEMENTATION

RESPONSIBLE PERSON CITY, STATE, ZIP

Loop: 2100G — RESPONSIBLE PERSON

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is **REQUIRED** when the responsible person is applicable and the responsible person address is provided to the sponsor by the subscriber.

Example: N4*ROCK HILL*FL*33131~

STANDARD

N4 Geographic Location

Level: Detail

Position: 060

Loop: 2100


Requirement: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax: 1. **C0605**
 If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: Responsible Party City Name</i> COMMENT: A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: Responsible Party State Code</i> COMMENT: N402 is required only if city name (N401) is in the U.S. or Canada. CODE SOURCE 22: States and Outlying Areas of the U.S.	O ID 2/2

REQUIRED	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) <i>INDUSTRY: Responsible Party Postal Zone or ZIP Code</i> CODE SOURCE 51: ZIP Code	O	ID	3/15
SITUATIONAL	N404	26	Country Code Code identifying the country CODE SOURCE 5: Countries, Currencies and Funds Required only if country is not USA.	O	ID	2/3
NOT USED	N405	309	Location Qualifier	X	ID	1/2
NOT USED	N406	310	Location Identifier	O	AN	1/30

IMPLEMENTATION

DISABILITY INFORMATION

Loop: 2200 — DISABILITY INFORMATION Repeat: 1
 Usage: SITUATIONAL
 Repeat: 1
 Notes: 1. This segment should only be sent when enrolling a disabled member or when disability information about an existing member is added or changed.
 2. Use this segment to report a disability of either a subscriber or a dependent within the appropriate 2000 loop.


Example: DSB*2*****DX*585~

STANDARD

DSB Disability Information

Level: Detail
 Position: 200
 Loop: 2200 Repeat: 4
 Requirement: Optional
 Max Use: 1
 Purpose: To supply disability information
 Set Notes: 1. The DSB loop may only appear for the Subscriber.
 Syntax: 1. **P0708**
 If either DSB07 or DSB08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DSB01	1146	Disability Type Code Code identifying the disability status of the individual	M ID 1/1
			CODE	DEFINITION
			1	Short Term Disability
			2	Long Term Disability

		3	Permanent or Total Disability			
		4	No Disability			
NOT USED	DSB02	380	Quantity	O	R	1/15
NOT USED	DSB03	1149	Occupation Code	O	ID	4/6
NOT USED	DSB04	1154	Work Intensity Code	O	ID	1/1
NOT USED	DSB05	1161	Product Option Code	O	ID	1/2
NOT USED	DSB06	782	Monetary Amount	O	R	1/18
SITUATIONAL	DSB07	235	Product/Service ID Qualifier	X	ID	2/2

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

INDUSTRY: *Product or Service ID Qualifier*

SYNTAX: P0708

Send when required by X12 syntax.

CODE	DEFINITION
DX	International Classification of Diseases Clinical Modification (ICD-9-CM) - Diagnosis
	CODE SOURCE 131: International Classification of Diseases Clinical Mod (ICD-9-CM) Procedure

SITUATIONAL	DSB08	1137	Medical Code Value	X	AN	1/15
Code value for describing a medical condition or procedure						

INDUSTRY: *Diagnosis Code*

SYNTAX: P0708

SEMANTIC: DSB08 is the functional status code for the disability.

Use DSB08 to indicate if the the reason for disability is ESRD.

The only allowed value is 585 - End Stage Renal Disease.

IMPLEMENTATION

DISABILITY ELIGIBILITY DATES

Loop: 2200 — DISABILITY INFORMATION

Usage: SITUATIONAL

Repeat: 2

- Notes:**
1. This segment is used to send the first and last date of disability.
 2. This segment should only be sent when enrolling a disabled member or when disability dates are added or changed for an existing member.

Example: DTP*360*D8*19961001~

STANDARD

DTP Date or Time or Period

Level: Detail

Position: 210


Loop: 2200

Requirement: Optional

Max Use: 10

Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time <i>INDUSTRY: Date Time Qualifier</i>	M ID 3/3
			360 Disability Begin	
			361 Disability End	
REQUIRED	DTP02	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.	M ID 2/3
			D8 Date Expressed in Format CCYYMMDD	

REQUIRED

DTP03

1251

Date Time Period

M AN 1/35

Expression of a date, a time, or range of dates, times or dates and times

INDUSTRY: Disability Eligibility Date

IMPLEMENTATION

HEALTH COVERAGE

Loop: 2300 — HEALTH COVERAGE Repeat: 99

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Send this segment is REQUIRED when enrolling a new member or when adding, updating or removing coverage from an existing member.

Example: HD*021**HLT*PLAN A BCD*FAM~

STANDARD

HD Health Coverage

Level: Detail

Position: 260


Loop: 2300 Repeat: 99

Requirement: Optional

Max Use: 1

Purpose: To provide information on health coverage

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	HD01	875	Maintenance Type Code Code identifying the specific type of item maintenance	M ID 3/3
			CODE DEFINITION	
			001 Change	
			002 Delete Use this code for deleting an incorrect coverage record.	
			021 Addition	
			024 Cancellation or Termination Use this code for cancelling/terminating a coverage.	

025	Reinstatement
026	Correction This code is used to correct an incorrect record.
030	Audit or Compare
032	Employee Information Not Applicable Certain situations, such as military duty and CHAMPUS, classify the subscriber as ineligible for coverage or benefits. However, dependents of the subscribers are still eligible for coverage or benefits under the subscriber. Subscriber identifying elements are needed to accurately identify dependents.

NOT USED	HD02	1203	Maintenance Reason Code	O	ID	2/3
REQUIRED	HD03	1205	Insurance Line Code Code identifying a group of insurance products	O	ID	2/3

CODE	DEFINITION
AG	Preventive Care/Wellness
AH	24 Hour Care
AJ	Medicare Risk
AK	Mental Health
DCP	Dental Capitation This identifies a dental managed care organization (DMO).
DEN	Dental
EPO	Exclusive Provider Organization
FAC	Facility
HE	Hearing
HLT	Health Includes both hospital and professional coverage.
HMO	Health Maintenance Organization
LTC	Long-Term Care
LTD	Long-Term Disability
MM	Major Medical
MOD	Mail Order Drug
PDG	Prescription Drug
POS	Point of Service
PPO	Preferred Provider Organization

			PRA	Practitioners			
			STD	Short-Term Disability			
			UR	Utilization Review			
			VIS	Vision			
SITUATIONAL	HD04	1204	Plan Coverage Description		O AN	1/50	
			A description or number that identifies the plan or coverage				
			Use this element when additional information is needed by the insurer to describe the exact type of coverage being provided. If required by an insurer, this information must be included. The insurer establishes the content of this element in the contract.				
SITUATIONAL	HD05	1207	Coverage Level Code		O ID	3/3	
			Code indicating the level of coverage being provided for this insured				
			This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.				
			CODE	DEFINITION			
			CHD	Children Only			
			DEP	Dependents Only			
			E1D	Employee and One Dependent			
				For this code, the dependent is a non-spouse dependent. This code is not used for identification of Employee and Spouse. See code ESP.			
			E2D	Employee and Two Dependents			
			E3D	Employee and Three Dependents			
			E5D	Employee and One or More Dependents			
			E6D	Employee and Two or More Dependents			
			E7D	Employee and Three or More Dependents			
			E8D	Employee and Four or More Dependents			
			E9D	Employee and Five or More Dependents			
			ECH	Employee and Children			
			EMP	Employee Only			
			ESP	Employee and Spouse			
			FAM	Family			
			IND	Individual			
			SPC	Spouse and Children			

			SPO	Spouse Only			
			TWO	Two Party			
NOT USED	HD06	609	Count		O	N0	1/9
NOT USED	HD07	609	Count		O	N0	1/9
NOT USED	HD08	1209	Underwriting Decision Code		O	ID	1/1
NOT USED	HD09	1073	Yes/No Condition or Response Code		O	ID	1/1
NOT USED	HD10	1211	Drug House Code		O	ID	2/3
NOT USED	HD11	1073	Yes/No Condition or Response Code		O	ID	1/1

IMPLEMENTATION

HEALTH COVERAGE DATES

Loop: 2300 — HEALTH COVERAGE

Usage: REQUIRED

Repeat: 4

Notes: 1. This segment contains the date that maintenance was performed or effective, and the benefit begin and end dates for the coverage or line of business.

Example: DTP*348*D8*19961001~

STANDARD

DTP Date or Time or Period

Level: Detail

Position: 270


Loop: 2300

Requirement: Optional

Max Use: 10

Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	M ID 3/3
<i>INDUSTRY: Date Time Qualifier</i>				
		CODE	DEFINITION	
		303	Maintenance Effective This is the effective date of a change where a member's coverage is not being added or removed.	
		348	Benefit Begin This is the effective date of coverage. This code should always be sent when adding coverage.	

349 **Benefit End**
 This is the date the coverage specified in the 2300 loop is being terminated. Termination of specified coverage is identified by HD01 code 024 - Cancellation or Termination. This code should always be sent when removing coverage from a member. This code should not be used when a member is terminating all eligible coverage.

543 **Last Premium Paid Date**

REQUIRED **DTP02** **1250** **Date Time Period Format Qualifier** **M** **ID** **2/3**
 Code indicating the date format, time format, or date and time format
 SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.

CODE	DEFINITION
------	------------

D8 **Date Expressed in Format CCYYMMDD**

REQUIRED **DTP03** **1251** **Date Time Period** **M** **AN** **1/35**
 Expression of a date, a time, or range of dates, times or dates and times
 INDUSTRY: *Coverage Period*

IMPLEMENTATION

HEALTH COVERAGE POLICY

Loop: 2300 — HEALTH COVERAGE

Usage: SITUATIONAL

Repeat: 4

Notes: 1. This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer.

Example: AMT*C1*20~

STANDARD

AMT Monetary Amount

Level: Detail

Position: 280


Loop: 2300

Requirement: Optional

Max Use: 3

Purpose: To indicate the total monetary amount

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AMT01	522	Amount Qualifier Code Code to qualify amount	M ID 1/3
			CODE	DEFINITION
			B9	Co-insurance - Actual This will contain any co-insurance selection amount. The option of adjusting this amount to produce the actual co-insurance can be defined in the insurance contract.
			C1	Co-Payment Amount
			D2	Deductible Amount
			P3	Premium Amount
REQUIRED	AMT02	782	Monetary Amount Monetary amount	M R 1/18
			INDUSTRY: Contract Amount	
NOT USED	AMT03	478	Credit/Debit Flag Code	O ID 1/1

IMPLEMENTATION

HEALTH COVERAGE POLICY NUMBER

Loop: 2300 — HEALTH COVERAGE

Usage: SITUATIONAL

Repeat: 2

Notes: 1. This segment should be used to identify a policy or group number for a particular insurance product if it has not already been identified in either REF02, position 1-030 or REF02, position 2-020. This is necessary when not all coverage types have the same group or policy number.

Example: REF*1L*123456~

STANDARD

REF Reference Identification

Level: Detail

Position: 290

Loop: 2300


Requirement: Optional

Max Use: 5

Purpose: To specify identifying information

Syntax: 1. **R0203**
At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3

CODE	DEFINITION
17	Client Reporting Category This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.

		1L	Group or Policy Number			
		ZZ	Mutually Defined			
		Use this code for the Payment Plan Type Code (Annual or Quarterly) until a standard code is assigned.				
REQUIRED	REF02	127	Reference Identification	X	AN	1/30
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						
<i>INDUSTRY: Insured Group or Policy Number</i>						
SYNTAX: R0203						
NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

IDENTIFICATION CARD

Loop: 2300 — HEALTH COVERAGE
Usage: SITUATIONAL
Repeat: 10
Notes: 1. Use this segment when requesting the production of an identification card as a result of an enrollment add, change, or statement. An enrollment statement refers to a situation where no change is being made to the enrollment except to request a replacement ID card.


Example: IDC*12345*H~

STANDARD

IDC Identification Card

Level: Detail
Position: 300
Loop: 2300
Requirement: Optional
Max Use: >1
Purpose: To provide notification to produce replacement identification card(s)

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES						
REQUIRED	IDC01	1204	Plan Coverage Description A description or number that identifies the plan or coverage	M AN 1/50						
<p>Use this element when additional information is needed by the insurer to identify the type of ID card that will be produced. If requested, this information must be established by the insurer. Set IDC01 to a single zero if this does not apply.</p>										
REQUIRED	IDC02	1215	Identification Card Type Code Code identifying the type of identification card	M ID 1/1						
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Dental Insurance</td> </tr> <tr> <td>H</td> <td>Health Insurance This code is used to identify that the card issued should be specific to the coverage identified in the related HD segment.</td> </tr> </tbody> </table>	CODE	DEFINITION	D	Dental Insurance	H	Health Insurance This code is used to identify that the card issued should be specific to the coverage identified in the related HD segment.	
CODE	DEFINITION									
D	Dental Insurance									
H	Health Insurance This code is used to identify that the card issued should be specific to the coverage identified in the related HD segment.									

P Prescription Drug Service Drug Insurance

SITUATIONAL IDC03 380

Quantity O R 1/15
Numeric value of quantity

INDUSTRY: Identification Card Count

SEMANTIC: IDC03 is the number of cards being requested.

Send this field if the number of cards requested is greater than 1.

SITUATIONAL IDC04 306

Action Code O ID 1/2
Code indicating type of action

SEMANTIC: IDC04 is the reason for the card being requested, i.e., add or a change.

Reason for card request should only be sent when requesting replacement identification cards.

CODE	DEFINITION
------	------------

1	Add
---	-----

2	Change (Update)
---	-----------------

RX	Replace Use when requesting replacement cards with no change to data.
----	--------------------------------------------------------------------------

IMPLEMENTATION

PROVIDER INFORMATION

Loop: 2310 — PROVIDER INFORMATION **Repeat:** 30
Usage: SITUATIONAL
Repeat: 1

- Notes:**
1. Use this loop to provide information about primary care or capitated physicians and pharmacies chosen by the enrollee in a managed care plan when that selection is made through the sponsor. Use one iteration of the loop to identify each applicable health care service provider.
 2. The primary care provider effective date is defaulted to the effective date of the product identified in the DTP segment of the 2300 loop. When an enrollee switches from one primary care provider to another through the sponsor, the new provider should be listed with the effective date of change.

Example: LX*1~

STANDARD

LX Assigned Number

Level: Detail

Position: 310

Loop: 2310 **Repeat:** 30


Requirement: Optional

Max Use: 1

Purpose: To reference a line number in a transaction set

- Set Notes:**
1. The LX loop contains information about the primary care providers for the subscriber or the dependent, and about the beneficiaries of any employer-sponsored life insurance for the subscriber.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	LX01	554	Assigned Number Number assigned for differentiation within a transaction set	M NO 1/6
Use this sequential number for LX loops for this insured person.				

IMPLEMENTATION

PROVIDER NAME

Loop: 2310 — PROVIDER INFORMATION

Usage: REQUIRED

Repeat: 1

- Notes:
1. The National Provider ID should be passed in NM109. Until that ID is available the Federal Tax ID should be used.
 2. Use the name fields, NM103 through NM107, only when the sponsor has the name of the provider but is not able to pass a standard ID in NM109. This may occur because the ID is unknown or because local regulations prevent using Social Security Numbers or Federal Tax IDs.
 3. If the entity code, NM102, is 1 for person and the name is being passed, NM103 and NM104 must be used and NM105, NM106 and NM107 may be used. When the name is being passed for a non-person entity only NM103 may be used and NM104 through NM107 must not be sent.

Example: NM1*P3*1*****XX*25341234567*25~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 320

Loop: 2310

Requirement: Optional


Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Either NM1 or N1 will be included depending on whether an individual or organization is being specified.

- Syntax:
1. **P0809**
If either NM108 or NM109 is present, then the other is required.
 2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES														
REQUIRED	NM101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3														
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>3D</td> <td>Obstetrics and Gynecology Facility</td> </tr> <tr> <td>OD</td> <td>Doctor of Optometry</td> </tr> <tr> <td>P3</td> <td>Primary Care Provider</td> </tr> <tr> <td>QA</td> <td>Pharmacy</td> </tr> <tr> <td>QN</td> <td>Dentist</td> </tr> <tr> <td>Y2</td> <td>Managed Care Organization</td> </tr> </tbody> </table>	CODE	DEFINITION	3D	Obstetrics and Gynecology Facility	OD	Doctor of Optometry	P3	Primary Care Provider	QA	Pharmacy	QN	Dentist	Y2	Managed Care Organization	
CODE	DEFINITION																	
3D	Obstetrics and Gynecology Facility																	
OD	Doctor of Optometry																	
P3	Primary Care Provider																	
QA	Pharmacy																	
QN	Dentist																	
Y2	Managed Care Organization																	
REQUIRED	NM102	1065	Entity Type Qualifier Code qualifying the type of entity SEMANTIC: NM102 qualifies NM103.	M ID 1/1														
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Person</td> </tr> <tr> <td>2</td> <td>Non-Person Entity</td> </tr> </tbody> </table>	CODE	DEFINITION	1	Person	2	Non-Person Entity									
CODE	DEFINITION																	
1	Person																	
2	Non-Person Entity																	
SITUATIONAL	NM103	1035	Name Last or Organization Name Individual last name or organizational name <i>INDUSTRY: Provider Last or Organization Name</i> The name should only be used when the sponsor is not able to provide the standard ID number.	O AN 1/35														
SITUATIONAL	NM104	1036	Name First Individual first name <i>INDUSTRY: Provider First Name</i> The name should only be used when the sponsor is not able to provide the standard ID number.	O AN 1/25														
SITUATIONAL	NM105	1037	Name Middle Individual middle name or initial <i>INDUSTRY: Provider Middle Name</i> The name should only be used when the sponsor is not able to provide the standard ID number.	O AN 1/25														
SITUATIONAL	NM106	1038	Name Prefix Prefix to individual name <i>INDUSTRY: Provider Name Prefix</i> The name should only be used when the sponsor is not able to provide the standard ID number.	O AN 1/10														

SITUATIONAL	NM107	1039	Name Suffix Suffix to individual name <i>INDUSTRY: Provider Name Suffix</i> The name should only be used when the sponsor is not able to provide the standard ID number.	O	AN	1/10								
SITUATIONAL	NM108	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: P0809 Send when required by X12 syntax.	X	ID	1/2								
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.</td> </tr> <tr> <td>FI</td> <td>Federal Taxpayer's Identification Number</td> </tr> <tr> <td>XX</td> <td>Health Care Financing Administration National Provider Identifier <i>Required value if the National Provider ID is mandated for use. Otherwise, one of the other listed codes may be used.</i></td> </tr> </tbody> </table>	CODE	DEFINITION	34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.	FI	Federal Taxpayer's Identification Number	XX	Health Care Financing Administration National Provider Identifier <i>Required value if the National Provider ID is mandated for use. Otherwise, one of the other listed codes may be used.</i>			
CODE	DEFINITION													
34	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.													
FI	Federal Taxpayer's Identification Number													
XX	Health Care Financing Administration National Provider Identifier <i>Required value if the National Provider ID is mandated for use. Otherwise, one of the other listed codes may be used.</i>													
SITUATIONAL	NM109	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Provider Identifier</i> SYNTAX: P0809 Required when available to the sponsor and transmission is not prohibited by local, state, or Federal law.	X	AN	2/80								
REQUIRED	NM110	706	Entity Relationship Code Code describing entity relationship SYNTAX: C1110 COMMENT: NM110 and NM111 further define the type of entity in NM101. This element indicates whether or not the member is an existing patient of the provider.	X	ID	2/2								
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>25</td> <td>Established Patient</td> </tr> <tr> <td>26</td> <td>Not Established Patient</td> </tr> <tr> <td>72</td> <td>Unknown</td> </tr> </tbody> </table>	CODE	DEFINITION	25	Established Patient	26	Not Established Patient	72	Unknown			
CODE	DEFINITION													
25	Established Patient													
26	Not Established Patient													
72	Unknown													
NOT USED	NM111	98	Entity Identifier Code	O	ID	2/3								

IMPLEMENTATION

PROVIDER CITY, STATE, ZIP CODE

Loop: 2310 — PROVIDER INFORMATION

Usage: SITUATIONAL

Repeat: 1

Notes: 1. To be sent when required in the insurance contract between the sponsor and payer.

Example: N4*ROCK HILL*FL*33131~

STANDARD

N4 Geographic Location

Level: Detail

Position: 360

Loop: 2310


Requirement: Optional

Max Use: 2

Purpose: To specify the geographic place of the named party

Syntax: 1. **C0605**
If N406 is present, then N405 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	N401	19	City Name Free-form text for city name <i>INDUSTRY: Member City Name</i> COMMENT: A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.	O AN 2/30
REQUIRED	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency <i>INDUSTRY: Member State Code</i> COMMENT: N402 is required only if city name (N401) is in the U.S. or Canada. CODE SOURCE 22: States and Outlying Areas of the U.S.	O ID 2/2

REQUIRED	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States) <i>INDUSTRY: Member Postal Zone or Zip Code</i> CODE SOURCE 51: ZIP Code	O	ID	3/15								
SITUATIONAL	N404	26	Country Code Code identifying the country CODE SOURCE 5: Countries, Currencies and Funds Required only if country is not USA.	O	ID	2/3								
SITUATIONAL	N405	309	Location Qualifier Code identifying type of location SYNTAX: C0605 Send when required by X12 syntax.	X	ID	1/2								
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>Area The area code indicates that N406 will contain an out-of-area indicator for this member. The meaning of that indicator is defined in the trading partner agreement.</td> </tr> <tr> <td>CY</td> <td>County/Parish</td> </tr> <tr> <td>RJ</td> <td>Region Use for region or group of the PCP.</td> </tr> </tbody> </table>	CODE	DEFINITION	60	Area The area code indicates that N406 will contain an out-of-area indicator for this member. The meaning of that indicator is defined in the trading partner agreement.	CY	County/Parish	RJ	Region Use for region or group of the PCP.			
CODE	DEFINITION													
60	Area The area code indicates that N406 will contain an out-of-area indicator for this member. The meaning of that indicator is defined in the trading partner agreement.													
CY	County/Parish													
RJ	Region Use for region or group of the PCP.													
SITUATIONAL	N406	310	Location Identifier Code which identifies a specific location <i>INDUSTRY: Location Identification Code</i> SYNTAX: C0605 This data should only be transmitted when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. This element is NOT USED when the member identified in the related INS segment is not the subscriber. See section 2.7, "Coverage Levels and Dependents", for additional information.	O	AN	1/30								

IMPLEMENTATION

PROVIDER COMMUNICATIONS NUMBERS

Loop: 2310 — PROVIDER INFORMATION

Usage: SITUATIONAL

Repeat: 2

Notes: 1. To be sent when available.

2. When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number should always include the area code and phone number using the format AAABBBCCCC. Where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525). The extension, when applicable, should be included in the communication number immediately after the telephone number.

3. By definition of the standard, if PER03 is used, PER04 is required.

Example: PER*IC**HP*8015554321~

STANDARD

PER Administrative Communications Contact

Level: Detail

Position: 370

Loop: 2310

Requirement: Optional

Max Use: 2

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax: 1. **P0304**

If either PER03 or PER04 is present, then the other is required.


2. **P0506**

If either PER05 or PER06 is present, then the other is required.

3. **P0708**

If either PER07 or PER08 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named	M ID 2/2
			IC Information Contact	
NOT USED	PER02	93	Name	O AN 1/60
REQUIRED	PER03	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0304	X ID 2/2
			EM Electronic Mail	
			EX Telephone Extension	
			FX Facsimile	
			HP Home Phone Number	
			TE Telephone	
			WP Work Phone Number	
REQUIRED	PER04	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0304	X AN 1/80
SITUATIONAL	PER05	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0506 Send when required by X12 syntax.	X ID 2/2
			EM Electronic Mail	
			EX Telephone Extension	
			FX Facsimile	
			HP Home Phone Number	
			TE Telephone	
			WP Work Phone Number	
SITUATIONAL	PER06	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0506 This element should be sent if additional communication numbers are available.	X AN 1/80

SITUATIONAL	PER07	365	Communication Number Qualifier Code identifying the type of communication number SYNTAX: P0708 Send when required by X12 syntax.	X	ID	2/2
			EM		Electronic Mail	
			EX		Telephone Extension	
			FX		Facsimile	
			HP		Home Phone Number	
			TE		Telephone	
			WP		Work Phone Number	
SITUATIONAL	PER08	364	Communication Number Complete communications number including country or area code when applicable SYNTAX: P0708 This element should be sent if additional communication numbers are available.	X	AN	1/80
NOT USED	PER09	443	Contact Inquiry Reference	O	AN	1/20

IMPLEMENTATION

PCP CHANGE REASON

Loop: 2310 — PROVIDER INFORMATION

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment should be used to report the reason and the effective date that a member changes primary care provider.

Example: PLA*2*1P*19970628**AI~

STANDARD

PLA Place or Location

Level: Detail

Position: 395

Loop: 2310

Requirement: Optional

Max Use: 1

Purpose: To indicate action to be taken for the location specified and to qualify the location specified

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				
REQUIRED	PLA01	306	Action Code Code indicating type of action	M ID 1/2				
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Change (Update)</td> </tr> </tbody> </table>	CODE	DEFINITION	2	Change (Update)	
CODE	DEFINITION							
2	Change (Update)							
REQUIRED	PLA02	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3				
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>1P</td> <td>Provider</td> </tr> </tbody> </table>	CODE	DEFINITION	1P	Provider	
CODE	DEFINITION							
1P	Provider							
REQUIRED	PLA03	373	Date Date expressed as CCYYMMDD	M DT 8/8				
			<i>INDUSTRY: Provider Effective Date</i>					
			SEMANTIC: PLA03 is the effective date for the action identified in PLA01.					
			This is the effective date of the change of PCP.					

NOT USED	PLA04	337	Time	O	TM	4/8
REQUIRED	PLA05	1203	Maintenance Reason Code Code identifying the reason for the maintenance change	O	ID	2/3

If none of the specific Maintenance Reasons apply, send 'AI', No Reason Given.

CODE	DEFINITION
14	Voluntary Withdrawal
22	Plan Change
46	Current Customer Information File in Error
AA	Dissatisfaction with Office Staff
AB	Dissatisfaction with Medical Care/Services Rendered
AC	Inconvenient Office Location
AD	Dissatisfaction with Office Hours
AE	Unable to Schedule Appointments in a Timely Manner
AF	Dissatisfaction with Physician's Referral Policy
AG	Less Respect and Attention Time Given than to Other Patients
AH	Patient Moved to a New Location
AI	No Reason Given
AJ	Appointment Times not Met in a Timely Manner

IMPLEMENTATION

COORDINATION OF BENEFITS

Loop: 2320 — COORDINATION OF BENEFITS Repeat: 5

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Use this loop whenever an individual has another insurance plan with benefits similar to those covered by the insurance product specified in the HD segment for this occurrence of Loop ID-2300. Always provide this information when provided to the sponsor. Provide the COB information by individual, not by subscriber.

2. Send this data when such transmission is required under the insurance contract between the sponsor and the payer.

Example: COB*P*XYZ123*1~

STANDARD

COB Coordination of Benefits

Level: Detail

Position: 400


Loop: 2320 Repeat: 5

Requirement: Optional

Max Use: 1

Purpose: To supply information on coordination of benefits

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	COB01	1138	Payer Responsibility Sequence Number Code Code identifying the insurance carrier's level of responsibility for a payment of a claim	O ID 1/1
			CODE	DEFINITION
			P	Primary
			S	Secondary
			T	Tertiary
			U	Unknown

SITUATIONAL **COB02** **127** **Reference Identification** **O AN 1/30**
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

INDUSTRY: Insured Group or Policy Number

SEMANTIC: COB02 is the policy number.

Always supply the policy number when it is available.

REQUIRED **COB03** **1143** **Coordination of Benefits Code** **O ID 1/1**
Code identifying whether there is a coordination of benefits

CODE	DEFINITION
------	------------

1	Coordination of Benefits
5	Unknown
6	No Coordination of Benefits Use this code to verify that it was determined that there is no COB.

IMPLEMENTATION

ADDITIONAL COORDINATION OF BENEFITS IDENTIFIERS

- Loop:** 2320 — COORDINATION OF BENEFITS
Usage: SITUATIONAL
Repeat: 5
- Notes:**
1. This segment should be sent if additional data on coordination of benefits exists.
 2. This segment should be sent if supplied by the subscriber. Use the Social Security Number or Employee ID Number until the National ID Number for individuals is available.


Example: REF*6P*AZ12345~

STANDARD

REF Reference Identification

- Level:** Detail
Position: 405
Loop: 2320
Requirement: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax: 1. R0203
 At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			60	Account Suffix Code
			6P	Group Number
			A6	Employee Identification Number

			SY	Social Security Number The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS.			
			ZZ	Mutually Defined Mutually Defined, will be used in this REF01 for National Individual Identifier until a standard code is defined.			
REQUIRED	REF02	127	Reference Identification		X	AN	1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
			<i>INDUSTRY: Insured Group or Policy Number</i>				
			SYNTAX: R0203				
NOT USED	REF03	352	Description		X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER		O		

IMPLEMENTATION

OTHER INSURANCE COMPANY NAME


Loop: 2320 — COORDINATION OF BENEFITS
 Usage: SITUATIONAL
 Repeat: 1
 Notes: 1. Use this segment to send the name of the insurance company when provided to the sponsor.

Example: N1*IN**NI*12345678~

STANDARD

N1 Name
 Level: Detail
 Position: 410
 Loop: 2320
 Requirement: Optional
 Max Use: 1
 Purpose: To identify a party by type of organization, name, and code
 Syntax: 1. **R0203**
 At least one of N102 or N103 is required.
 2. **P0304**
 If either N103 or N104 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				
REQUIRED	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M ID 2/3				
<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>Insurer</td> </tr> </tbody> </table>					CODE	DEFINITION	IN	Insurer
CODE	DEFINITION							
IN	Insurer							
SITUATIONAL	N102	93	Name Free-form name <i>INDUSTRY: Insurer Name</i> SYNTAX: R0203	X AN 1/60				
Send the insurance company name if no standard identifier is available to pass in N104.								

SITUATIONAL	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) SYNTAX: R0203, P0304	X	ID	1/2
Send when required by X12 syntax.						
		CODE	DEFINITION			
		FI	Federal Taxpayer's Identification Number			
		NI	National Association of Insurance Commissioners (NAIC) Identification			
		XV	Health Care Financing Administration National PlanID <i>Required if the National PlanID is mandated for use. Otherwise, one of the other listed codes may be used.</i>			
		CODE SOURCE 540: Health Care Financing Administration National PlanID				
SITUATIONAL	N104	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Insured Group or Policy Number</i> SYNTAX: P0304 COMMENT: This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.	X	AN	2/80
Use the National Payer ID until that ID is available the Federal Tax ID should be used.						
Send when supplied by the employee to the sponsor.						
NOT USED	N105	706	Entity Relationship Code	O	ID	2/2
NOT USED	N106	98	Entity Identifier Code	O	ID	2/3

IMPLEMENTATION

COORDINATION OF BENEFITS ELIGIBILITY DATES

Loop: 2320 — COORDINATION OF BENEFITS
Usage: SITUATIONAL
Repeat: 2

Notes: 1. This segment contains the dates for which coordination of benefits is in effect. Send the eligibility date when provided to the sponsor.


Example: DTP*344*D8*19960401~

STANDARD

DTP Date or Time or Period

Level: Detail
Position: 450
Loop: 2320
Requirement: Optional
Max Use: 2
Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time <i>INDUSTRY: Date Time Qualifier</i>	M ID 3/3
			344 Coordination of Benefits Begin	
			345 Coordination of Benefits End	
REQUIRED	DTP02	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.	M ID 2/3
			D8 Date Expressed in Format CCYYMMDD	

REQUIRED	DTP03	1251	Date Time Period	M AN	1/35
-----------------	--------------	-------------	-------------------------	-------------	-------------

Expression of a date, a time, or range of dates, times or dates and times

INDUSTRY: Coordination of Benefits Date

IMPLEMENTATION

TRANSACTION SET TRAILER


Usage: REQUIRED
Repeat: 1
Example: SE*39*0001~

STANDARD

SE Transaction Set Trailer

Level: Detail
Position: 690
Loop: _____
Requirement: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	SE01	96	Number of Included Segments	M NO 1/10
			Total number of segments included in a transaction set including ST and SE segments	
			<i>INDUSTRY: Transaction Segment Count</i>	
REQUIRED	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

The transaction set control numbers in ST02 and SE02 must be identical. This unique number also aids in error resolution research. For example, start with the number 0001 and increment from there. This number must be unique within a specific group and interchange, but the number can repeat in other groups and interchanges.

4 EDI Transmission Examples for Different Business Uses

4.1 Business Scenario 1— Enroll an Employee in Multiple Health Care Insurance Products

John Doe is enrolling in three health care products — health, dental, and vision. He also has Coordination of Benefits (COB) with another insurance company.

```

ST*834*12345~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*021*20*A***FT~
REF*0F*123456789~
REF*1L*123456001~
DTP*356*D8*19960523~
NM1*IL*1*DOE*JOHN*P***34*123456789~
PER*IP**HP*7172343334*WP*7172341240~
N3*100 MARKET ST*APT 3G~
N4*CAMP HILL*PA*17011**CY*CUMBERLAND~
DMG*D8*19400816*M~
HD*021**HLT~
DTP*348*D8*19960601~
COB*P*890111*5~
N1*IN*ABC INSURANCE CO~
HD*021**DEN~
DTP*348*D8*19960601~
HD*021**VIS~
DTP*348*D8*19960601~
SE*22*12345~
    
```

4.2 Business Scenario 2 — Add a Dependent (Full-time Student) to an Existing Contract

James E. Doe, the son of John Doe, is being enrolled under John Doe's medical coverage. James is enrolled at Penn State and expects to graduate on 5/15/1998. His Social Security Number is 103229876. The enrollment for the subscriber, John Doe, had to be submitted before his dependents can be enrolled.

```
ST*834*12345~
BGN*00*12456*19980520*1200****2~
REF*38*ABCD012354~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*N*19*021*28*A****F~
REF*0F*123456789~
REF*1L*123456001~
DTP*351*D8*19980515~
NM1*IL*1*DOE*JAMES*E***34*103229876~
DMG*D8*19770816*M~
NM1*M8*2*PENN STATE UNIVERSITY~
HD*021*HLT~
DTP*348*D8*19960601~
SE*15*12345~
```

4.3 Business Scenario 3 — Enroll an Employee in a Managed Care Product

William Smith is enrolling in the HMO product effective 6/1/1996. He has selected Dr. Bernard Brown as his primary care physician for the program. Mr. Smith is already Dr. Brown's patient; therefore, the primary care information code value is 01. Dr. Brown's provider number is 143766.

```
ST*834*12345~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*021*20*A***FT~
REF*0F*202443307~
REF*1L*123456001~
DTP*356*D8*19960112~
NM1*IL*1*SMITH*WILLIAM****34*202443307~
PER*IP**HP*7172343334*WP*7172341240~
```


N3*1715 SOUTHWIND AVENUE~
N4*ANYTOWN*PA*171110000~
DMG*D8*19700614~
HD*021**HMO~
DTP*348*D8*19960601~
LX*01~
NM1*P3*1*BROWN*BERNARD**DR****25~
SE*18*12345~

4.4 Business Scenario 4 — Add Subscriber Coverage

William Smith is adding dental coverage to his contract, which will be effective on 7/1/1996.

ST*834*12345~
BGN*00*12456*19980520*1200****2~
REF*38*ABCD012354~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*001*22*A***FT~
REF*0F*202443307~
REF*1L*123456001~
NM1*IL*1*SMITH*WILLIAM****ZZ*2024433307~
HD*021**DEN~
DTP*348*D8*19960701~
SE*12*12345~

NOTE

In the previous example, to remove coverage do the following: change the maintenance type code (HD01) from 021 (addition) to 024 (cancellation/termination), and change the date/time qualifier (DTP01) from 348 (benefit begin) to 349 (benefit end).

4.5 Business Scenario 5 — Change Subscriber Information

John Doe is correcting his date of birth.

ST*834*12345~
BGN*00*12456*19980520*1200****2~
N1*P5*GENERIC INC~
N1*IN*ABC INSURANCE*FI*654456654~
INS*Y*18*001*25*A***FT~
REF*0F*123456789~
REF*1L*123456001~

NM1*IL*1*DOE*JAMES*E***34*103229876~
DMG*D8*19500415*M~
NM1*70*1*DOE*JAMES*E~
DMG*D8*19500416*M~
SE*12*12345~

4.6 Business Scenario 6 — Cancel a Dependent

John Doe is canceling coverage for his over-age dependent, James, to be effective 8/1/1996.

ST*834*12345~
BGN*00*12456*19980520*1200****2~
REF*38*ABCD012354~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*N*19*024*07*A~
REF*0F*123456789~
REF*1L*123456001~
DTP*357*D8*19960801~
NM1*IL*1*DOE*JAMES*E***34*103229876~
DMG*D8*19770816*M~
SE*12*12345~

4.7 Business Scenario 7 — Terminate Eligibility for a Subscriber

The eligibility for John Doe is being canceled because he terminated employment on 10/1/1996.

ST*834*12345~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*024*08*A***TE~
REF*0F*123456789~
REF*1L*123456001~
DTP*357*D8*19961001~
NM1*IL*1*DOE*JAMES*E***34*103229876~
SE*10*12345~

4.8 Business Scenario 8 — Reinstate an Employee

John Doe's contract was incorrectly canceled and is being reinstated.

```
ST*834*12345~  
BGN*00*12456*19980520*1200****2~  
REF*38*ABCD012354~  
N1*P5**FI*999888777~  
N1*IN**FI*654456654~  
INS*Y*18*025*20*A***FT~  
REF*0F*123456789~  
REF*1L*123456001~  
DTP*303*D8*19961001~  
NM1*IL*1*DOE*JAMES*E***34*103229876~  
SE*11*12345~
```


A ASC X12 Nomenclature

A.1 Interchange and Application Control Structures

A.1.1 Interchange Control Structure

The transmission of data proceeds according to very strict format rules to ensure the integrity and maintain the efficiency of the interchange. Each business grouping of data is called a transaction set. For instance, a group of benefit enrollments sent from a sponsor to a payer is considered a transaction set.

Each transaction set contains groups of logically related data in units called segments. For instance, the N4 segment used in the transaction set conveys the city, state, ZIP Code, and other geographic information. A transaction set contains multiple segments, so the addresses of the different parties, for example, can be conveyed from one computer to the other. An analogy would be that the transaction set is like a freight train; the segments are like the train's cars; and each segment can contain several data elements the same as a train car can hold multiple crates.

The sequence of the elements within one segment is specified by the ASC X12 standard as well as the sequence of segments in the transaction set. In a more conventional computing environment, the segments would be equivalent to records, and the elements equivalent to fields.

Similar transaction sets, called "functional groups," can be sent together within a transmission. Each functional group is prefaced by a group start segment; and a functional group is terminated by a group end segment. One or more functional groups are prefaced by an interchange header and followed by an interchange trailer. Figure A1, Transmission Control Schematic, illustrates this interchange control.




Figure A1. Transmission Control Schematic

The interchange header and trailer segments envelop one or more functional groups or interchange-related control segments and perform the following functions:

1. Define the data element separators and the data segment terminator.
2. Identify the sender and receiver.
3. Provide control information for the interchange.
4. Allow for authorization and security information.

A.1.2 Application Control Structure Definitions and Concepts

A.1.2.1 Basic Structure

A data element corresponds to a data field in data processing terminology. The data element is the smallest named item in the ASC X12 standard. A data segment corresponds to a record in data processing terminology. The data segment begins with a segment ID and contains related data elements. A control segment has the same structure as a data segment; the distinction is in the use. The data segment is used primarily to convey user information, but the control segment is used primarily to convey control information and to group data segments.

A.1.2.2 Basic Character Set

The section that follows is designed to have representation in the common character code schemes of EBCDIC, ASCII, and CCITT International Alphabet 5. The ASC X12 standards are graphic-character-oriented; therefore, common character encoding schemes other than those specified herein may be used as long as a common mapping is available. Because the graphic characters have an implied mapping across character code schemes, those bit patterns are not provided here.

The basic character set of this standard, shown in figure A2, Basic Character Set, includes those selected from the uppercase letters, digits, space, and special characters as specified below.

A..Z	0..9	!	“	&	'	()	*	+
,	-	.	/	:	;	?	=	“ ” (space)	

Figure A2. Basic Character Set

A.1.2.3 Extended Character Set

An extended character set may be used by negotiation between the two parties and includes the lowercase letters and other special characters as specified in figure A3, Extended Character Set.

a..z	%	~	@	[]	_	{
}	\		<	>	#	\$	

Figure A3. Extended Character Set

Note that the extended characters include several character codes that have multiple graphical representations for a specific bit pattern. The complete list appears

in other standards such as CCITT S.5. Use of the USA graphics for these codes presents no problem unless data is exchanged with an international partner. Other problems, such as the translation of item descriptions from English to French, arise when exchanging data with an international partner, but minimizing the use of codes with multiple graphics eliminates one of the more obvious problems.

A.1.2.4 Control Characters

Two control character groups are specified; they have only restricted usage. The common notation for these groups is also provided, together with the character coding in three common alphabets. In the matrix A1, Base Control Set, the column IA5 represents CCITT V.3 International Alphabet 5.

A.1.2.5 Base Control Set

The base control set includes those characters that will not have a disruptive effect on most communication protocols. These are represented by:

<u>NOTATION</u>	<u>NAME</u>	<u>EBCDIC</u>	<u>ASCII</u>	<u>IA5</u>
BEL	bell	2F	07	07
HT	horizontal tab	05	09	09
LF	line feed	25	0A	0A
VT	vertical tab	0B	0B	0B
FF	form feed	0C	0C	0C
CR	carriage return	0D	0D	0D
FS	file separator	1C	1C	1C
GS	group separator	1D	1D	1D
RS	record separator	1E	1E	1E
US	unit separator	1F	1F	1F
NL	new line	15		

Matrix A1. Base Control Set

The Group Separator (GS) may be an exception in this set because it is used in the 3780 communications protocol to indicate blank space compression.

A.1.2.6 Extended Control Set

The extended control set includes those that may have an effect on a transmission system. These are shown in matrix A2, Extended Control Set.

<u>NOTATION</u>	<u>NAME</u>	<u>EBCDIC</u>	<u>ASCII</u>	<u>IA5</u>
SOH	start of header	01	01	01
STX	start of text	02	02	02
ETX	end of text	03	03	03
EOT	end of transmission	37	04	04
ENQ	enquiry	2D	05	05
ACK	acknowledge	2E	06	06
DC1	device control 1	11	11	11
DC2	device control 2	12	12	12
DC3	device control 3	13	13	13
DC4	device control 4	3C	14	14
NAK	negative acknowledge	3D	15	15
SYN	synchronous idle	32	16	16
ETB	end of block	26	17	17

Matrix A2. Extended Control Set

A.1.2.7 Delimiters

A delimiter is a character used to separate two data elements (or subelements) or to terminate a segment. The delimiters are an integral part of the data.

Delimiters are specified in the interchange header segment, ISA. The ISA segment is a 105 byte fixed length record. The data element separator is byte number 4; the component element separator is byte number 105; and the segment terminator is the byte that immediately follows the component element separator.

Once specified in the interchange header, the delimiters are not to be used in a data element value elsewhere in the interchange. For consistency, this implementation guide uses the delimiters shown in matrix A3, Delimiters, in all examples of EDI transmissions.

<u>CHARACTER</u>	<u>NAME</u>	<u>DELIMITER</u>
*	Asterisk	Data Element Separator
:	Colon	Subelement Separator
~	Tilde	Segment Terminator

Matrix A3. Delimiters

The delimiters above are for illustration purposes only and are not specific recommendations or requirements. Users of this implementation guide should be aware that an application system may use some valid delimiter characters within the application data. Occurrences of delimiter characters in transmitted data within a data element can result in errors in translation programs. The existence of asterisks (*) within transmitted application data is a known issue that can affect translation software.

A.1.3 Business Transaction Structure Definitions and Concepts

The ASC X12 standards define commonly used business transactions (such as a health care claim) in a formal structure called “transaction sets.” A transaction set is composed of a transaction set header control segment, one or more data segments, and a transaction set trailer control segment. Each segment is composed of the following:

- A unique segment ID
- One or more logically related data elements each preceded by a data element separator
- A segment terminator

A.1.3.1 Data Element

The data element is the smallest named unit of information in the ASC X12 standard. Data elements are identified as either simple or component. A data element that occurs as an ordinal member of a composite data structure is identified as a component data element. A data element that occurs in a segment outside the defined boundaries of a composite data structure is identified as a simple data element. The distinction between simple and component data elements is strictly a matter of context because a data element can be used in either capacity.

Data elements are assigned a unique reference number. Each data element has a name, description, type, minimum length, and maximum length. For ID type data elements, this guide provides the applicable ASC X12 code values and their descriptions or references where the valid code list can be obtained.

Each data element is assigned a minimum and maximum length. The length of the data element value is the number of character positions used except as noted for numeric, decimal, and binary elements.

The data element types shown in matrix A4, Data Element Types, appear in this implementation guide.

SYMBOL	TYPE
Nn	Numeric
R	Decimal
ID	Identifier
AN	String
DT	Date
TM	Time
B	Binary

Matrix A4. Data Element Types

A.1.3.1.1

Numeric

A numeric data element is represented by one or more digits with an optional leading sign representing a value in the normal base of 10. The value of a numeric data element includes an implied decimal point. It is used when the position of the decimal point within the data is permanently fixed and is not to be transmitted with the data.

This set of guides denotes the number of implied decimal positions. The representation for this data element type is “Nn” where N indicates that it is numeric and n indicates the number of decimal positions to the right of the implied decimal point.

If n is 0, it need not appear in the specification; N is equivalent to N0. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) should not be transmitted.

EXAMPLE

A transmitted value of 1234, when specified as numeric type N2, represents a value of 12.34.

Leading zeros should be suppressed unless necessary to satisfy a minimum length requirement. The length of a numeric type data element does not include the optional sign.

A.1.3.1.2

Decimal

A decimal data element may contain an explicit decimal point and is used for numeric values that have a varying number of decimal positions. This data element type is represented as “R.”

The decimal point always appears in the character stream if the decimal point is at any place other than the right end. If the value is an integer (decimal point at the right end) the decimal point should be omitted. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) should not be transmitted.

Leading zeros should be suppressed unless necessary to satisfy a minimum length requirement. Trailing zeros following the decimal point should be suppressed unless necessary to indicate precision. The use of triad separators (for example, the commas in 1,000,000) is expressly prohibited. The length of a decimal type data element does not include the optional leading sign or decimal point.

EXAMPLE

A transmitted value of 12.34 represents a decimal value of 12.34.

A.1.3.1.3

Identifier

An identifier data element always contains a value from a predefined list of codes that is maintained by the ASC X12 Committee or some other body recognized by the Committee. Trailing spaces should be suppressed unless they are necessary to satisfy a minimum length. An identifier is always left justified. The representation for this data element type is "ID."

A.1.3.1.4

String

A string data element is a sequence of any characters from the basic or extended character sets. The significant characters shall be left justified. Leading spaces, when they occur, are presumed to be significant characters. Trailing spaces should be suppressed unless they are necessary to satisfy a minimum length. The representation for this data element type is "AN."

A.1.3.1.5

Date

A date data element is used to express the standard date in either YYMMDD or CCYYMMDD format in which CC is the first two digits of the calendar year, YY is the last two digits of the calendar year, MM is the month (01 to 12), and DD is the day in the month (01 to 31). The representation for this data element type is "DT." Users of this guide should note that all dates within transactions are 8-character dates (millennium compliant) in the format CCYYMMDD. The only date data element that is in format YYMMDD is the Interchange Date data element in the ISA segment, and also used in the TA1 Interchange Acknowledgment, where the century can be readily interpolated because of the nature of an interchange header.

A.1.3.1.6

Time

A time data element is used to express the ISO standard time HHMMSSd..d format in which HH is the hour for a 24 hour clock (00 to 23), MM is the minute (00 to 59), SS is the second (00 to 59) and d..d is decimal seconds. The representation for this data element type is "TM." The length of the data element determines the format of the transmitted time.

EXAMPLE

Transmitted data elements of four characters denote HHMM. Transmitted data elements of six characters denote HHMMSS.

A.1.3.2

Composite Data Structure

The composite data structure is an intermediate unit of information in a segment. Composite data structures are composed of one or more logically related simple data elements, each, except the last, followed by a sub-element separator. The final data element is followed by the next data element separator or the segment terminator. Each simple data element within a composite is called a component.

Each composite data structure has a unique four-character identifier, a name, and a purpose. The identifier serves as a label for the composite. A composite data structure can be further defined through the use of syntax notes, semantic notes, and comments. Each component within the composite is further characterized by a reference designator and a condition designator. The reference designators and the condition designators are described below.

A.1.3.3 Data Segment

The data segment is an intermediate unit of information in a transaction set. In the data stream, a data segment consists of a segment identifier, one or more composite data structures or simple data elements each preceded by a data element separator and succeeded by a segment terminator.

Each data segment has a unique two- or three-character identifier, a name, and a purpose. The identifier serves as a label for the data segment. A segment can be further defined through the use of syntax notes, semantic notes, and comments. Each simple data element or composite data structure within the segment is further characterized by a reference designator and a condition designator.

A.1.3.4 Syntax Notes

Syntax notes describe relational conditions among two or more data segment units within the same segment, or among two or more component data elements within the same composite data structure. For a complete description of the relational conditions, See A.1.3.8, Condition Designator.

A.1.3.5 Semantic Notes

Simple data elements or composite data structures may be referenced by a semantic note within a particular segment. A semantic note provides important additional information regarding the intended meaning of a designated data element, particularly a generic type, in the context of its use within a specific data segment. Semantic notes may also define a relational condition among data elements in a segment based on the presence of a specific value (or one of a set of values) in one of the data elements.

A.1.3.6 Comments

A segment comment provides additional information regarding the intended use of the segment.

A.1.3.7 Reference Designator

Each simple data element or composite data structure in a segment is provided a structured code that indicates the segment in which it is used and the sequential position within the segment. The code is composed of the segment identifier followed by a two-digit number that defines the position of the simple data element or composite data structure in that segment.

For purposes of creating reference designators, the composite data structure is viewed as the hierarchical equal of the simple data element. Each component data element in a composite data structure is identified by a suffix appended to the reference designator for the composite data structure of which it is a member.

This suffix is a two-digit number, prefixed with a hyphen, that defines the position of the component data element in the composite data structure.

EXAMPLE

- The first simple element of the CLP segment would be identified as CLP01.
- The first position in the SVC segment is occupied by a composite data structure that contains seven component data elements, the reference designator for the second component data element would be SVC01-02.

A.1.3.8 Condition Designator

This section provides information about X12 standard conditions designators. It is provided so that users will have information about the general standard. Implementation guides may impose other conditions designators. See implementation guide section 3.1 Presentation Examples for detailed information about the implementation guide Industry Usage requirements for compliant implementation.

Data element conditions are of three types: mandatory, optional, and relational. They define the circumstances under which a data element may be required to be present or not present in a particular segment.

DESIGNATOR	DESCRIPTION
M- Mandatory	The designation of mandatory is absolute in the sense that there is no dependency on other data elements. This designation may apply to either simple data elements or composite data structures. If the designation applies to a composite data structure, then at least one value of a component data element in that composite data structure shall be included in the data segment.
O- Optional	The designation of optional means that there is no requirement for a simple data element or composite data structure to be present in the segment. The presence of a value for a simple data element or the presence of value for any of the component data elements of a composite data structure is at the option of the sender.
X- Relational	Relational conditions may exist among two or more simple data elements within the same data segment based on the presence or absence of one of those data elements (presence means a data element must not be empty). Relational conditions are specified by a condition code (see table below) and the reference designators of the affected data elements. A data element may be subject to more than one relational condition. The definitions for each of the condition codes used within syntax notes are detailed below:

CONDITION CODE	DEFINITION
P- Paired or Multiple	If any element specified in the relational condition is present, then all of the elements specified must be present.
R- Required	At least one of the elements specified in the condition must be present.
E- Exclusion	Not more than one of the elements specified in the condition may be present.
C- Conditional	If the first element specified in the condition is present, then all other elements must be present. However, any or all of the elements not specified as the first element in the condition may appear without requiring that the first element be present. The order of the elements in the condition does not have to be the same as the order of the data elements in the data segment.
L- List	

Conditional	If the first element specified in the condition is present, then at least one of the remaining elements must be present. However, any or all of the elements not specified as the first element in the condition may appear without requiring that the first element be present. The order of the elements in the condition does not have to be the same as the order of the data elements in the data segment.
-------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Table A5. Condition Designator

A.1.3.9 Absence of Data

Any simple data element that is indicated as mandatory must not be empty if the segment is used. At least one component data element of a composite data structure that is indicated as mandatory must not be empty if the segment is used. Optional simple data elements and/or composite data structures and their preceding data element separators that are not needed should be omitted if they occur at the end of a segment. If they do not occur at the end of the segment, the simple data element values and/or composite data structure values may be omitted. Their absence is indicated by the occurrence of their preceding data element separators, in order to maintain the element's or structure's position as defined in the data segment.

Likewise, when additional information is not necessary within a composite, the composite may be terminated by providing the appropriate data element separator or segment terminator.

A.1.3.10 Control Segments

A control segment has the same structure as a data segment, but it is used for transferring control information rather than application information.

A.1.3.10.1 Loop Control Segments

Loop control segments are used only to delineate bounded loops. Delineation of the loop shall consist of the loop header (LS segment) and the loop trailer (LE segment). The loop header defines the start of a structure that must contain one or more iterations of a loop of data segments and provides the loop identifier for this loop. The loop trailer defines the end of the structure. The LS segment appears only before the first occurrence of the loop, and the LE segment appears only after the last occurrence of the loop. Unbounded looping structures do not use loop control segments.

A.1.3.10.2 Transaction Set Control Segments

The transaction set is delineated by the transaction set header (ST segment) and the transaction set trailer (SE segment). The transaction set header identifies the start and identifier of the transaction set. The transaction set trailer identifies the end of the transaction set and provides a count of the data segments, which includes the ST and SE segments.

A.1.3.10.3 Functional Group Control Segments

The functional group is delineated by the functional group header (GS segment) and the functional group trailer (GE segment). The functional group header starts and identifies one or more related transaction sets and provides a control number

and application identification information. The functional group trailer defines the end of the functional group of related transaction sets and provides a count of contained transaction sets.

A.1.3.10.4 Relations among Control Segments

The control segment of this standard must have a nested relationship as is shown and annotated in this subsection. The letters preceding the control segment name are the segment identifier for that control segment. The indentation of segment identifiers shown below indicates the subordination among control segments.

GS Functional Group Header, starts a group of related transaction sets.

ST Transaction Set Header, starts a transaction set.

LS Loop Header, starts a bounded loop of data segments but is not part of the loop.

LS Loop Header, starts an inner, nested, bounded loop.

LE Loop Trailer, ends an inner, nested bounded loop.

LE Loop Trailer, ends a bounded loop of data segments but is not part of the loop.

SE Transaction Set Trailer, ends a transaction set.

GE Functional Group Trailer, ends a group of related transaction sets.

More than one ST/SE pair, each representing a transaction set, may be used within one functional group. Also more than one LS/LE pair, each representing a bounded loop, may be used within one transaction set.

A.1.3.11 Transaction Set

The transaction set is the smallest meaningful set of information exchanged between trading partners. The transaction set consists of a transaction set header segment, one or more data segments in a specified order, and a transaction set trailer segment. See figure A1, Transmission Control Schematic.

A.1.3.11.1 Transaction Set Header and Trailer

A transaction set identifier uniquely identifies a transaction set. This identifier is the first data element of the Transaction Set Header Segment (ST). A user assigned transaction set control number in the header must match the control number in the Trailer Segment (SE) for any given transaction set. The value for the number of included segments in the SE segment is the total number of segments in the transaction set, including the ST and SE segments.

A.1.3.11.2 Data Segment Groups

The data segments in a transaction set may be repeated as individual data segments or as unbounded or bounded loops.

A.1.3.11.3 Repeated Occurrences of Single Data Segments

When a single data segment is allowed to be repeated, it may have a specified maximum number of occurrences defined at each specified position within a given transaction set standard. Alternatively, a segment may be allowed to repeat

an unlimited number of times. The notation for an unlimited number of repetitions is ">1."

A.1.3.11.4 **Loops of Data Segments**

Loops are groups of semantically related segments. Data segment loops may be unbounded or bounded.

A.1.3.11.4.1 **Unbounded Loops**

To establish the iteration of a loop, the first data segment in the loop must appear once and only once in each iteration. Loops may have a specified maximum number of repetitions. Alternatively, the loop may be specified as having an unlimited number of iterations. The notation for an unlimited number of repetitions is ">1."

A specified sequence of segments is in the loop. Loops themselves are optional or mandatory. The requirement designator of the beginning segment of a loop indicates whether at least one occurrence of the loop is required. Each appearance of the beginning segment defines an occurrence of the loop.

The requirement designator of any segment within the loop after the beginning segment applies to that segment for each occurrence of the loop. If there is a mandatory requirement designator for any data segment within the loop after the beginning segment, that data segment is mandatory for each occurrence of the loop. If the loop is optional, the mandatory segment only occurs if the loop occurs.

A.1.3.11.4.2 **Bounded Loops**

The characteristics of unbounded loops described previously also apply to bounded loops. In addition, bounded loops require a Loop Start Segment (LS) to appear before the first occurrence and a Loop End Segment (LE) to appear after the last occurrence of the loop. If the loop does not occur, the LS and LE segments are suppressed.

A.1.3.11.5 **Data Segments in a Transaction Set**

When data segments are combined to form a transaction set, three characteristics are applied to each data segment: a requirement designator, a position in the transaction set, and a maximum occurrence.

A.1.3.11.6 **Data Segment Requirement Designators**

A data segment, or loop, has one of the following requirement designators for health care and insurance transaction sets, indicating its appearance in the data stream of a transmission. These requirement designators are represented by a single character code.

<u>DESIGNATOR</u>	<u>DESCRIPTION</u>
M- Mandatory	This data segment must be included in the transaction set. (Note that a data segment may be mandatory in a loop of data segments, but the loop itself is optional if the beginning segment of the loop is designated as optional.)
O- Optional	The presence of this data segment is the option of the sending party.

A.1.3.11.7 **Data Segment Position**

The ordinal positions of the segments in a transaction set are explicitly specified for that transaction. Subject to the flexibility provided by the optional requirement designators of the segments, this positioning must be maintained.

A.1.3.11.8 Data Segment Occurrence

A data segment may have a maximum occurrence of one, a finite number greater than one, or an unlimited number indicated by ">1."

A.1.3.12 Functional Group

A functional group is a group of similar transaction sets that is bounded by a functional group header segment and a functional group trailer segment. The functional identifier defines the group of transactions that may be included within the functional group. The value for the functional group control number in the header and trailer control segments must be identical for any given group. The value for the number of included transaction sets is the total number of transaction sets in the group. See figure A1, Transmission Control Schematic.

A.1.4 Envelopes and Control Structures

A.1.4.1 Interchange Control Structures

Typically, the term "interchange" connotes the ISA/IEA envelope that is transmitted between trading/business partners. Interchange control is achieved through several "control" components. The interchange control number is contained in data element ISA13 of the ISA segment. The identical control number must also occur in data element 02 of the IEA segment. Most commercial translation software products will verify that these two fields are identical. In most translation software products, if these fields are different the interchange will be "suspended" in error.

There are many other features of the ISA segment that are used for control measures. For instance, the ISA segment contains data elements such as authorization information, security information, sender identification, and receiver identification that can be used for control purposes. These data elements are agreed upon by the trading partners prior to transmission and are contained in the written trading partner agreement. The interchange date and time data elements as well as the interchange control number within the ISA segment are used for debugging purposes when there is a problem with the transmission or the interchange.

Data Element ISA12, Interchange Control Version Number, indicates the version of the ISA/IEA envelope. The ISA12 does not indicate the version of the transaction set that is being transmitted but rather the envelope that encapsulates the transaction. An Interchange Acknowledgment can be denoted through data element ISA14. The acknowledgment that would be sent in reply to a "yes" condition in data element ISA14 would be the TA1 segment. Data element ISA15, Test Indicator, is used between trading partners to indicate that the transmission is in a "test" or "production" mode. This becomes significant when the production phase of the project is to commence. Data element ISA16, Subelement Separator, is used by the translator for interpretation of composite data elements.

The ending component of the interchange or ISA/IEA envelope is the IEA segment. Data element IEA01 indicates the number of functional groups that are included within the interchange. In most commercial translation software products, an aggregate count of functional groups is kept while interpreting the interchange. This count is then verified with data element IEA01. If there is a discrep-

ancy, in most commercial products, the interchange is suspended. The other data element in the IEA segment is IEA02 which is referenced above.

See the Appendix B, EDI Control Directory, for a complete detailing of the interchange control header and trailer.

A.1.4.2 Functional Groups


Control structures within the functional group envelope include the functional identifier code in GS01. The Functional Identifier Code is used by the commercial translation software during interpretation of the interchange to determine the different transaction sets that may be included within the functional group. If an inappropriate transaction set is contained within the functional group, most commercial translation software will suspend the functional group within the interchange. The Application Sender's Code in GS02 can be used to identify the sending unit of the transmission. The Application Receiver's Code in GS03 can be used to identify the receiving unit of the transmission. For health care, this unit identification can be used to differentiate between managed care, indemnity, and Medicare. The functional group contains a creation date (GS04) and creation time (GS05) for the functional group. The Group Control Number is contained in GS06. These data elements (GS04, GS05, AND GS06) can be used for debugging purposes during problem resolution. GS08, Version/Release/Industry Identifier Code is the version/release/sub-release of the transaction sets being transmitted in this functional group. Appendix B provides guidance for the value for this data element. The GS08 does not represent the version of the interchange (ISA/IEA) envelope but rather the version/release/sub-release of the transaction sets that are encompassed within the GS/GE envelope.

The Functional Group Control Number in GS06 must be identical to data element 02 of the GE segment. Data element GE01 indicates the number of transaction sets within the functional group. In most commercial translation software products, an aggregate count of the transaction sets is kept while interpreting the functional group. This count is then verified with data element GE01.

See the Appendix B, EDI Control Directory, for a complete detailing of the functional group header and trailer.

A.1.4.3 HL Structures

The HL segment is used in several X12 transaction sets to identify levels of detail information using a hierarchical structure, such as relating dependents to a subscriber. Hierarchical levels may differ from guide to guide. The following diagram, from transaction set 837, illustrates a typical hierarchy.



Each provider can bill for one or more subscribers, each subscriber can have one or more dependents and the subscriber and the dependents can make one or more claims. Each guide states what levels are available, the level's requirement, a repeat value, and whether that level has subordinate levels within a transmission.

A.1.5 Acknowledgments

A.1.5.1 Interchange Acknowledgment, TA1

The Interchange or TA1 Acknowledgment is a means of replying to an interchange or transmission that has been sent. The TA1 verifies the envelopes only. Transaction set-specific verification is accomplished through use of the Functional Acknowledgment Transaction Set, 997. See A.1.5.2, Functional Acknowledgment, 997, for more details. The TA1 is a single segment and is unique in the sense that this single segment is transmitted without the GS/GE envelope structures. A TA1 can be included in an interchange with other functional groups and transactions.

Encompassed in the TA1 are the interchange control number, interchange date and time, interchange acknowledgment code, and the interchange note code. The interchange control number, interchange date and time are identical to those that were present in the transmitted interchange from the sending trading partner. This provides the capability to associate the TA1 with the transmitted interchange. TA104, Interchange Acknowledgment Code, indicates the status of the interchange control structure. This data element stipulates whether the transmitted interchange was accepted with no errors, accepted with errors, or rejected because of errors. TA105, Interchange Note Code, is a numerical code that indicates the error found while processing the interchange control structure. Values for this data element indicate whether the error occurred at the interchange or functional group envelope.

The TA1 segment provides the capability for the receiving trading partner to notify the sending trading partner of problems that were encountered in the interchange control structure.

Due to the uniqueness of the TA1, implementation should be predicated upon the ability for the sending and receiving trading partners commercial translators to accommodate the uniqueness of the TA1. Unless named as mandatory in the Federal Rules implementing HIPAA, use of the TA1, although urged by the authors, is not mandated.

See the Appendix B, EDI Control Directory, for a complete detailing of the TA1 segment.

A.1.5.2 Functional Acknowledgment, 997

The Functional Acknowledgment Transaction Set, 997, has been designed to allow trading partners to establish a comprehensive control function as a part of their business exchange process. This acknowledgment process facilitates control of EDI. There is a one-to-one correspondence between a 997 and a functional group. Segments within the 997 can identify the acceptance or rejection of the functional group, transaction sets or segments. Data elements in error can also be identified. There are many EDI implementations that have incorporated the acknowledgment process in all of their electronic communications. Typically, the 997 is used as a functional acknowledgment to a previously transmitted functional group. Many commercially available translators can automatically generate this transaction set through internal parameter settings. Additionally translators will automatically reconcile received acknowledgments to functional groups that have been sent. The benefit to this process is that the sending trading partner

can determine if the receiving trading partner has received ASC X12 transaction sets through reports that can be generated by the translation software to identify transmissions that have not been acknowledged.

As stated previously the 997 is a transaction set and thus is encapsulated within the interchange control structure (envelopes) for transmission.

As with any information flow, an acknowledgment process is essential. If an “automatic” acknowledgment process is desired between trading partners then it is recommended that the 997 be used. Unless named as mandatory in the Federal Rules implementing HIPAA, use of the 997, although recommended by the authors, is not mandated.

See Appendix B, EDI Control Directory, for a complete detailing of transaction set 997.

B EDI Control Directory

B.1 Control Segments

- **ISA**
Interchange Control Header Segment
- **IEA**
Interchange Control Trailer Segment
- **GS**
Functional Group Header Segment
- **GE**
Functional Group Trailer Segment
- **TA1**
Interchange Acknowledgment Segment

B.2 Functional Acknowledgment Transaction Set, 997

IMPLEMENTATION

INTERCHANGE CONTROL HEADER

Notes: 1. The ISA is a fixed record length segment and all positions within each of the data elements must be filled. The first element separator defines the element separator to be used through the entire interchange. The segment terminator used after the ISA defines the segment terminator to be used throughout the entire interchange. Spaces in the example are represented by “.” for clarity.


Example: ISA* 00** 01* SECRET....* ZZ* SUBMITTERS.ID.* ZZ* RECEIVERS.ID...* 930602* 1253* U* 00401* 000000905* 1* T* :~

STANDARD

ISA Interchange Control Header

Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	ISA01	I01	Authorization Information Qualifier Code to identify the type of information in the Authorization Information	M ID 2/2
			CODE	DEFINITION
			00	No Authorization Information Present (No Meaningful Information in I02) ADVISED UNLESS SECURITY REQUIREMENTS MANDATE USE OF ADDITIONAL IDENTIFICATION INFORMATION
			03	Additional Data Identification
REQUIRED	ISA02	I02	Authorization Information Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)	M AN 10/10

REQUIRED	ISA	I	Security Information Qualifier	M	ID	2/2
Code to identify the type of information in the Security Information						
CODE DEFINITION						
	ISA03	I03	00	No Security Information Present (No Meaningful Information in I04)		
ADVISED UNLESS SECURITY REQUIREMENTS MANDATE USE OF PASSWORD DATA.						
			01	Password		
REQUIRED	ISA04	I04	Security Information	M	AN	10/10
This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)						
REQUIRED	ISA05	I05	Interchange ID Qualifier	M	ID	2/2
Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified						
This ID qualifies the Sender in ISA06.						
CODE DEFINITION						
			01	Duns (Dun & Bradstreet)		
			14	Duns Plus Suffix		
			20	Health Industry Number (HIN)		
CODE SOURCE 121: Health Industry Identification Number						
			27	Carrier Identification Number as assigned by Health Care Financing Administration (HCFA)		
			28	Fiscal Intermediary Identification Number as assigned by Health Care Financing Administration (HCFA)		
			29	Medicare Provider and Supplier Identification Number as assigned by Health Care Financing Administration (HCFA)		
			30	U.S. Federal Tax Identification Number		
			33	National Association of Insurance Commissioners Company Code (NAIC)		
			ZZ	Mutually Defined		
REQUIRED	ISA06	I06	Interchange Sender ID	M	AN	15/15
Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element						
REQUIRED	ISA07	I05	Interchange ID Qualifier	M	ID	2/2
Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified						
This ID qualifies the Receiver in ISA08.						
CODE DEFINITION						
			01	Duns (Dun & Bradstreet)		

			14	Duns Plus Suffix			
			20	Health Industry Number (HIN)			
				CODE SOURCE 121: Health Industry Identification Number			
			27	Carrier Identification Number as assigned by Health Care Financing Administration (HCFA)			
			28	Fiscal Intermediary Identification Number as assigned by Health Care Financing Administration (HCFA)			
			29	Medicare Provider and Supplier Identification Number as assigned by Health Care Financing Administration (HCFA)			
			30	U.S. Federal Tax Identification Number			
			33	National Association of Insurance Commissioners Company Code (NAIC)			
			ZZ	Mutually Defined			
REQUIRED	ISA08	I07	Interchange Receiver ID		M AN	15/15	Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them
REQUIRED	ISA09	I08	Interchange Date		M DT	6/6	Date of the interchange
				The date format is YYMMDD.			
REQUIRED	ISA10	I09	Interchange Time		M TM	4/4	Time of the interchange
				The time format is HHMM.			
REQUIRED	ISA11	I10	Interchange Control Standards Identifier		M ID	1/1	Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer
				CODE	DEFINITION		
			U	U.S. EDI Community of ASC X12, TDCC, and UCS			
REQUIRED	ISA12	I11	Interchange Control Version Number		M ID	5/5	This version number covers the interchange control segments
				CODE	DEFINITION		
			00401	Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997			
REQUIRED	ISA13	I12	Interchange Control Number		M N0	9/9	A control number assigned by the interchange sender
				The Interchange Control Number, ISA13, must be identical to the associated Interchange Trailer IEA02.			

CONTROL SEGMENTS

REQUIRED	ISA14	I13	Acknowledgment Requested Code sent by the sender to request an interchange acknowledgment (TA1)	M	ID	1/1
See Section A.1.5.1 for interchange acknowledgment information.						
		CODE	DEFINITION			
		0	No Acknowledgment Requested			
		1	Interchange Acknowledgment Requested			
REQUIRED	ISA15	I14	Usage Indicator Code to indicate whether data enclosed by this interchange envelope is test, production or information	M	ID	1/1
		CODE	DEFINITION			
		P	Production Data			
		T	Test Data			
REQUIRED	ISA16	I15	Component Element Separator Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator	M		1/1

IMPLEMENTATION

INTERCHANGE CONTROL TRAILER


Example: IEA*1*000000905~

STANDARD

IEA Interchange Control Trailer

Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	IEA01	I16	Number of Included Functional Groups A count of the number of functional groups included in an interchange	M NO 1/5
REQUIRED	IEA02	I12	Interchange Control Number A control number assigned by the interchange sender	M NO 9/9

IMPLEMENTATION

FUNCTIONAL GROUP HEADER


Example: **GS*BE*SENDER CODE*RECEIVER
CODE*19940331*0802*1*X*004010X095~**

STANDARD

GS Functional Group Header

Purpose: To indicate the beginning of a functional group and to provide control information

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	GS01	479	Functional Identifier Code Code identifying a group of application related transaction sets	M ID 2/2
			BE Benefit Enrollment and Maintenance (834)	
REQUIRED	GS02	142	Application Sender's Code Code identifying party sending transmission; codes agreed to by trading partners	M AN 2/15
			Use this code to identify the unit sending the information.	
REQUIRED	GS03	124	Application Receiver's Code Code identifying party receiving transmission. Codes agreed to by trading partners	M AN 2/15
			Use this code to identify the unit receiving the information.	
REQUIRED	GS04	373	Date Date expressed as CCYYMMDD	M DT 8/8
			SEMANTIC: GS04 is the group date.	
			Use this date for the functional group creation date.	
REQUIRED	GS05	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	M TM 4/8
			SEMANTIC: GS05 is the group time.	
			Use this time for the creation time. The recommended format is HHMM.	

REQUIRED	GS06	28	Group Control Number Assigned number originated and maintained by the sender	M	N0	1/9
			SEMANTIC: The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.			
REQUIRED	GS07	455	Responsible Agency Code Code used in conjunction with Data Element 480 to identify the issuer of the standard	M	ID	1/2
			CODE	DEFINITION		
			X	Accredited Standards Committee X12		
REQUIRED	GS08	480	Version / Release / Industry Identifier Code Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed	M	AN	1/12
			CODE	DEFINITION		
			004010X095	Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997, as published in this implementation guide.		

IMPLEMENTATION


FUNCTIONAL GROUP TRAILER

Example: GE*1*1~

STANDARD

GE Functional Group Trailer**Purpose:** To indicate the end of a functional group and to provide control information

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	GE01	97	Number of Transaction Sets Included Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element	M NO 1/6
REQUIRED	GE02	28	Group Control Number Assigned number originated and maintained by the sender	M NO 1/9

SEMANTIC: The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

IMPLEMENTATION

INTERCHANGE ACKNOWLEDGMENT

- Notes:
1. All fields must contain data.
 2. This segment acknowledges the reception of an X12 interchange header and trailer from a previous interchange. If the header/trailer pair was received correctly, the TA1 reflects a valid interchange, regardless of the validity of the contents of the data included inside the header/trailer envelope.
 3. See Section A.1.5.1 for interchange acknowledgment information.
 4. Use of TA1 is subject to trading partner agreement and is neither mandated nor prohibited in this Appendix.


Example: TA1*000000905*940101*0100*A*000~

STANDARD

TA1 Interchange Acknowledgment

Purpose: To report the status of processing a received interchange header and trailer or the non-delivery by a network provider

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	TA101	I12	Interchange Control Number A control number assigned by the interchange sender	M NO 9/9
			<p>This number uniquely identifies the interchange data to the sender. It is assigned by the sender. Together with the sender ID it uniquely identifies the interchange data to the receiver. It is suggested that the sender, receiver, and all third parties be able to maintain an audit trail of interchanges using this number.</p> <p>In the TA1, this should be the interchange control number of the original interchange that this TA1 is acknowledging.</p>	
REQUIRED	TA102	I08	Interchange Date Date of the interchange	M DT 6/6
			<p>This is the date of the original interchange being acknowledged. (YYMMDD)</p>	
REQUIRED	TA103	I09	Interchange Time Time of the interchange	M TM 4/4
			<p>This is the time of the original interchange being acknowledged. (HHMM)</p>	

REQUIRED TA104 I17 **Interchange Acknowledgment Code** M ID 1/1
This indicates the status of the receipt of the interchange control structure

CODE	DEFINITION
A	The Transmitted Interchange Control Structure Header and Trailer Have Been Received and Have No Errors.
E	The Transmitted Interchange Control Structure Header and Trailer Have Been Received and Are Accepted But Errors Are Noted. This Means the Sender Must Not Resend This Data.
R	The Transmitted Interchange Control Structure Header and Trailer are Rejected Because of Errors.

REQUIRED TA105 I18 **Interchange Note Code** M ID 3/3
This numeric code indicates the error found processing the interchange control structure

CODE	DEFINITION
000	No error
001	The Interchange Control Number in the Header and Trailer Do Not Match. The Value From the Header is Used in the Acknowledgment.
002	This Standard as Noted in the Control Standards Identifier is Not Supported.
003	This Version of the Controls is Not Supported
004	The Segment Terminator is Invalid
005	Invalid Interchange ID Qualifier for Sender
006	Invalid Interchange Sender ID
007	Invalid Interchange ID Qualifier for Receiver
008	Invalid Interchange Receiver ID
009	Unknown Interchange Receiver ID
010	Invalid Authorization Information Qualifier Value
011	Invalid Authorization Information Value
012	Invalid Security Information Qualifier Value
013	Invalid Security Information Value
014	Invalid Interchange Date Value
015	Invalid Interchange Time Value
016	Invalid Interchange Standards Identifier Value
017	Invalid Interchange Version ID Value
018	Invalid Interchange Control Number Value

019	Invalid Acknowledgment Requested Value
020	Invalid Test Indicator Value
021	Invalid Number of Included Groups Value
022	Invalid Control Structure
023	Improper (Premature) End-of-File (Transmission)
024	Invalid Interchange Content (e.g., Invalid GS Segment)
025	Duplicate Interchange Control Number
026	Invalid Data Element Separator
027	Invalid Component Element Separator
028	Invalid Delivery Date in Deferred Delivery Request
029	Invalid Delivery Time in Deferred Delivery Request
030	Invalid Delivery Time Code in Deferred Delivery Request
031	Invalid Grade of Service Code

STANDARD

997 Functional Acknowledgment

Functional Group ID: FA

This Draft Standard for Trial Use contains the format and establishes the data contents of the Functional Acknowledgment Transaction Set (997) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to define the control structures for a set of acknowledgments to indicate the results of the syntactical analysis of the electronically encoded documents. The encoded documents are the transaction sets, which are grouped in functional groups, used in defining transactions for business data interchange. This standard does not cover the semantic meaning of the information encoded in the transaction sets.

Table 1 - Header

POS. #	SEG. ID	NAME	REQ. DES.	MAX USE	LOOP REPEAT
010	ST	Transaction Set Header	M	1	
020	AK1	Functional Group Response Header	M	1	
LOOP ID - AK2					999999
030	AK2	Transaction Set Response Header	O	1	
LOOP ID - AK2/AK3					999999
040	AK3	Data Segment Note	O	1	
050	AK4	Data Element Note	O	99	
060	AK5	Transaction Set Response Trailer	M	1	
070	AK9	Functional Group Response Trailer	M	1	
080	SE	Transaction Set Trailer	M	1	

NOTES:

- 1/010** These acknowledgments shall not be acknowledged, thereby preventing an endless cycle of acknowledgments of acknowledgments. Nor shall a Functional Acknowledgment be sent to report errors in a previous Functional Acknowledgment.
- 1/010** The Functional Group Header Segment (GS) is used to start the envelope for the Functional Acknowledgment Transaction Sets. In preparing the functional group of acknowledgments, the application sender's code and the application receiver's code, taken from the functional group being acknowledged, are exchanged; therefore, one acknowledgment functional group responds to only those functional groups from one application receiver's code to one application sender's code.
- 1/010** There is only one Functional Acknowledgment Transaction Set per acknowledged functional group.
- 1/020** AK1 is used to respond to the functional group header and to start the acknowledgement for a functional group. There shall be one AK1 segment for the functional group that is being acknowledged.
- 1/030** AK2 is used to start the acknowledgement of a transaction set within the received functional group. The AK2 segments shall appear in the same order as the transaction sets in the functional group that has been received and is being acknowledged.
- 1/040** The data segments of this standard are used to report the results of the syntactical analysis of the functional groups of transaction sets; they report the extent to which the syntax complies with the standards for transaction sets and functional groups. They do not report on the semantic meaning of the transaction sets (for example, on the ability of the receiver to comply with the request of the sender).

IMPLEMENTATION

TRANSACTION SET HEADER

Usage: REQUIRED

Repeat: 1

Notes: 1. Use of the 997 transaction is subject to trading partner agreement or accepted usage and is neither mandated nor prohibited in this Appendix.

Example: ST*997*1234~

STANDARD

ST Transaction Set Header

Level: Header

Position: 010

Loop: _____


Requirement: Mandatory

Max Use: 1

Purpose: To indicate the start of a transaction set and to assign a control number

- Set Notes:**
1. These acknowledgments shall not be acknowledged, thereby preventing an endless cycle of acknowledgments of acknowledgments. Nor shall a Functional Acknowledgment be sent to report errors in a previous Functional Acknowledgment.
 2. The Functional Group Header Segment (GS) is used to start the envelope for the Functional Acknowledgment Transaction Sets. In preparing the functional group of acknowledgments, the application sender's code and the application receiver's code, taken from the functional group being acknowledged, are exchanged; therefore, one acknowledgment functional group responds to only those functional groups from one application receiver's code to one application sender's code.
 3. There is only one Functional Acknowledgment Transaction Set per acknowledged functional group.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				
REQUIRED	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set	M ID 3/3				
<p>SEMANTIC: The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).</p>								
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>997</td> <td>Functional Acknowledgment</td> </tr> </tbody> </table>	CODE	DEFINITION	997	Functional Acknowledgment	
CODE	DEFINITION							
997	Functional Acknowledgment							
REQUIRED	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9				
<p>The Transaction Set Control Numbers in ST02 and SE02 must be identical. The number is assigned by the originator and must be unique within a functional group (GS-GE). The number also aids in error resolution research. For example, start with the number 0001 and increment from there.</p>								
<p>Use the corresponding value in SE02 for this transaction set.</p>								

IMPLEMENTATION

FUNCTIONAL GROUP RESPONSE HEADER


Usage: REQUIRED
Repeat: 1
Example: AK1*BE*1~

STANDARD

AK1 Functional Group Response Header

Level: Header
Position: 020
Loop: _____
Requirement: Mandatory
Max Use: 1
Purpose: To start acknowledgment of a functional group
Set Notes: 1. AK1 is used to respond to the functional group header and to start the acknowledgement for a functional group. There shall be one AK1 segment for the functional group that is being acknowledged.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AK101	479	Functional Identifier Code Code identifying a group of application related transaction sets SEMANTIC: AK101 is the functional ID found in the GS segment (GS01) in the functional group being acknowledged.	M ID 2/2
			BE	Benefit Enrollment and Maintenance (834)
REQUIRED	AK102	28	Group Control Number Assigned number originated and maintained by the sender SEMANTIC: AK102 is the functional group control number found in the GS segment in the functional group being acknowledged.	M N0 1/9

IMPLEMENTATION

TRANSACTION SET RESPONSE HEADER

Loop: AK2 — TRANSACTION SET RESPONSE HEADER Repeat: 999999

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Required when communicating information about a transaction set within the functional group identified in AK1.

Example: AK2*834*000000905~

STANDARD

AK2 Transaction Set Response Header

Level: Header

Position: 030

Loop: AK2 Repeat: 999999


Requirement: Optional

Max Use: 1

Purpose: To start acknowledgment of a single transaction set

Set Notes: 1. AK2 is used to start the acknowledgement of a transaction set within the received functional group. The AK2 segments shall appear in the same order as the transaction sets in the functional group that has been received and is being acknowledged.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AK201	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set SEMANTIC: AK201 is the transaction set ID found in the ST segment (ST01) in the transaction set being acknowledged.	M ID 3/3
			834 Benefit Enrollment and Maintenance	
REQUIRED	AK202	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set SEMANTIC: AK202 is the transaction set control number found in the ST segment in the transaction set being acknowledged.	M AN 4/9

IMPLEMENTATION

DATA SEGMENT NOTE


Loop: AK2/AK3 — DATA SEGMENT NOTE Repeat: 999999
 Usage: SITUATIONAL
 Repeat: 1
 Notes: 1. Used when there are errors to report in a transaction.
 Example: AK3*NM1*37*2010BB*7~

STANDARD

AK3 Data Segment Note

Level: Header
 Position: 040
 Loop: AK2/AK3 Repeat: 999999
 Requirement: Optional
 Max Use: 1
 Purpose: To report errors in a data segment and identify the location of the data segment
 Set Notes: 1. The data segments of this standard are used to report the results of the syntactical analysis of the functional groups of transaction sets; they report the extent to which the syntax complies with the standards for transaction sets and functional groups. They do not report on the semantic meaning of the transaction sets (for example, on the ability of the receiver to comply with the request of the sender).

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AK301	721	Segment ID Code Code defining the segment ID of the data segment in error (See Appendix A - Number 77) CODE SOURCE 77: X12 Directories This is the two or three characters which occur at the beginning of a segment.	M ID 2/3
REQUIRED	AK302	719	Segment Position in Transaction Set The numerical count position of this data segment from the start of the transaction set: the transaction set header is count position 1 This is a data count, not a segment position in the standard description.	M NO 1/6

SITUATIONAL	AK303	447	Loop Identifier Code	O AN 1/6
The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE				
Use this code to identify a loop within the transaction set that is bounded by the related LS and LE segments (corresponding LS and LE segments must have the same value for loop identifier). (Note: The loop ID number given on the transaction set diagram is recommended as the value for this data element in the segments LS and LE.)				

SITUATIONAL	AK304	720	Segment Syntax Error Code	O ID 1/3
Code indicating error found based on the syntax editing of a segment				
This code is required if an error exists.				
			CODE	DEFINITION
		1		Unrecognized segment ID
		2		Unexpected segment
		3		Mandatory segment missing
		4		Loop Occurs Over Maximum Times
		5		Segment Exceeds Maximum Use
		6		Segment Not in Defined Transaction Set
		7		Segment Not in Proper Sequence
		8		Segment Has Data Element Errors

IMPLEMENTATION

DATA ELEMENT NOTE

Loop: AK2/AK3 — DATA SEGMENT NOTE
 Usage: SITUATIONAL
 Repeat: 99
 Notes: 1. Used when there are errors to report in a data element or composite data structure.


Example: AK4*1*98*7~

STANDARD

AK4 Data Element Note

Level: Header
 Position: 050
 Loop: AK2/AK3
 Requirement: Optional
 Max Use: 99
 Purpose: To report errors in a data element or composite data structure and identify the location of the data element

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AK401	C030	POSITION IN SEGMENT	M Code indicating the relative position of a simple data element, or the relative position of a composite data structure combined with the relative position of the component data element within the composite data structure, in error; the count starts with 1 for the simple data element or composite data structure immediately following the segment ID
REQUIRED	AK401 - 1	722	Element Position in Segment	M NO 1/2 This is used to indicate the relative position of a simple data element, or the relative position of a composite data structure with the relative position of the component within the composite data structure, in error; in the data segment the count starts with 1 for the simple data element or composite data structure immediately following the segment ID
SITUATIONAL	AK401 - 2	1528	Component Data Element Position in Composite	O NO 1/2 To identify the component data element position within the composite that is in error

Used when an error occurs in a composite data element and the composite data element position can be determined.

SITUATIONAL **AK402** **725** **Data Element Reference Number** **O** **N0** **1/4**
Reference number used to locate the data element in the Data Element Dictionary
ADVISORY: Under most circumstances, this element is expected to be sent.
CODE SOURCE 77: X12 Directories

The Data Element Reference Number for this data element is 725. For example, all reference numbers are found with the segment descriptions in this implementation guide.

REQUIRED **AK403** **723** **Data Element Syntax Error Code** **M** **ID** **1/3**
Code indicating the error found after syntax edits of a data element

CODE	DEFINITION
1	Mandatory data element missing
2	Conditional required data element missing.
3	Too many data elements.
4	Data element too short.
5	Data element too long.
6	Invalid character in data element.
7	Invalid code value.
8	Invalid Date
9	Invalid Time
10	Exclusion Condition Violated

SITUATIONAL **AK404** **724** **Copy of Bad Data Element** **O** **AN** **1/99**
This is a copy of the data element in error

SEMANTIC: In no case shall a value be used for AK404 that would generate a syntax error, e.g., an invalid character.

Used to provide copy of erroneous data to the original submitter, but this is not used if the error reported in an invalid character.

IMPLEMENTATION

TRANSACTION SET RESPONSE TRAILER


Loop: AK2/AK3 — DATA SEGMENT NOTE
Usage: REQUIRED
Repeat: 1
Example: AK5*E*5~

STANDARD

AK5 Transaction Set Response Trailer

Level: Header
Position: 060
Loop: AK2
Requirement: Mandatory
Max Use: 1
Purpose: To acknowledge acceptance or rejection and report errors in a transaction set

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AK501	717	Transaction Set Acknowledgment Code	M ID 1/1
			Code indicating accept or reject condition based on the syntax editing of the transaction set	
			CODE	DEFINITION
			A	Accepted ADVISED
			E	Accepted But Errors Were Noted
			M	Rejected, Message Authentication Code (MAC) Failed
			R	Rejected ADVISED
			W	Rejected, Assurance Failed Validity Tests
			X	Rejected, Content After Decryption Could Not Be Analyzed

SITUATIONAL **AK502** **718** **Transaction Set Syntax Error Code** **O** **ID** **1/3**
Code indicating error found based on the syntax editing of a transaction set

This code is required if an error exists.

CODE	DEFINITION
1	Transaction Set Not Supported
2	Transaction Set Trailer Missing
3	Transaction Set Control Number in Header and Trailer Do Not Match
4	Number of Included Segments Does Not Match Actual Count
5	One or More Segments in Error
6	Missing or Invalid Transaction Set Identifier
7	Missing or Invalid Transaction Set Control Number
8	Authentication Key Name Unknown
9	Encryption Key Name Unknown
10	Requested Service (Authentication or Encrypted) Not Available
11	Unknown Security Recipient
12	Incorrect Message Length (Encryption Only)
13	Message Authentication Code Failed
15	Unknown Security Originator
16	Syntax Error in Decrypted Text
17	Security Not Supported
23	Transaction Set Control Number Not Unique within the Functional Group
24	S3E Security End Segment Missing for S3S Security Start Segment
25	S3S Security Start Segment Missing for S3E Security End Segment
26	S4E Security End Segment Missing for S4S Security Start Segment
27	S4S Security Start Segment Missing for S4E Security End Segment

SITUATIONAL **AK503** **718** **Transaction Set Syntax Error Code** **O** **ID** **1/3**
Code indicating error found based on the syntax editing of a transaction set

Use the same codes indicated in AK502.

SITUATIONAL	AK504	718	Transaction Set Syntax Error Code Code indicating error found based on the syntax editing of a transaction set	O	ID	1/3
Use the same codes indicated in AK502.						
SITUATIONAL	AK505	718	Transaction Set Syntax Error Code Code indicating error found based on the syntax editing of a transaction set	O	ID	1/3
Use the same codes indicated in AK502.						
SITUATIONAL	AK506	718	Transaction Set Syntax Error Code Code indicating error found based on the syntax editing of a transaction set	O	ID	1/3
Use the same codes indicated in AK502.						

IMPLEMENTATION

FUNCTIONAL GROUP RESPONSE TRAILER


Usage: REQUIRED
Repeat: 1
Example: AK9*A*1*1*1~

STANDARD

AK9 Functional Group Response Trailer

Level: Header
Position: 070
Loop: _____
Requirement: Mandatory
Max Use: 1
Purpose: To acknowledge acceptance or rejection of a functional group and report the number of included transaction sets from the original trailer, the accepted sets, and the received sets in this functional group

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	AK901	715	Functional Group Acknowledge Code	M ID 1/1
			Code indicating accept or reject condition based on the syntax editing of the functional group	
			COMMENT: If AK901 contains the value "A" or "E", then the transmitted functional group is accepted.	
			CODE DEFINITION	
			A	Accepted ADVISED
			E	Accepted, But Errors Were Noted.
			M	Rejected, Message Authentication Code (MAC) Failed

			P	Partially Accepted, At Least One Transaction Set Was Rejected ADVISED			
			R	Rejected ADVISED			
			W	Rejected, Assurance Failed Validity Tests			
			X	Rejected, Content After Decryption Could Not Be Analyzed			
REQUIRED	AK902	97		Number of Transaction Sets Included	M	N0	1/6
				Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element			
				This is the value in the original GE01.			
REQUIRED	AK903	123		Number of Received Transaction Sets	M	N0	1/6
				Number of Transaction Sets received			
REQUIRED	AK904	2		Number of Accepted Transaction Sets	M	N0	1/6
				Number of accepted Transaction Sets in a Functional Group			
SITUATIONAL	AK905	716		Functional Group Syntax Error Code	O	ID	1/3
				Code indicating error found based on the syntax editing of the functional group header and/or trailer			
				This code is required if an error exists.			
			CODE	DEFINITION			
			1	Functional Group Not Supported			
			2	Functional Group Version Not Supported			
			3	Functional Group Trailer Missing			
			4	Group Control Number in the Functional Group Header and Trailer Do Not Agree			
			5	Number of Included Transaction Sets Does Not Match Actual Count			
			6	Group Control Number Violates Syntax			
			10	Authentication Key Name Unknown			
			11	Encryption Key Name Unknown			
			12	Requested Service (Authentication or Encryption) Not Available			
			13	Unknown Security Recipient			
			14	Unknown Security Originator			
			15	Syntax Error in Decrypted Text			
			16	Security Not Supported			
			17	Incorrect Message Length (Encryption Only)			
			18	Message Authentication Code Failed			

			23	S3E Security End Segment Missing for S3S Security Start Segment			
			24	S3S Security Start Segment Missing for S3E End Segment			
			25	S4E Security End Segment Missing for S4S Security Start Segment			
			26	S4S Security Start Segment Missing for S4E Security End Segment			
SITUATIONAL	AK906	716		Functional Group Syntax Error Code	O	ID	1/3
				Code indicating error found based on the syntax editing of the functional group header and/or trailer			
				Use the same codes indicated in AK905.			
SITUATIONAL	AK907	716		Functional Group Syntax Error Code	O	ID	1/3
				Code indicating error found based on the syntax editing of the functional group header and/or trailer			
				Use the same codes indicated in AK905.			
SITUATIONAL	AK908	716		Functional Group Syntax Error Code	O	ID	1/3
				Code indicating error found based on the syntax editing of the functional group header and/or trailer			
				Use the same codes indicated in AK905.			
SITUATIONAL	AK909	716		Functional Group Syntax Error Code	O	ID	1/3
				Code indicating error found based on the syntax editing of the functional group header and/or trailer			
				Use the same codes indicated in AK905.			

IMPLEMENTATION

TRANSACTION SET TRAILER


Usage: REQUIRED
Repeat: 1
Example: SE*27*1234~

STANDARD

SE Transaction Set Trailer

Level: Header
Position: 080
Loop: _____
Requirement: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M NO 1/10
REQUIRED	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

The Transaction Set Control Numbers in ST02 and SE02 must be identical. The number is assigned by the originator and must be unique within a functional group (GS-GE). The number also aids in error resolution research. For example, start with the number 0001 and increment from there.

C External Code Sources

5 Countries, Currencies and Funds

SIMPLE DATA ELEMENT/CODE REFERENCES

235/CH, 26, 100

SOURCE

Codes for Representation of Names of Countries, ISO 3166-(Latest Release)
Codes for Representation of Currencies and Funds, ISO 4217-(Latest Release)

AVAILABLE FROM

American National Standards Institute
11 West 42nd Street, 13th Floor
New York, NY 10036

ABSTRACT

This international standard provides a two-letter alphabetic code for representing the names of countries, dependencies, and other areas of special geopolitical interest for purposes of international exchange and general directions for the maintenance of the code. The standard is intended for use in any application requiring expression of entities in coded form. Most currencies are those of the geopolitical entities that are listed in ISO 3166, Codes for the Representation of Names of Countries. The code may be a three-character alphabetic or three-digit numeric. The two leftmost characters of the alphabetic code identify the currency authority to which the code is assigned (using the two character alphabetic code from ISO 3166, if applicable). The rightmost character is a mnemonic derived from the name of the major currency unit or fund. For currencies not associated with a single geographic entity, a specially-allocated two-character alphabetic code, in the range XA to XZ identifies the currency authority. The rightmost character is derived from the name of the geographic area concerned, and is mnemonic to the extent possible. The numeric codes are identical to those assigned to the geographic entities listed in ISO 3166. The range 950-998 is reserved for identification of funds and currencies not associated with a single entity listed in ISO 3166.

22 States and Outlying Areas of the U.S.

SIMPLE DATA ELEMENT/CODE REFERENCES

66/SJ, 771/009, 235/A5, 156

SOURCE

National Zip Code and Post Office Directory

AVAILABLE FROM

U.S. Postal Service
National Information Data Center
P.O. Box 2977
Washington, DC 20013

ABSTRACT

Provides names, abbreviations, and codes for the 50 states, the District of Columbia, and the outlying areas of the U.S. The entities listed are considered to be the first order divisions of the U.S.

Microfiche available from NTIS (same as address above).
The Canadian Post Office lists the following as “official” codes for Canadian Provinces:

AB - Alberta
BC - British Columbia
MB - Manitoba
NB - New Brunswick
NF - Newfoundland
NS - Nova Scotia
NT - North West Territories
ON - Ontario
PE - Prince Edward Island
PQ - Quebec
SK - Saskatchewan
YT - Yukon

51 ZIP Code

SIMPLE DATA ELEMENT/CODE REFERENCES

66/16, 309/PQ, 309/PR, 309/PS, 771/010, 116

SOURCE

National ZIP Code and Post Office Directory, Publication 65

The USPS Domestic Mail Manual

AVAILABLE FROM

U.S Postal Service
Washington, DC 20260

New Orders
Superintendent of Documents
P.O. Box 371954
Pittsburgh, PA 15250-7954

ABSTRACT

The ZIP Code is a geographic identifier of areas within the United States and its territories for purposes of expediting mail distribution by the U.S. Postal Service. It is five or nine numeric digits. The ZIP Code structure divides the U.S. into ten large groups of states. The leftmost digit identifies one of these groups. The next two digits identify a smaller geographic area within the large group. The two rightmost digits identify a local delivery area. In the nine-digit ZIP Code, the four digits that follow the hyphen further subdivide the delivery area. The two leftmost digits identify a sector which may consist of several large buildings, blocks or groups of streets. The rightmost digits divide the sector into segments such as a street, a block, a floor of a building, or a cluster of mailboxes.

The USPS Domestic Mail Manual includes information on the use of the new 11-digit zip code.

77 X12 Directories

SIMPLE DATA ELEMENT/CODE REFERENCES

721, 725

SOURCE

X12.3 Data Element Dictionary
X12.22 Segment Directory

AVAILABLE FROM

Data Interchange Standards Association, Inc. (DISA)
Suite 200
1800 Diagonal Road
Alexandria, VA 22314-2852

ABSTRACT

The data element dictionary contains the format and descriptions of data elements used to construct X12 segments. It also contains code lists associated with these data elements. The segment directory contains the format and definitions of the data segments used to construct X12 transaction sets.

94 International Organization for Standardization (Date and Time)

SIMPLE DATA ELEMENT/CODE REFERENCES

623

SOURCE

ISO 8601

AVAILABLE FROM

American National Standards Institute
11 West 42nd Street, 13th Floor
New York, NY 10036

ABSTRACT

ISO Standards code list for representation of date and time.

102 Languages

SIMPLE DATA ELEMENT/CODE REFERENCES

66/LE, 819

SOURCE

Code for the representation of names of languages (ISO 639)

AVAILABLE FROM

American National Standards Institute
11 West 42nd Street, 13th Floor
New York, NY 10036

ABSTRACT

A set of symbols used to designate languages.

121 Health Industry Identification Number

SIMPLE DATA ELEMENT/CODE REFERENCES

128/HI, 66/21, I05/20, 1270/HI

SOURCE

Health Industry Number Database

AVAILABLE FROM

Health Industry Business Communications Council
5110 North 40th Street
Phoenix, AZ 85018

ABSTRACT

The HIN is a coding system, developed and administered by the Health Industry Business Communications Council, that assigns a unique code number to hospitals and other provider organizations - the customers of health industry manufacturers and distributors.

131 International Classification of Diseases Clinical Mod (ICD-9-CM) Procedure

SIMPLE DATA ELEMENT/CODE REFERENCES

235/ID, 235/DX, 1270/BF, 1270/BJ, 1270/BK, 1270/BN, 1270/BQ, 1270/BR, 1270/SD, 1270/TD, 1270/DD, 128/ICD

SOURCE

International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)

AVAILABLE FROM

U.S. National Center for Health Statistics
Commission of Professional and Hospital Activities
1968 Green Road
Ann Arbor, MI 48105

ABSTRACT

The International Classification of Diseases, 9th Revision, Clinical Modification, describes the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations.

457 NISO Z39.53 Language Code List

SIMPLE DATA ELEMENT/CODE REFERENCES

66/LD

SOURCE

Code list for the representation of names of written languages (NISO Z39.53)

AVAILABLE FROM

National Information Standards Organization Press
P.O. 338
Oxon Hill, MD 20750-0338

ABSTRACT

A set of codes to designate written languages.

540

Health Care Financing Administration National PlanID

SIMPLE DATA ELEMENT/CODE REFERENCES

66/XV

SOURCE

PlanID Database

AVAILABLE FROM

Health Care Financing Administration
Center for Beneficiary Services
Administration Group
Division of Membership Operations
S1-05-06
7500 Security Boulevard
Baltimore, MD 21244-1850

ABSTRACT

The Health care Financing Administration is developing the PlanID, which will be proposed as the standard unique identifier for each health plan under the Health Insurance Portability and Accountability Act of 1996.

D Change Summary

This is the first ASC X12N implementation guide for the 834. In future guides, this section will contain a summary of all changes since the previous guide.

E Data Element Name Index

This appendix contains an alphabetic listing of data elements used in this implementation guide. Consult the Data Element Dictionary for the complete list. Data element names in normal type are generic ASC X12 names. *Italic type indicates a health care industry defined name.*

Number - Name	1 - <i>Payment Date</i>
Definition	Date of payment.
Transaction Set ID	277
Locator Key	D 2200D SPA12 C001-2 373 156
H=Header, D=Detail, S=Summary	
Loop ID	
Segment ID/Reference Designator	
Composite ID-Sequence	
Data Element Number	
Page Number	

Action Code

Code indicating type of action

H		BGN08	-	30631
D	2300	IDC04	-	306138
D	2310	PLA01	-	306148

Amount Qualifier Code

Code to qualify amount.

D	2100A	AMT01	-	52275
D	2300	AMT01	-	522134

Assigned Number

Number assigned for differentiation within a transaction set.

D	2310	LX01	-	554139
---	------	------	---	-----	----------

Benefit Status Code

The type of coverage under which benefits are paid.

D	2000	INS05	-	121647
---	------	-------	---	------	---------

Birth Sequence Number

A number indicating the order of birth for the identified person in relationship to family members with the same date of birth.

D	2000	INS17	-	147050
---	------	-------	---	------	---------

Citizenship Status Code

Code indicating citizenship status

D	2100A	DMG06	-	106672
---	-------	-------	---	------	---------

Communication Number

Complete communications number including country or area code when applicable

D	2100A	PER04	-	364 65
D	2100A	PER06	-	364 66
D	2100A	PER08	-	364 66
D	2100D	PER04	-	364 93
D	2100D	PER06	-	364 94
D	2100D	PER08	-	364 94
D	2100E	PER04	-	364 101
D	2100E	PER06	-	364 102
D	2100E	PER08	-	364 102
D	2100F	PER04	-	364 110
D	2100F	PER06	-	364 111
D	2100F	PER08	-	364 111
D	2100G	PER04	-	364 119
D	2100G	PER06	-	364 120
D	2100G	PER08	-	364 120
D	2310	PER04	-	364 146
D	2310	PER06	-	364 146
D	2310	PER08	-	364 147

Communication Number Qualifier

Code identifying the type of communication number

D	2100A	PER03	-	365 65
D	2100A	PER05	-	365 65
D	2100A	PER07	-	365 66
D	2100D	PER03	-	365 93
D	2100D	PER05	-	365 93
D	2100D	PER07	-	365 94
D	2100E	PER03	-	365 101
D	2100E	PER05	-	365 101
D	2100E	PER07	-	365 102
D	2100F	PER03	-	365 110
D	2100F	PER05	-	365 110
D	2100F	PER07	-	365 111
D	2100G	PER03	-	365 119
D	2100G	PER05	-	365 119
D	2100G	PER07	-	365 120
D	2310	PER03	-	365 146
D	2310	PER05	-	365 146
D	2310	PER07	-	365 147

**Consolidated Omnibus Budget
 Reconciliation Act (COBRA)
 Qualifying Event Code**

A Qualifying Event is an event under the law which results in loss of coverage for a Qualified Beneficiary.

D | 2000 | INS07 | - | 1219 48

Contact Function Code

Code identifying the major duty or responsibility of the person or group named.

D | 2100A | PER01 | - | 366 65
 D | 2100D | PER01 | - | 366 93
 D | 2100E | PER01 | - | 366 101
 D | 2100F | PER01 | - | 366 110
 D | 2100G | PER01 | - | 366 119
 D | 2310 | PER01 | - | 366 146

Contract Amount

Fixed monetary amount pertaining to the contract

D | 2100A | AMT02 | - | 782 75
 D | 2300 | AMT02 | - | 782 134

Coordination of Benefits Code

Code identifying whether there is a coordination of benefits

D | 2320 | COB03 | - | 1143 151

Coordination of Benefits Date

The dates of eligibility for coordination of benefits

D | 2320 | DTP03 | - | 1251 157

Country Code

Code indicating the geographic location.

D | 2100A | N404 | - | 26 69
 D | 2100C | N404 | - | 26 89
 D | 2100D | N404 | - | 26 97
 D | 2100E | N404 | - | 26 105
 D | 2100F | N404 | - | 26 114
 D | 2100G | N404 | - | 26 123
 D | 2310 | N404 | - | 26 144

Coverage Level Code

Code indicating the level of coverage being provided for this insured

D | 2300 | HD05 | - | 1207 130

Coverage Period

The coverage period associated with this premium payment.

D | 2300 | DTP03 | - | 1251 133

Custodial Parent Address Line

The first line of the address of the individual's parent who has legal custody of the individual.

D | 2100F | N301 | - | 166 112
 D | 2100F | N302 | - | 166 112

Custodial Parent City Name

The city of the individual's parent who has legal custody of the individual.

D | 2100F | N401 | - | 19 113

Custodial Parent First Name

The first name of the individual's parent who has legal custody of the individual.

D | 2100F | NM104 | - | 1036 107

Custodial Parent Identifier

The identification number of the individual's parent who has legal custody of the individual.

D | 2100F | NM109 | - | 67 108

Custodial Parent Last Name

The last name of the individual's parent who has legal custody of the individual.

D | 2100F | NM103 | - | 1035 107

Custodial Parent Middle Name

The middle name of the individual's parent who has legal custody of the individual.

D | 2100F | NM105 | - | 1037 107

Custodial Parent Name Prefix

The prefix to the name of the individual's parent who has legal custody of the individual.

D | 2100F | NM106 | - | 1038 107

Custodial Parent Name Suffix

The suffix to the name of the individual's parent who has legal custody of the individual.

D | 2100F | NM107 | - | 1039 107

**Custodial Parent Postal Zone
 or ZIP Code**

The postal ZIP code of the individual's parent who has legal custody of the individual.

D | 2100F | N403 | - | 116 114

Custodial Parent State Code

The code for the state of the individual's parent who has legal custody of the individual.

D | 2100F | N402 | - | 156 113

Date Time Period

Expression of a date, a time, or a range of dates, times, or dates and times.

H | | DTP03 | - | 1251 34

**Date Time Period Format
 Qualifier**

Code indicating the date format, time format, or date and time format

H | | DTP02 | - | 1250 34

D		2000		INS11		-		1250	50
D		2000		DTP02		-		1250	60
D		2100A		DMG01		-		1250	70
D		2100B		DMG01		-		1250	83
D		2200		DTP02		-		1250	126
D		2300		DTP02		-		1250	133
D		2320		DTP02		-		1250	156

Date Time Qualifier

Code specifying the type of date or time or both date and time.

H				DTP01		-		374	34
D		2000		DTP01		-		374	59
D		2200		DTP01		-		374	126
D		2300		DTP01		-		374	132
D		2320		DTP01		-		374	156

Diagnosis Code

An ICD-9-CM Diagnosis Code identifying a diagnosed medical condition.

D		2200		DSB08		-		1137	125
---	--	------	--	-------	--	---	--	------	-------	-----

Disability Eligibility Date

Date when individual became eligible for disability benefits.

D		2200		DTP03		-		1251	127
---	--	------	--	-------	--	---	--	------	-------	-----

Disability Type Code

An indicator to describe type of disability.

D		2200		DSB01		-		1146	124
---	--	------	--	-------	--	---	--	------	-------	-----

Employment Status Code

A code used to define the employment status of the individual covered by this insurance payer.

D		2000		INS08		-		584	49
---	--	------	--	-------	--	---	--	-----	-------	----

Entity Identifier Code

Code identifying an organizational entity, a physical location, property or an individual

H		1000A		N101		-		98	35
H		1000B		N101		-		98	37
H		1000C		N101		-		98	39
D		2100A		NM101		-		98	62
D		2100B		NM101		-		98	81
D		2100C		NM101		-		98	86
D		2100D		NM101		-		98	90
D		2100E		NM101		-		98	98
D		2100F		NM101		-		98	107
D		2100G		NM101		-		98	115
D		2310		NM101		-		98	141
D		2310		PLA02		-		98	148
D		2320		N101		-		98	154

Entity Relationship Code

Code describing the relationship of one identified person to another.

D		2310		NM110		-		706	142
---	--	------	--	-------	--	---	--	-----	-------	-----

Entity Type Qualifier

Code qualifying the type of entity

D		2100A		NM102		-		1065	62
---	--	-------	--	-------	--	---	--	------	-------	----

D		2100B		NM102		-		1065	81
D		2100C		NM102		-		1065	86
D		2100D		NM102		-		1065	91
D		2100E		NM102		-		1065	99
D		2100F		NM102		-		1065	107
D		2100G		NM102		-		1065	116
D		2310		NM102		-		1065	141

Frequency Code

Code indicating frequency or type of payment.

D		2100A		ICM01		-		594	73
---	--	-------	--	-------	--	---	--	-----	-------	----

Gender Code

A code indicating the gender of the patient or insured.

D		2100A		DMG03		-		1068	71
---	--	-------	--	-------	--	---	--	------	-------	----

Handicap Indicator

Code indicating if individual is handicapped or not.

D		2000		INS10		-		1073	49
---	--	------	--	-------	--	---	--	------	-------	----

Health Related Code

Code indicating a specific health situation.

D		2100A		HLH01		-		1212	76
---	--	-------	--	-------	--	---	--	------	-------	----

Identification Card Count

The number of cards being requested.

D		2300		IDC03		-		380	138
---	--	------	--	-------	--	---	--	-----	-------	-----

Identification Card Type Code

Code identifying the type of identification card

D		2300		IDC02		-		1215	137
---	--	------	--	-------	--	---	--	------	-------	-----

Identification Code Qualifier

Code designating the system/method of code structure used for Identification Code (67)

H		1000A		N103		-		66	36
H		1000B		N103		-		66	38
H		1000C		N103		-		66	40
D		2100A		NM108		-		66	63
D		2100A		LUI01		-		66	79
D		2100B		NM108		-		66	82
D		2100D		NM108		-		66	91
D		2100F		NM108		-		66	107
D		2100G		NM108		-		66	117
D		2310		NM108		-		66	142
D		2320		N103		-		66	155

Individual Relationship Code

Code indicating the relationship between two individuals or entities

D		2000		INS02		-		1069	44
---	--	------	--	-------	--	---	--	------	-------	----

Insurance Line Code

Code identifying a group of insurance products

D		2300		HD03		-		1205	129
---	--	------	--	------	--	---	--	------	-------	-----

Insured Employer Address Line

First line of the current mailing address of the insured individual's employer.

D | 2100D | N301 | - | 166 95
 D | 2100D | N302 | - | 166 95

Insured Employer City Name

The City Name of the insured individual's employer.

D | 2100D | N401 | - | 19 96

Insured Employer First Name

First name of the insured's employer

D | 2100D | NM104 | - | 1036 91

Insured Employer Identifier

Identification number or reference for the insured's employer

D | 2100D | NM109 | - | 67 91

Insured Employer Middle Name

Middle name of the insured's employer

D | 2100D | NM105 | - | 1037 91

Insured Employer Name

The name of the insured individual's employer.

D | 2100D | NM103 | - | 1035 91

Insured Employer Name Suffix

Name suffix, including generation, of the insured's employer

D | 2100D | NM107 | - | 1039 91

Insured Employer Postal Zone or ZIP Code

The ZIP Code of the insured individual's employer.

D | 2100D | N403 | - | 116 97

Insured Employer State Code

The State Postal Code of the insured individual's employer.

D | 2100D | N402 | - | 156 96

Insured Group or Policy Number

The identification number, control number, or code assigned by the carrier or administrator to identify the group under which the individual is covered.

D | 2000 | REF02 | - | 127 53
 D | 2300 | REF02 | - | 127 136
 D | 2320 | COB02 | - | 127 151
 D | 2320 | REF02 | - | 127 153
 D | 2320 | N104 | - | 67 155

Insured Indicator

Indicates whether the insured is the subscriber or a dependent.

D | 2000 | INS01 | - | 1073 44

Insured Individual Death Date

Date of death for subscriber or dependent.

D | 2000 | INS12 | - | 1251 50

Insurer Identification Code

Code identifying the insurer providing coverage.

H | 1000B | N104 | - | 67 38

Insurer Name

Name of the insurer providing coverage.

H | 1000B | N102 | - | 93 38
 D | 2320 | N102 | - | 93 154

Language Code

Code indicating the language spoken by an individual.

D | 2100A | LUI02 | - | 67 79

Language Description

Narrative text indicating the language spoken by an individual.

D | 2100A | LUI03 | - | 352 79

Language Use Indicator

Code indicating the way a language is used by an individual, such as speaking or reading.

D | 2100A | LUI04 | - | 1303 79

Location Identification Code

Code which identifies a specific location.

D | 2100A | N406 | - | 310 69
 D | 2100A | ICM04 | - | 310 74
 D | 2310 | N406 | - | 310 144

Location Qualifier

Code identifying type of location.

D | 2100A | N405 | - | 309 69
 D | 2310 | N405 | - | 309 144

Maintenance Reason Code

Code identifying reason for the maintenance change

D | 2000 | INS04 | - | 1203 46
 D | 2310 | PLA05 | - | 1203 149

Maintenance Type Code

Code identifying a specific type of item maintenance

D | 2000 | INS03 | - | 875 45
 D | 2300 | HD01 | - | 875 128

Marital Status Code

Code defining the marital status of a person.
D | 2100A | DMG04 | - | 1067 71

Master Policy Number

The identification of the master policy providing coverage for the entities identified in the transaction.
H | | REF02 | - | 127 33

Medicare Plan Code

Code identifying the Medicare Plan
D | 2000 | INS06 | - | 1218 48

Member Birth Date

The date of birth of the member to the indicated coverage or policy.
D | 2100A | DMG02 | - | 1251 71

Member City Name

City name of the member's mailing address.
D | 2310 | N401 | - | 19 143

Member Height

Height of member.
D | 2100A | HLH02 | - | 65 77

Member Postal Zone or Zip Code

The postal zip code of the member's mailing address.
D | 2310 | N403 | - | 116 144

Member State Code

Member State Code.
D | 2310 | N402 | - | 156 143

Member Weight

Weight of member.
D | 2100A | HLH03 | - | 81 77

Payer Responsibility Sequence Number Code

Code identifying the insurance carrier's level of responsibility for a payment of a claim
D | 2320 | COB01 | - | 1138 150

Plan Coverage Description

A description or number that identifies the plan or coverage
D | 2300 | HD04 | - | 1204 130
D | 2300 | IDC01 | - | 1204 137

Plan Sponsor Name

The name of the entity providing coverage to the subscriber.
H | 1000A | N102 | - | 93 36

Prior Coverage Month Count

Number of months of prior health insurance coverage.
D | 2000 | REF02 | - | 127 58

Prior Incorrect Insured Birth Date

The birth date previously reported or used for an individual when corrected data is reported.
D | 2100B | DMG02 | - | 1251 84

Prior Incorrect Insured First Name

The first name previously reported or used for an individual when a corrected name is reported.
D | 2100B | NM104 | - | 1036 81

Prior Incorrect Insured Gender Code

The gender previously reported or used for an individual when corrected data is reported.
D | 2100B | DMG03 | - | 1068 84

Prior Incorrect Insured Identifier

The identification number previously reported or used for an individual when a corrected name is reported.
D | 2100B | NM109 | - | 67 82

Prior Incorrect Insured Last Name

The last name previously reported or used for an individual when a corrected name is reported.
D | 2100B | NM103 | - | 1035 81

Prior Incorrect Insured Middle Name

The middle name previously reported or used for an individual when a corrected name is reported.
D | 2100B | NM105 | - | 1037 81

Prior Incorrect Insured Name Prefix

The prefix to the name previously reported or used for an individual when a corrected name is reported.
D | 2100B | NM106 | - | 1038 81

Prior Incorrect Insured Name Suffix

The suffix to the name previously reported or used for an individual when a corrected name is reported.

D | 2100B | NM107 | - | 1039 81

Product or Service ID Qualifier

Code identifying the type/source of the descriptive number used in Product/Service ID (234).

D | 2200 | DSB07 | - | 235 125

Provider Effective Date

The date the change of the primary care provider is effective.

D | 2310 | PLA03 | - | 373 148

Provider First Name

The first name of the provider of care submitting a transaction or related to the information provided in or request by the transaction.

D | 2310 | NM104 | - | 1036 141

Provider Identifier

Number assigned by the payer, regulatory authority, or other authorized body or agency to identify the provider.

D | 2310 | NM109 | - | 67 142

Provider Last or Organization Name

The last name of the provider of care or name of the provider organization submitting a transaction or related to the information provided in or request by the transaction.

D | 2310 | NM103 | - | 1035 141

Provider Middle Name

The middle name of the provider of care submitting a transaction or related to the information provided in or request by the transaction.

D | 2310 | NM105 | - | 1037 141

Provider Name Prefix

The name prefix of the provider of care submitting a transaction or related to the information provided in or request by the transaction.

D | 2310 | NM106 | - | 1038 141

Provider Name Suffix

The name suffix of the provider of care submitting a transaction or related to the information provided in or request by the transaction.

D | 2310 | NM107 | - | 1039 142

Race or Ethnicity Code

Code indicating the racial or ethnic background of a person.

D | 2100A | DMG05 | - | 1109 72

Reference Identification Qualifier

Code qualifying the reference identification

H | | REF01 | - | 128 32
 D | 2000 | REF01 | - | 128 51
 D | 2000 | REF01 | - | 128 53
 D | 2000 | REF01 | - | 128 55
 D | 2000 | REF01 | - | 128 57
 D | 2300 | REF01 | - | 128 135
 D | 2320 | REF01 | - | 128 152

Responsible Party Address Line

Address line of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | N301 | - | 166 121
 D | 2100G | N302 | - | 166 121

Responsible Party City Name

City name of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | N401 | - | 19 122

Responsible Party First Name

First name of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | NM104 | - | 1036116

Responsible Party Identifier

The identification number of the individual responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | NM109 | - | 67117

Responsible Party Last or Organization Name

Last name or organization name of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | NM103 | - | 1035116

Responsible Party Middle Name

Middle name of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | NM105 | - | 1037116

Responsible Party Name Prefix

The prefix to the name of the individual responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations.

D | 2100G | NM106 | - | 1038 116

Responsible Party Postal Zone or ZIP Code

Postal ZIP code of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | N403 | - | 116..... 123

Responsible Party State Code

State or province of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations.

D | 2100G | N402 | - | 156 122

Responsible Party Suffix Name

Suffix for name of the person or entity responsible for payment of balance of bill after applicable processing by other parties, insurers, or organizations..

D | 2100G | NM107 | - | 1039..... 116

Salary Grade Code

A code that identifies the salary or wage level of an employee.

D | 2100A | ICM05 | - | 1214..... 74

School Address Line

Address line of address for school of referenced individual

D | 2100E | N301 | - | 166 103
D | 2100E | N302 | - | 166 103

School City Name

City of address for school of referenced individual

D | 2100E | N401 | - | 19..... 104

School Name

Name of school attended by referenced person.

D | 2100E | NM103 | - | 1035..... 99

School Postal Zone or ZIP Code

Postal ZIP code of school of referenced individual

D | 2100E | N403 | - | 116..... 105

School State Code

State of school of referenced individual

D | 2100E | N402 | - | 156 104

Sponsor Identifier

Identification of the party paying for the coverage.

H | 1000A | N104 | - | 67 36

Status Information Effective Date

The date that the status information provided is effective.

D | 2000 | DTP03 | - | 1251 60

Student Status Code

Code indicating the student status of the patient if 19 years of age or older, not handicapped and not the insured

D | 2000 | INS09 | - | 1220 49

Subscriber Address Line

Address line of the current mailing address of the insured individual or subscriber to the coverage.

D | 2100A | N301 | - | 166 67
D | 2100A | N302 | - | 166 67
D | 2100C | N301 | - | 166 87
D | 2100C | N302 | - | 166 87

Subscriber City Name

The City Name of the insured individual or subscriber to the coverage

D | 2100A | N401 | - | 19 68
D | 2100C | N401 | - | 19 88

Subscriber First Name

The first name of the insured individual or subscriber to the coverage

D | 2100A | NM104 | - | 1036 62

Subscriber Identifier

Insured's or subscriber's unique identification number assigned by a payer.

D | 2000 | REF02 | - | 127 52
D | 2100A | NM109 | - | 67 63

Subscriber Last Name

The surname of the insured individual or subscriber to the coverage

D | 2100A | NM103 | - | 1035 62

Subscriber Middle Name

The middle name of the subscriber to the indicated coverage or policy.

D | 2100A | NM105 | - | 1037 62

Subscriber Name Prefix

The name prefix of the subscriber to the indicated coverage or policy.

D | 2100A | NM106 | - | 1038 62

Subscriber Name Suffix

Suffix of the insured individual or subscriber to the coverage.
 D | 2100A | NM107 | - | 1039 62

Subscriber Postal Zone or ZIP Code

The ZIP Code of the insured individual or subscriber to the coverage
 D | 2100A | N403 | - | 116 69
 D | 2100C | N403 | - | 116 88

Subscriber State Code

The State Postal Code of the insured individual or subscriber to the coverage
 D | 2100A | N402 | - | 156 68
 D | 2100C | N402 | - | 156 88

Subscriber Supplemental Identifier

Identifies another or additional distinguishing code number associated with the subscriber.
 D | 2000 | REF02 | - | 127 56

TPA or Broker Account Number

Account number assigned to the Third Party Administrator or broker
 H | 1100C | ACT01 | - | 508 41
 H | 1100C | ACT06 | - | 508 42

TPA or Broker Identification Code

Code identifying the Third Party Administrator or broker
 H | 1000C | N104 | - | 67 40

TPA or Broker Name

Name of the Third Party Administrator or Broker.
 H | 1000C | N102 | - | 93 40

Time Zone Code

Code identifying the time zone used in specifying a time.
 H | | BGN05 | - | 623 29

Transaction Segment Count

A tally of all segments between the ST and the SE segments including the ST and SE segments.
 D | | SE01 | - | 96 158

Transaction Set Control Number

The unique identification number within a transaction set.
 H | | ST02 | - | 329 27
 D | | SE02 | - | 329 158

Transaction Set Creation Date

Identifies the date the submitter created the transaction
 H | | BGN03 | - | 373 29

Transaction Set Creation Time

Time file is created for transmission.
 H | | BGN04 | - | 337 29

Transaction Set Identifier Code

Code uniquely identifying a Transaction Set.
 H | | ST01 | - | 143 27
 H | | BGN02 | - | 127 29
 H | | BGN06 | - | 127 31

Transaction Set Purpose Code

Code identifying purpose of transaction set.
 H | | BGN01 | - | 353 28

Wage Amount

Amount of wages or income for the specified period.
 D | 2100A | ICM02 | - | 782 74

Work Hours Count

Number of hours of employment for a specified period.
 D | 2100A | ICM03 | - | 380 74